

Dr. Amit Ranjan Chakraborty
Chief Environment Management

EMD/C-23/412/20 September 18th, 2020

The Member Secretary

Jharkhand State Pollution Control Board T.A. Division Building, HEC Campus, Dhurwa RANCHI – 834004

Subject: Environmental Statement 2019-2020 for Bhatkunda, East Singhbhum of Tata Steel Limited, Jamshedpur

Dear Sir,

This has reference to the captioned subject. Please find enclosed the **"Environmental Statement"** for Bhatkunda Site, East Singhbhum of Tata Steel Limited, Jamshedpur for the year 2019-2020 duly filled in the prescribed format is enclosed for your kind consideration.

Thanking you

Yours faithfully,

For Tata Steel Limited

Dr. Amit Ranjan Chakraborty Chief, Environment Management

Encl: As Above

Copy to: Regional Officer, Jharkhand State Pollution Control Board, Adityapur, Jamshedpur – 831 013

ENVIRONMENTAL STATEMENT FOR THE YEAR 2019-2020

For Storage & Processing of Solid Wastes
(LD & ACBF Slag)
Bhatkunda,
District -East Singhbum
Tata Steel Limited

Submitted by:
ENVIRONMENT MANAGEMENT DEPARTMENT
TATA STEEL LIMITED
JAMSHEDPUR-831001
JHARKHAND

FORM-V

Environmental Statement for the financial year ending the 31/03/2020

PART-A

i)	Name and address of the owner / occupier of the industry operation or process	:	Mr T V Narendran Managing Director Tata Steel Limited
	of process		Bhatkunda, District- East Singhbum Jharkhand
ii)	Industry Category	:	Green Category
	Primary (SIC Code)	:	NIL
	Secondary (SIC Code)	:	NIL
iii)	Production Capacity	•	Dumping capacity 640 TPD for Storage & Processing of LD & ACBF Slag. (Storage and processing of slag has not been started)
iv)	Year of establishment	:	2019
v)	Date of last Environmental Statement submitted	:	New

PART-B

Water & Raw Material Consumption

i) Water Consumption, KL/day

Cooling : Nil

Domestic

1. Plant : Nil 2. Colony : Nil

Name of the product	Process water consumption per unit of product Output (m³/t of product)	
	During the Previous Financial year 2018-19	During the current Financial year 2019-20
LD & ACBF Slag (Solid Wastes)	NA	NA

ii) Raw Material Consumption:

Name of raw material	Name of the products	Consumption of raw material per unit of output (ton/ton of product)	
		During the Previous Financial year 2018-2019 2019-20	
LD & ACBF Slag	LD& ACBF Slag Processed	NA	NA

PART-C

Pollution Discharged to Environment/Unit of Output (Parameter as Specified in the Consent Issued)

Pollutants		pollutants var discharged (mass/volume)	s Percentage of riation from in l prescribed standards with sons.	Percentage of pollution variation from in discharged prescribed (mass/volume) standards with reasons
		2018-19	2019-20	
a)	WATER	mg/lit		
	TSS	NA	NA	-
	Oil & Grease	NA	NA	-
	COD	NA	NA	-
	BOD	NA	NA	-
b)	AIR	μg/m³	•	
	PM	NA	NA	-

PART-D Hazardous Wastes

(As specified under Hazardous and Other Wastes (Management and Transboundary Movement) Amendment Rules, 2016)

Hazardous Waste		Total Quantity (Kg)	
		During the Previous Financial year 2018-2019	During the current Financial year 2019-2020
a)	From process: - Used lubricant oil	NA	NA
b)	From Pollution Facilities.	NA	NA

PART-E Solid Waste

		During the Previous Financial year 2018-2019	During the current Financial year 2019-2020
a	From process		
	Any Waste Generation	NIL	NIL
b	From pollution control facilities- applicable		Not
c 1	Quantities recycled or reused with applicable	nin the unit -	Not
c 2	sold-		
	LD & ACBF slag Processed	-	0
c 3	Disposed - applicable		Not

PART-F

Please specify the characterization (in terms of composition of quantum) of hazardous as well as solid wastes and indicate disposal practices adopted for both these categories of wastes.

LD Slag Characterization

$$\label{eq:feta} \begin{split} &\text{Fe(T)} - 18\text{-}25; \ \text{MgO} - 1\text{-}2 \ ; \ \text{CaO} - 45\text{-}\\ &55; \ \text{MnO} - 0.5\text{-}1.0 \\ &\text{SiO}_2 - 10\text{-}12; \ \text{Al}_2\text{O}_3 - 0.8\text{-}1.0; \ \text{P}_2\text{O}_5 - \\ &3.5\text{-}4.0; \ \text{S} - 0.2; \ \text{TiO}_2 - 0.8\text{-}1; \ \text{Alkali} - \\ &0.18 \end{split}$$

ACBF Slag Characterization

CaO-35-40; SiO2 – 30-35; Al2O3 – 15-18; MgO – 7-9; SO2- 3-4; Fe2O3 -2-3; TiO2 – 1-2; K2O – 0.5-1; Na2O – 0.5-1; MnO – 0.1-0,2; BaO – 0.1-0.2; Cl – 0.1-0.2;

PART-G

Impact of pollution control measures	Green Belt Development as per CPCB	
taken on conservation of natural	guidelines is done.	
resources and cost of product	Total 1078 nos. of saplings of different	
_	types have been planted around the	
	boundary this year so far.	

PART-H

Additional	measures/investment		
		/ -	
proposal	Environmenta	al	Protection
including	abatement	of	pollution
prevention of pollution			

Mechanized water sprinklers will be deployed to suppress the dust deposited in the plant roads at routine intervals throughout the day.

PART-I

Particular for improving the quality of	Green belt development is an ongoing
Environment	process and is being given high
	priority.
	System for rain water harvesting is in
	place at site. Harvested water is being
	stored in 3 different RCC ponds of total
	capacity 62000 m ³ or individual
	capacities of 27,000 m ³ , 19250 m ³ and
	15900 m ³ respectively. Stored water
	will be reused as a process water for
	operation of the site along with dust
	suppression in the yard.


Plantation details of Bhatkunda Site











Layout of Plantation at Batkunda



Google Image of Water Ponds





RCC ponds of total capacity 62,000 m³ or individual capacities of 27,000 m³, 19,250 m³ and 15,900 m³ respectively