

To

The Additional Principal Chief Conservator of Forest
Eastern Central Zone
Ministry of Environment, Forests & Climate Change, Govt. of India
Bungalow no. A-2, Shyamali Colony
Ranchi-834002, Jharkhand

Email: ro.ranchi-mef@gov.in

WBD/EMC/4071/085/20 Date: 23.11.2020

Ref: Environmental Clearance letter no. J-11015/108/2016-IA.II(M) dated: 17.05.2007

Sub: Half-yearly EC Compliance Report for the period April'20 - September'20 in respect of West

**Bokaro Open Cast Coal Mine of Tata Steel Limited** 

Dear Sir,

1 :

.

Environmental Clearance was accorded to West Bokaro Open Cast Coal Mine of Tata Steel Limited vide Letter No. J-11015/108/2006-IA.II(M), dated: 17.05.2007. We are herewith submitting the half yearly EC Compliance Report for the period from April'20 - September'20 as per EIA Notification, 2006 to your good office on email: <a href="mailto:ro.ranchi-mef@gov.in">ro.ranchi-mef@gov.in</a> in soft copy for your ready reference.

We trust that the measures taken towards environmental safeguards comply with the stipulated environmental conditions. We look forward to your further guidance which shall certainly help us in our endeavor for further improve upon our Environmental Management practices.

Thanking you,
Yours faithfully,

**Head (Environment Management)** 

Raw Materials
TATA Steel Limited

Copy to : The Member Secretary, State Pollution Control Board, T.A. Division (Ground Floor),

H.E.C. Dhurva, Ranchi - 834004 (Jharkhand)

: The Regional Officer, State Pollution Control Board, PTC Chowk, Matwari,

† :

Hazaribagh - 825301 (Jharkhand)





# **Half Yearly Compliance Report**

for the period April'20 – September'20 of

Environment Clearance accorded by MoEF&CC vide no. J-11015/108/2006-IA.II(M)

# West Bokaro Open Cast Coal Mine Tata Steel Limited

PO: Ghatotand, Block: Mandu

Dist.: Ramgarh, Jharkhand - 825314



#### **Specific Conditions:**

(i) No mining operations shall be undertaken in the forestland until clearance has been obtained under the provisions of FC Act, 1980.

# **Compliance:**

Being complied with.

(ii) The embankment along the River Bokaro shall be designed taking into account the highest flood level, based on past data, along the quarry area at the mine boundary along the River Bokaro so as to guard against mine inundation. The slope of the embankment shall at least 2:1 towards the ML and shall be stabilized by plantation. The height of the embankment shall be at least 5 m higher than the HFL.

# **Compliance:**

There is natural solid surface of the quarry area left at the mine boundary along the River Bokaro to guard against mine inundation. The existing height of the natural solid surface along the Bokaro river is more than 5 m higher than the HFL. The HFL observed was 336 meters while the lower most level of quarry boundary or natural solid surface is 346 meters. At the same time 30 meters wide solid surface has also been left from river to avoid any ingress of water in the mine pit. Plantation by seed spray was done on the slope surface for stabilization. Further, Seed balls spreading has been done for further stabilization of slope surface. Photograph of the stabilized slope by grass plantation is shown below.



(iii) Topsoil should be stacked properly with proper slope at earmarked site(s) and should not be kept active and shall be used for reclamation and development of green belt.

# **Compliance:**

Currently, mining operation is being carried out in pit only so there is no top soil generation envisaged. However, previously accumulated top soil was used to spread over dumps for the plantation purpose. Catch drain on the one side of the top soil dump is cleaned before the monsoon. Photographs of Top Soil stack with maintained drain and use of top soil for spreading on dump for plantation are shown below.

Maintained catch drain of Top Soil Dump

Top Soil spreading on dump for plantation



(iv) No new external OB dumps shall be created for storing OB. Monitoring and management of existing reclaimed dump sites should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forests and its Regional office located at Bhubaneswar on and yearly basis.

# **Compliance:**

No new external OB dumps shall be created for storing of OB. Mined-out area and existing OB dumps are available in the operating mining area, which are being used for OB dumping. The existing reclaimed dump site is being monitored & maintained to sustain vegetation on regular basis and gap filling plantation is being done against the mortality of the plantation. Further, old dump area has been identified and taken up for reclamation. Soil spreading followed by grass seed spreading and native species plantation is ongoing. Apart from this, Eco restoration of dump slope is also in progress in parts.

Soil & grass seed Spreading on dump slope



Grassing and Plantation on dump slope



Soil & grass Spreading on dump slope



Grassing and Plantation on dump slope



Plantation on dump slope





### Back filling of quarry by Over Burden





Eco restoration: Before and After





(v) Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from soil, OB and mineral dumps. The water so collected should be utilized for watering the mine area, roads, green belt development, etc. The drains should be regularly de silted and maintained properly. Garland drains (size, gradient and length) and sump capacity should be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine site. Sump capacity should also be provided adequate retention period to allow proper settling of silt material.

# **Compliance:**

OB dumps have been created with inward slope so no water flows outside the dump to prevent soil erosion and siltation. Further, catch drains on the toe of the OB dump were made with slope towards quarry to divert all the runoff water into the quarry pit. Collected rain water is being used for dust suppression purpose. Catch drains were desilted before the monsoon and maintained thereafter. Construction of garland drain and toe wall is a regular practice to take care of run-off water.

The mine quarry act as a big sump with approximate sump capacity 50 - 120 million gallons, considering maximum rainfall & depending upon the catchment area. Further, accumulated mine pit water is also being used in industrial and domestic purpose after necessary treatment. One of the abandoned quarry is being used as Rain Water Harvesting Structure.

Catch Drains at the toe of dumps






West Bokaro Open Cast Coal Mine, Tata Steel Limited

Page 3 of 20

Catch Drains at the toe of dumps







Active mine pit for water accumulation

Abondoned mine pit as Rain Water Harvesting






(vi) Dimension of the retaining wall at the toe of the dumps and OB benches within the mine to check run-off and siltation should be based on the rainfall data.

# Compliance:

Dumps have been created with inward slope so that maximum runoff water in monsoon comes into the mine pits and no runoff water goes outside the mining lease. Further, toe wall and garland drains have been made to channelize the water inside the mine pit. Damaged toe walls are being repaired on regular basis. Photographs of the toe wall and garland drains area shown below.

Toe walls on dumps







Garland drain in the area







West Bokaro Open Cast Coal Mine, Tata Steel Limited

(vii) Crushers at the CHP should be operated with high efficiency bag filters, water sprinkling system should be provided to check fugitive emissions from crushing operations, conveyor system, haulage roads, transfer points, etc.

# **Compliance:**

Crusher houses and CHP areas are equipped with dry fog dust suppression system. Fixed type dust suppression system is installed at all conveyor networks & various mineral transfer points. Conventional coal stock yards are replaced with concrete silos for dust controls. Mobile water sprinklers (pressurized water tankers) are used in mine haul roads and approach roads. Further, new water sprinklers have been procured to increase the capacity of the water sprinkling on the haul roads. Coal from mining to washery is being sent through pipe conveyor to reduce the fugitive emission. Water Mist Canon is being used in coal stacking area.


Use of fixed & mobile water sprinklers








Dry fog dust suppression system in crushing units








Water Mist Canon in coal stacking area

Pipe Conveyor for material transport





Concrete silos for material storage



West Bokaro Open Cast Coal Mine, Tata Steel Limited

# (viii) Drills should be wet operated.

# **Compliance:**

All the drills are wet operated and interlocked with drill operations.







(ix) Controlled blasting should be practiced only during day time with use of delay detonators. The mitigative measures for control of ground vibrations and to arrest the fly rocks and boulders should be implemented.

# Compliance:

Blasting in mines area is regularly being practiced in day time only. Controlled blasting is practiced in the close proximity of structure, continuous monitoring along with data collection is being practiced. Delay detonators are being practiced minimizing vibration, dust & formation of fly rocks. However, at regular intervals scientific study is also been conducted from reputed & recognized organizations.

(x) Area brought under afforestation shall not be less than 1260 ha which includes reclaimed external OB dump (85 ha), backfilled area (974 ha), along ML boundary, along roads, green belt (201 ha), in undisturbed areas and in colony within the mine lease area by planting native species in consultation with the local DFO/ Agriculture Department. The density of the trees should be around 2500 plants per ha.

#### **Compliance:**

Progressive afforestation is practiced as per plan in the area. This year about 41352 native trees, shrubs and grass saplings have been planted and the thrust has been given for green belt development along the safety zone in the area and mined out area. local and native species was planted, including OB dumps, lease boundary, residential colonies, and coal dispatch area. Voluntary afforestation in & around villages are also being done with company employees and local communities. Progressive afforestation is practiced as per plan in the area. In 2020, approximate 16500 saplings have been planted.

Plantation activities







TATA Steel is committed to conserve, enhance & restore the biodiversity in it's areas of operations and made a biodiversity policy to achieve no net loss of biodiversity over a period of time. Various initiatives are taken to conserve and restore the bio-diversity in the area in consultation with IUCN & forest officials. To enhance the bio diversity of the area, a butterfly park is made. To enhance the medicinal and hibiscus habitat, hibiscus and medicinal park were also made. Further, we are developing a native plant species nursery in the mined-out area.

# **Biodiversity Initiatives**









Minedout Area Development (Reclamation cum beautification)



Butterfly, Hibiscus and Medicinal Park development on mined out area







Spice Garden & Miyawaki Plot Development on mined out area





Inhouse development of Native Plant Species Nursery





(xi) A Progressive Closure Plan shall be implemented by reclamation of quarry area of 974 ha which shall be backfilled and afforested by planting native plant species in consultation with the local DFO/ Agriculture Department. The density of the trees should be around 2500 plants per ha. The balance 20 ha of de coaled area being converted into a water reservoir shall gently slope along the upper benches and stabilized and reclaimed with plantation.

# **Compliance:**

Mine plan & mine closure plan was approved by Ministry of Coal, which includes all plantation details. Afforestation & reclamation of de-coaled area shall be done by planting native species in consultation with DFO / Agriculture departments as per prevailing guidelines. As per approved mine plan, all dumps will be re-handled as the mine progress, however to stabilize the dumps, plantation was done by lemon grass, native trees, native shrubs and we have also done the soil spreading on dump slopes followed by grass seed spreading and native tree plantation.

Soil, grass spreading and plantation on dump slope





De-coaled Q-E converted in to Water Reservoir



West Bokaro Open Cast Coal Mine, Tata Steel Limited

(xii) A Conservation Plan for endangered species found in and around the project area shall be formulated and for the medicinal plants (in-situ and ex-situ) shall be prepared and implemented in consultation with the State Forest and Wildlife Departments. Separate funds shall be earmarked for implementation of the various activities there under and the status thereof shall be regularly reported to this Ministry and the MoEF Regional Office, Bhubaneswar.

# **Compliance:**


The project area doesn't have any endangered species found in and around area. However, some of the plants of having medicinal values are conserved by developing an area. To conserve, restore and enhance the medicinal plants in the area, a separate medicinal garden also being prepared at one of the OB dump and 33 nos. of species have been planted in the medicinal park. Besides above several medicinal plants such as Bael (Aegle marmelos), Neem (Azadirachta indica), Avla (Phyllanthus emblica), Karanj (Millettia pinnata), Ber (Ziziphus mauritiana), Sarifa (Annona squamosal) were also planted in the area. Further, to enhance the medicinal and hibiscus habitat, hibiscus and medicinal park were also made.



(xiii) No groundwater shall be used for the mining / project activities. Additional water required, if any, shall be met by recycling / reuse of the water from the existing activities and from rainwater harvesting measures.

# **Compliance:**

It is being complied and regularly practiced; no ground water is used for mining & other project activities. Active mine pits are being used for water accumulation followed by use for spraying in mine. An abandoned mine pit is converted into rain water harvesting (RWH) pond of capacity of 1200 Million Gallon, which is being used for industrial and domestic purpose after proper treatment as per the requirement.





Abandoned mine pit as Rain Water Harvesting



All the plants are operated at Zero Effluent Discharge (ZED) and entire processed water is recycled and reused. We are recycling the washery outlet water after dewatering process of tailings in our mechanical dewatering plant and further, recycling of water from the tailings ponds in a closed circuit.

Mechanical Tailing Dewatering Plant and Filter Press





Water Recycling from tailings ponds



Further, storage of active mine pit water into abandoned mine pit to use in lean season. Photographs of the same are shown below.

Infrastructure for storage of active quarry pit to abandoned mine pit



West Bokaro Open Cast Coal Mine, Tata Steel Limited

(xiv) Regular monitoring of groundwater level and quality should be carried out by establishing a network of existing wells and construction of new piezometers. The monitoring for quantity should be done four times a year in pre-monsoon (May), monsoon (August), post-monsoon (November) and winter (January) seasons and for quality in May. Data thus collected should be submitted to the Ministry of Environment & Forests and to the Central Pollution Control Board quarterly within one month of monitoring.

# **Compliance:**

Regular monitoring of groundwater level and quality is being carried out by establishing a network of existing wells. The monitoring for quantity is being done four times a year in pre-monsoon, monsoon, post-monsoon and winter seasons and for quality in May. There are 5 nos. of piezometers in core and buffer zone for real time ground water level monitoring. Data thus collected is being submitted to the Ministry of Environment & Forests and to the Central Pollution Control Board quarterly.



(xv) The Company shall put up artificial groundwater recharge measures for augmentation of groundwater resource. The project authorities should meet water requirement of nearby village(s) in case the village wells go dry due to dewatering of mine.

# Compliance:

The ground water recharge measures are continuously being taken up and thrust has already been put up to streamline drinking water projects, which includes construction of ponds, bore well, check dams etc. in and around our leasehold areas. We have converted abandoned mined out pit near pundi area as a large water reservoir which helps to recharge the ground level.

# Abandoned Mine pit converted into RWH pond



Check Dam to increase ground water recharge



Ponds cum Rain Water Harvesting structures in Village Jodragora







We are supplying the drinking water to the nearby villages by pipe line network from our mine pit water followed by water softening facility and we have also constructed a Rain Water Harvesting cum water treatment facility to supply water to nearby 7 villages.

Artificial pond for recharging and Drinking Water System at Atna village





RWH cum drinking water project at Duni village





(xvi) ETP should also be provided for workshop, coal washery and CHP. There shall be zero discharge of wastewater from CHP and the coal washeries. Effluents from the tailings pond shall be treated to conform to prescribed standards in case of discharge into any water course outside the lease.

# **Compliance:**

Zero Effluent Discharge (ZED) is being maintained at Coal Washery, CHP, workshops & power plant; the effluent generated is completely recycled & reused. In addition to above, mechanical tailing dewatering system is installed for Washery & CHP area by which the tailing slurry is handled through high frequency screen and belt press to produce dry tailings and recover water for recycling and further, recycling of water from the tailings ponds in a closed circuit.

Mechanical tailings de-watering system



Output of HFC at tailing dewatering plant



Water Recycling from tailings ponds



The water from tailing pond after proper de-silting of tailings is recycled back to washeries to maintain zero discharge. Oil traps are also installed for workshops.

Oil & Grease trap at mines





(xvii) A STP shall be provided for the township / colony to treat the domestic effluents to prescribed standards and for their reuse in project activities.

# **Compliance:**

A Sewage Treatment Plant (STP) of 240 KLD is already installed in the residential block and treated water is being reused in dust suppression of road.



Sewage Treatment Plant (0.24 MLD) at West Bokaro

Further, a detailed feasibility study has been done by ISM Dhanbad for the STP requirement for the remaining areas. Construction process of new STP of capacities 500 KLD, 300 KLD, 100 KLD & 15 KLD for colonies and two nos. of 5 KLD for canteen are in progress, for which ground work like chamber construction, connection by HPDE pipes and excavation are in progress.

xviii) R&R shall be based on norms laid down by the State Government and shall not be inferior than that in the National R&R Policy and shall be completed within a specified time - frame.

# **Compliance:**

Tata Steel's West Boakro Colliery was granted a mining lease of 1740 ha and all the operations are confined within the leasehold area and further, there is no additional land acquisition envisaged for the project so there is no applicability of R & R for the project. Although, we are shifting the illegal inhabitants (encroachers) outside the working area.

(xix) For monitoring land use pattern and for post mining land use, a time series of land use maps, based on satellite imagery (on a scale of 1: 5000) of the core zone and buffer zone, from the start of the project until end of mine life shall be prepared once in 3 years (for any one particular season which is consistent in the time series), and the report submitted to MoEF and its Regional office at Bhubaneswar.

# Compliance:

A Land use maps was prepared for core and buffer zone with a detailed study report and the same was submitted to Regional office of Ministry of Environment, Forest & Climate Change vide letter no. WBD/EMC/4071/020/18 dated: 23.03.2018. Further order has been placed for preparation of LULC map t CMPDIL Ranchi. Work is in progress which'll be completed within time to submit.

A Final Mine Closure Plan along with details of Corpus Fund should be submitted to the Ministry of (xx) Environment & Forests for approval 5 years in advance of final mine closure for approval.

#### **Compliance:**

It will be complied five years in advance of final mine closure plan for approval. Although we are submitting Mine Closure Fund annually in Escrow account.

(xxi) Consent to operate shall be obtained before expanding mining operations.

# Compliance:

Consent to operate is being obtained regularly.

#### **General Conditions:**

(i) No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment and Forests.

# **Compliance:**

No change in mining technology shall be made without prior approval of the Ministry of Environment, Forests & Climate Change.

(ii) No change in the calendar plan including excavation, quantum of mineral coal and waste should be made.

# **Compliance:**

Complied with

(iii) Four ambient air quality monitoring stations should be established in the core zone as well as in the buffer zone for SPM, RPM, SO2 and NOx monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the SPCB.

# **Compliance:**

Consulted with Regional Officer of State Pollution Control Board, by considering the predominate wind direction, base line study and Air modeling 4 station in core zone as well as in the buffer zone has been established for ambient air quality monitoring.

(iv) Fugitive dust emissions (SPM and RPM) from all the sources should be controlled regularly monitored and data recorded properly. Water spraying arrangement on haul roads, wagon loading, dump trucks (loading and unloading) points should be provided and properly maintained.

# **Compliance:**

All the strategic locations of operating plants with the possibilities of fugitive dust emissions has been provided with adequate enclosures, side skirt, chute, seal plate, sealing of transfer points along with adequate dust suppression system.

Dry fog dust suppression system in crushing units







The haul road, loading and unloading points are provided with pressurized water tanker for water spraying along with chemical dosing, wagon loading does not require any water spraying since the coal is in moist condition. Fixed water sprinklers have been provided on the roads.

Use of fixed & mobile water sprinklers







Further, closed pipe conveyors and belt conveyors are being used for material transfer from mine pit head crushing plant to washeries. water mist canon is being used at material stock yards and water chemical crust is being used on outgoing material carrying trucks to eliminate the fugitive emission. All the sites are monitored regularly and data is kept for record.

Water Mist Canon in coal stacking area

Pipe Conveyor for material transport





Concrete silos for material storage



(v) Data on ambient air quality (SPM, RPM, SO2 and NOx) should be regularly submitted to the Ministry including its Regional Office at Bhubneshwar and to the State Pollution Control Board and to the Central Pollution Control Board once in six months.

# Compliance:

Being complied with, all environmental monitoring data for the period from Apr'20 to Sep'20 is attached as an **Annexure-I**. Continuous Ambient Air Quality Monitoring System (CAAQMS) is installed at division and being operational. All the parameters such as PM10, PM2.5, NO, NO2, NOx, CO, SO2, Wind Speed (in m/s), and Wind Direction (in degree) are recorded on every 15 minutes interval, all parameters were measured by analyzers equipped in mobile van. All the instruments including mobile van is supplied by CPCB authorized agency & approved from USEPA. The data connectivity with CPCB & JSPCB server and transmission facility is being installed.

Continuous Ambient Air Quality machine (CAAQMS) for data monitoring system



Online emission monitoring for FBC based 2x10MW captive power plant is installed at for PM, SO2 & NOx monitoring in stack and continuously being transmitted to JSPCB server. Electro Static Precipitator (ESP) is attached with the power plant and is regularly being maintained. The quality & quantity of emission is maintained well within limit as per standard. All the data of PM, SOx & NOx are working smoothly. The data connectivity with CPCB & JSPCB server and transmission facility is being installed.


Continuous Emission Monitoring for Power House for PM, SO2 & NOx data







Further, one PM10 analyzer is installed for continuous PM10 monitoring at Chainpur Railway Siding and continuous online data is being transmitted to JSPCB server.







(vi) Adequate measures should be taken for control of noise levels below 85 db(A) in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc. should be provided with ear plugs/ muffs.

# **Compliance:**

Control measures are being taken up to keep noise level well within limit in working environment by providing adequate enclosure/ separation to the various high noise sources, proper maintenance, provision of control room, operator's a/c cabin etc. In addition, all the persons are provided with PPEs such as ear plug/ muff during work. Warning signs in local language are also displayed at various areas in mines & plant. An adequate green belt is also maintained in the area.

(vii) Industrial wastewater (workshop and wastewater from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December 1993 or as amended from time to time before discharge. Oil and grease trap should be installed before discharge of workshop effluents.

#### **Compliance:**

The Industrial wastewaters generated from various operations are handled through effluent management system provided in all operational dept. with the objective to treat the effluent and recycle the clear water into the system again. The HEMM maintenance shops have been provided with oil trap arrangement to recover the oil during washing of equipments. The recovered used oil during washing is sold to authorized recycler as per guideline and the effluent generated is checked for quality and recycled - reused in the system.

Oil trap in mine's workshop





(viii) Vehicular emissions should be kept under control and regularly monitored vehicles used for transporting the mineral should be covered with tarpaulins and optimally loaded.

# **Compliance:**

Vehicular emission is kept under control by regularly monitoring & maintenance of vehicles. overloading of vehicles is avoided during mineral transport. All the vehicles during transport of material covered with tarpaulin sheet. We also also transferring material by pipe conveyors.

Pipe Conveyor



**Covered Trucks** 



Conveyor belts



(ix) Environmental laboratory should be established with adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board.

# Compliance:

A full-fledged Environmental laboratory is functioning with adequate number of pollution monitoring and analysis instruments. Accreditation of laboratory from NABL is done.

Heavy Metal Analysis by AAS



**Instrumentation Room** 



### Wet Analysis Room





**Furnace Room** 



Sample Room



(x) Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance programme of the workers should be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed.

# Compliance:

All dusty areas such as crushers etc. are provided with dry fog system and fixed dust sprinklers so as to eliminate dust from source. All haul roads, are equipped with fixed and mobile dust sprinklers. All drill operations are wet only. The operators of various HEMM being operated inside the mines are provided with air-condition cabins. In addition, dust mask has been provided to the personnel working in dusty area. The persons have been imparted necessary training on safe work practices and appraised the adverse consequences on health in case of any violation of the practices.

Occupation health surveillance program is being conducted on regular basis in our Hospital for health checkup as per the coal mines rule. The health awareness program is also being conducted regularly in all the departments.

(xi) A separate environmental management cell with suitable qualified personnel should be set up under the control of a Senior Executive, who will report directly to the Head of the company.

# **Compliance:**

A separate Environment Management Cell is in place with qualified person reporting to Top management. Details of the personals of Environmental Management Cell is as follows:

Sl. No.	Name	Designation	Work Experience
1	Dr. M K Gupta	Head (Environment & Forest)	26 years
2	Mr. Utsav Kashyap	Sr. Manager (Environment)	10 years
3	Mr. Amritanshu	Manager (Environment)	3 years
4	Mr. Ajeet Singh	Manager (Forest)	17 years
5	Mr. Nageshwar Mahato	Lab. Asst.	19 years
6	Mr. Budhan Besra	Lab. Asst.	18 years

Sl. No.	Name	Designation	Work Experience
7	Mr. Ajay Singh	Chemist	31 years
8	Mr. G A Khan	Chemist	27 years
9	Dr. Suraj Ghosh	Chemist	1 Years
10	Mr. Devalla Srinivas	Chemist	1 Year
11	Mr. Pashupati Nath Gupta	Chemist	6 Years
12	Mr. Sunil Kumar	Ministerial staff	10 years
13	Mr. Ajay	-do-	11 years

(xii) The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year-wise expenditure should be reported to this Ministry and its Regional Office at Bhubaneswar.

# **Compliance:**

The Environmental Management Cell of West Bokaro Division having separate fund for environmental protection measures / compliance to legal requirements. Besides above, all other departments are also maintaining expenditure details for environmental protection measures in their working area. The expenditure occurred during the FY-20 is approx. Rs.7172.40 Lakh. Details are attached as

(xiii) The Regional Office of this Ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The Project authorities shall extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data/information/monitoring reports.

# **Compliance:**

Being complied with.

(xiv) A copy of the clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom any suggestion / representation has been received while processing the proposal.

# **Compliance:**

A copy of the Environmental Clearance letter was submitted to The Panchayat Sewak vide letter no. WBD/EMC-10/59/07 dated: 12.06.2007.

(xv) State Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industry Centre and Collector's Office/ Tehsildar's Office for 30 days.

# Compliance:

Complied with.

(xvi) The Project authorities should advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and may also be seen at the website of the ministry of Environment & Forests at http://envfor.nic.in.

# **Compliance:**

Complied with.

# AMBIENT AIR QUALITY REPORT

(As National Ambient air quality monitoring standard dated 18th November, 2009)

Period -April'2020 to June'2020

			T		T		Г	T	1		T	-	_	T	-	_	_		_	
			-	SO <sub>2</sub>	21.00		19.00	22.00	-	24.00	00.10	23.00 21.00	18.00		18.00	24.00		20.83		80.00
		ICE	2	NC x	12.00	_	11.00	28.00		30.00	25.00	23.00	22.00	1	11.00	30.00		21.50		80.00
		AC OFF	DAG	F.W12.5	23.00	40.00	16.00	42 00	Si	39.00	22.00	77.00	27.00	47.00	10.00	42.00		/1.97	0000	00.00
		Near EMC OFFICE	DM	I IVI 10 F IVI 2.5	50.00	20:00	62.00 16.00	62.00		59.00 39.00	00 09		65.00 27.00		20.00	65.00		10.66	10000	100.00 00.00
			Date of	Sampling	02-Apr-20		28-Apr-20	05-Mav-20		29-May-20	02-Jun-20	21	26-Jun-20	Minimim	TATION COLUMN	Maximum	Avorone	Avelage	Limit	(µg/m3)
			SO.	700			25.00	20.00	000	71.00	17.00		21.00		00.01	25.00	20.00	00.00	80.00	00.00
7	0	ndap	NO	*	17.00	000		23.00	00.00	27.00	25.00		23.00	13.00		27.00	_	-	80 00	0000
I I immitted		pur Ma	PM,	C.,	52.00   23.00   17.00   16.00	1000	01.00	84.00 39.00 23.00	10 00 27 00	40.00	92.00   41.00   25.00	0000	46.00 23.00	52.00   19.00   13.00   16.00	000	48.00 27.00 25.00	36.00		00.09	
C+O C+C	מומ סובב	Near Chainpur Mandap	PM <sub>10</sub>		52.00	61.00	01.00	84.00	00 29	00.70	92.00	00 50	85.00	52.00		92.00	73.50   36.00   21.33		100.00 60.00 80.00 80.00	
ry Name: West Bokaro Division Tata Stool I : 201	1100000	Ne	Date of	gundmac	02-Apr-20	28-Amr 20	20-14P-22	05-May-20	29-Mav-20	07 (min )	02-Jun-20	00 mil 30	07-unf-07	Minimum	29.00 26.00 22 00 Marian	Maximum	Average	I imit		(µg/m3)
Bokaro			SO2	_	77.00	20.00		19.00	17.00	200	17.00	16.00	_	12.00	22 00	2000	17.67		80.00	1
:: West			NOx	0000	20.00 20.00	16.00	2000	77.00	19.00	00 90	20.00	19 00	00.71	74.00 10.00	26.00		20.33	The second second		
V Name	Near Banii	fund	PM <sub>2.5</sub>	00 90	20.00	24.00	20.00	47.00	24.00	20.00	27.00	24 00		74.00	29.00	000	70,00		00.08 00.09	
Industr	Ne		PM <sub>10</sub>	00 09		00.89	00 09	_	26.00	71 00		62.00			71.00	K1 63	03.17		100.00	
		Doto of	Sampling		07 1917 10	06-Apr-20	12.00 04-May-20	25 18 30	10.00 25-May-20	01-Inn-20	200	20.00 20.00 18.00 22-Jun-20	Minimim	III II	20.00 Maximum	Avorogo	Avelage	Limit	(ug/m3)	
			SO <sub>2</sub>	20.00	62 00 19 00 14 00 16 00	10.00	12.00	16.00	10.00	15.00	10.00	18.00	12.00	200	20.00	1617	10.1	00 00	00.00	
			FM <sub>10</sub> FM <sub>2.5</sub> NO <sub>x</sub>	54.00 23.00 13.00	17.00	14.00	57.00 22.00 16.00	54 00 27 00 17 00	17.00	67.00   26.00   20.00	00 00	70.00	54.00 19.00 13.00		77.00 30.00 28.00	18.00		80 00	00.00	
	Near Pundi		PM <sub>2.5</sub>	23.00	10 00	17:00	22.00	27.00	27:72	26.00	30.00	20.00	19.00	0000	30.00	61.00 24.50		00 09	00.00	
	Near	2000	F/M <sub>10</sub>	54.00	00 69	00:20	57.00	54 00		00.79	72.00	00.7	54.00	10000	77.00	61.00		100.00		
		Date of	Sampling	01-Apr-20	06-Apr-20		04-May-20	25-Mav-20		01-Jun-20	22-Jun-20		Minimum	Movimina	IVIAAIIIIUIII	Average		Limit (ug/m3) 100.00   60.00   80.00	0 7	

(As per GSR 742 (E), dated 25th Sept 2009)

Period -April'2020 to June'2020

	FRS	S-QAB				CNA	COCE		
Date of Sampling	SPM	RPM	NO <sub>X</sub>	SO <sub>2</sub>	Date of Sampling	SPM	C-QSE RPM	NO <sub>X</sub>	SO <sub>2</sub>
02-Apr-20	384.00	164.00	21.00	23.00	06-Apr-20	395.00	173.00	23.00	-
14-Apr-20	326.00	120.00	27.00	20.00	16-Apr-20	416.00	125.00	26.00	16.00
05-May-20	400.00	159.00	23.00	16.00	07-May-20	408.00	150.00		24.00
15-May-20	369.00	136.00	19.00	23.00	19-May-20	456.00	136.00	28.00	18.00
02-Jun-20	379.00	201.00	20.00	20.00	04-Jun-20	415.00		24.00	20.00
12-Jun-20	369.00	177.00	35.00	24.00	16-Jun-20		169.00	31.00	16.00
Minimum	326.0	120.0	19.0			391.00	210.00	28.00	17.00
Maximum	400.0	201.0		16.0	Minimum	391.0	125.0	23.0	16.0
			35.0	24.0	Maximum	456.0	210.0	31.0	24.0
Average	371.2	159.5	24.2	21.0	Average	413.5	160.5	26.7	18.5
Limit (μg/m3)	700.00	300.00	120.00	120.00	Limit (µg/m3)	700.00	300.00	120.00	120.00

# MINE WATER QUALITY REPORT Period -April'2020 to June'2020

	C	(-AB				-	Q-SE		
Date of Sampling	pH	TSS	COD	Oil & Grease	Date of Sampling	рН	TSS	COD	Oil &
02-Apr-20	7.75	3.30	271.50	<1.0	06-Apr-20	7.34	20.00	465.00	Grease
14-Apr-20	7.58	4.10	300.00	<1.0	16-Apr-20	7.63	13.00	451.00	
05-May-20	4.69	3.60	280.80	<1.0	07-May-20	7.42	15.00	445.00	<1.0
15-May-20	7.49	3.40	292.60	<1.0	19-May-20	7.51	18.00		<1.0
02-Jun-20	7.55	10.20	185.40	<1.0	04-Jun-20	7.49		472.00	<1.0
12-Jun-20	7.32	8.50	149.00	<1.0	16-Jun-20		25.00	385.00	<1.0
Minimum	4.69	3.30	149.00	<1.0	Minimum	7.32	15.40	399.30	<1.0
Maximum	7.75	10.20	300.00			7.32	13.00	385.00	<1.0
Average	7.06	5.52		<1.0	Maximum	7.63	25.00	472.00	<1.0
	7.00		246.55	<1.0	Average	7.45	17.73	436.22	<1.0
Limit	5.5-9.0	100 mg/L	250 mg/L	05 mg/L	Limit	5.5-9.0	100 mg/L	250 mg/L	05 mg/I

# AMBIENT NOISE MONITORING REPORT Period -April'2020 to June'2020

	0	-AB				(	Q-SE			
Date of	Day	Time	Night	Time	Date of					
Sampling	Limit	Level	Limit	Level	Sampling	Limit	Level	Limit		
02-Apr-20	75.00	69.00	70.00	61.00	06-Apr-20	75.00	71.00	70.00	Level	
14-Apr-20	75.00	62.00	70.00	63.00	16-Apr-20	75.00	68.00		63.00	
05-May-20	75.00	64.00	70.00	59.00	07-May-20	75.00		70.00	59.00	
15-May-20	75.00	67.00	70.00	64.00	19-May-20		69.00	70.00	66.00	
02-Jun-20	75.00	66.00	70.00	58.00		75.00	66.00	70.00	58.00	
12-Jun-20	75.00	68.00	70.00		04-Jun-20	75.00	68.00	70.00	61.00	
Minimum	75.00			61.00	16-Jun-20	75.00	70.00	70.00	60.00	
		62.00	70.00	64.00	Minimum	75.00	66.00	70.00	58.00	
Maximum	75.00	69.00	70.00	64.00	Maximum	75.00	71.00	70.00		
Average	75.00	66.00	70.00	61.00	Average	75.00	68.67	70.00	66.00	

(As per GSR 742 (E), dated 25th Sept 2009)

# Period -April'2020 to June'2020

Industry Name: Washey Complex (W-II)

Date of Sampling	SPM	RPM	NO <sub>X</sub>	SO <sub>2</sub>
09-Apr-20	365.00	180.00	23.00	
21-Apr-20	308.00	165.00	12.00	23.00
12-May-20	410.00	184.00	25.00	25.00
22-May-20	368.00	139.00	29.00	15.00
09-Jun-20	411.00	175.00	26.00	22.00
19-Jun-20	423.00	192.00	27.00	16.00
Minimum	308.00	139.00	12.00	21.00
Maximum	423.00	192.00	29.00	15.00
Average	380.83	172.50	23.67	25.00
Limit (µg/m3)	700.00	300.00	120.00	20.33

# **EFFLUENT QUALITY REPORT** Period -April'2020 to June'2020

Industry Name: Washey Complex -TP-08

Date of Sampling	рН	TSS	COD	BOD	Oil & Grease	Phenolics
09-Apr-20	7.75	123.30	141.10	70.00		1 henones
21-Apr-20	7.83	138.50		70.00	. <1.0	<1.0
12-May-20	7.67		150.80	48.00	<1.0	<1.0
22-May-20		124.80	271.50	49.20	<1.0	<1.0
	7.71	130.50	209.20	51.00	<1.0	<1.0
09-Jun-20	6.94	36.20	158.40	40.00	<1.0	
19-Jun-20	7.11	59.40	183.60			<1.0
Minimum	6.94	36.20		43.20	<1.0	<1.0
Maximum			141.10	40.00	<1.0	<1.0
	7.83	138.50	271.50	70.00	<1.0	<1.0
Average	7.50	102.12	185.77	50.23	<1.0	
Limit	5.5-9.0	100 mg/L	250 mg/L			<1.0
te:		1	250 mg/17	30 mg/L	5 mg/L	1 mg/L

- 1. Zero Effluent Discharge (ZED) is being maintained at Washery. Effluent generated is 100% recycled and reused.
- 2. All values are well within limits.

# AMBIENT NOISE MONITORING REPORT Period -April'2020 to June'2020

Industry Name: Washey Complex (W-II)

Date of	Day	Time	Night Time		
Sampling	Limit	Level	Limit	Level	
09-Apr-20	75.00	64.00	70.00		
21-Apr-20	75.00	69.00	70.00	59.00	
12-May-20	75.00	67.00	70.00	58.00	
22-May-20	75.00	66.00	70.00	55.00	
09-Jun-20	75.00	67.00	70.00	57.00	
19-Jun-20	75.00	66.00	70.00	58.00	
Minimum	75.00	64.00		57.00	
Maximum	75.00	69.00	70.00	55.00	
Average	75.00		70.00	59.00	
Trerage	73.00	66.50	70.00	57.33	

(As per GSR 742 (E), dated 25th Sept 2009)

# Period -April'2020 to June'2020

Industry Name: Washey Complex (W-III)

Date of Sampling	SPM	RPM	NOX	SO <sub>2</sub>
09-Apr-20	505.00	225.00	37.00	
21-Apr-20	483.00	209.00	32.00	17.00
12-May-20	513.00	233.00	32.00	14.00
22-May-20	493.00	213.00	34.00	14.00
09-Jun-20	528.39	237.66		16.00
19-Jun-20	507.79	217.26	34.00	11.00
Minimum	483.00	209.00	31.00	14.00
Maximum	528.39		31.00	11.00
Average		237.66	37.00	17.00
- 0	505.03	222.49	33.33	14.33
Limit (μg/m3)	700.00	300.00	120.00	120.00

# **EFFLUENT QUALITY REPORT** Period -April'2020 to June'2020

Industry Name: Washey Complex -TP-08

Date of Sampling	рН	TSS	COD	BOD	Oil & Grease	Phenolics
09-Apr-20	7.75	123.30	141.10	70.00		1 henomes
21-Apr-20	7.83	138.50		70.00	<1.0	<1.0
12-May-20	7.67		150.80	48.00	<1.0	<1.0
22-May-20		124.80	271.50	49.20	<1.0	<1.0
	7.71	130.50	209.20	51.00	<1.0	<1.0
09-Jun-20	6.94	36.20	158.40	40.00	<1.0	
19-Jun-20	7.11	59.40	183.60	43.20		<1.0
Minimum	6.94	36.20			<1.0	<1.0
Maximum	7.83		141.10	40.00	<1.0	<1.0
		138.50	271.50	70.00	<1.0	<1.0
Average	7.58	110.66	186.20	51.64	<1.0	<1.0
Limit	5.5-9.0	100 mg/L	250 mg/L	30 mg/L		
te:				30 mg/L	5 mg/L	1 mg/L

- 1. Zero Efflent Discharge (ZED) is being maintained at Washery. Effluent generated is 100% recycled and reused.
- 2. All values are well within limits.

# AMBIENT NOISE MONITORING REPORT Period -April'2020 to June'2020

Industry Name: Washey Complex (W-III)

Date of	Day	Time	Night Time		
Sampling	Limit	Level	Limit	Level	
09-Apr-20	75.00	67.00	70.00		
21-Apr-20	75.00	69.00	70.00	57.00	
12-May-20	75.00	65.00	70.00	55.00	
22-May-20	75.00	67.00	70.00	57.00	
09-Jun-20	75.00	69.00	70.00	57.00	
19-Jun-20	75.00	68.00	70.00	55.00	
Minimum	75.00	65.00	70.00	57.00	
Maximum	75.00	69.00	70.00	55.00	
Average	75.00	67.50		57.00	
	1100	07.30	70.00	56.33	

(As per GSR 742 (E), dated 25th Sept 2009)

Period -April'2020 to June'2020

Industry Name: Power House

Date of Sampling	SPM	RPM	NO <sub>X</sub>	SO <sub>2</sub>
09-Apr-20	505.00	225,00	37.00	
21-Apr-20	483.00	209.00	32.00	17.00
12-May-20	513.00	233.00	32.00	14.00
22-May-20	493.00	213.00		14.00
09-Jun-20	528.39	237.66	34.00	16.00
19-Jun-20	507.79	217.26	34.00	11.00
Minimum	483.00		31.00	14.00
Maximum		209.00	31.00	11.00
	528.39	237.66	37.00	17.00
Average	505.03	222.49	33.33	14.33
Limit (µg/m3)	700.00	300.00	120.00	120.00

# AMBIENT NOISE MONITORING REPORT

Period -April'2020 to June'2020

Industry Name: Power House

Date of	Day	Time	Night	Time
Sampling	Limit	Level	Limit	Level
09-Apr-20	75.00	67.00	70.00	
21-Apr-20	75.00	66.00	70.00	58.00
12-May-20	75.00	63.00	70.00	57.00
22-May-20	75.00	69.00	70.00	56.00
09-Jun-20	75.00	71.00	70.00	55.00
19-Jun-20	75.00	69.00	70.00	58.00
Minimum	75,00	63.00		56.00
Maximum	75,00		70.00	55.00
		71.00	70.00	58.00
Average	75.00	67.50	70.00	56.67

# **EFFLUENT QUALITY REPORT** Period -April'2020 to June'2020

Industry Name: Power House (Ash Pond)

Date of Sampling	Color	pH	TSS	TS	COD	BOD	Oil &
09-Apr-20	Colorless	7.22	31		COD	BOD	Grease
21-Apr-20	Colorless	7.3		32.1	28.2	5.2	<1.0
12-May-20	Colorless	7.46	38	39.4	30.3	5.5	<1.0
22-May-20	Colorless		9	9.2	8.9	0.0	<1.0
09-Jun-20		7.15	15.1	15.8	7.8	0.0	<1.0
	Colorless	8.03	10	10.3	19.8	2.9	<1.0
19-Jun-20	Colorless	7.66	8.6	8.4	23.2	3.6	
Minimum	Colorless	7.15	8.6	8.4			<1.0
Maximum	Colorless	8.03	38		7.8	0	<1.0
Average	Colorless	7.5		39.4	30.3	5.5	<1.0
		7.5	19	19	20	2.9	<1.0
Limit te:	Colorless	6.5-8.5	100 mg/L	2200 mg/L	250 mg/L	30 mg/L	5 mg/L

(As per GSR 742 (E), dated 25th Sept 2009)

# Period -April'2020 to June'2020

Industry Name: Logistics (Dispatch)

Date of Sampling	SPM	RPM	NOX	SO <sub>2</sub>
10-Apr-20	394.00	174.00	200	502
24-Apr-20	429.00		20.00	16.00
13-May-20		149.00	19.00	22.00
	374.00	155.00	21.00	24.00
27-May-20	416.00	147.00	27.00	100000
10-Jun-20	413.00	206.00		18.00
24-Jun-20	446.00		31.00	23.00
Minimum		216.00	34.00	18.00
	374.0	147.0	19.0	16.0
Maximum	446.0	216.0	34.0	
Average	412.0	174.5		24.0
Limit (μg/m3)	700.00		25.3	20.2
	70.00	300.00	120.00	120.00

# **EFFLUENT QUALITY REPORT** Period -April'2020 to June'2020

Industry Name: Logistics (Dispatch)

Date of Sampling	Logistics (Dispa	TSS	COD	BOD	011.0.0	
10-Apr-20	7.48	54.00	141.40	and the second	Oil & Grease	Phenolics
24-Apr-20	7.12		141.10	49.20	<1.0	<1.0
13-May-20	7.06	69.50	132.80	40.40	<1.0	<1.0
27-May-20		90.00	358.30	50.00	<1.0	
	7.01	86.40	301.60	39.70	<1.0	<1.0
10-Jun-20	6.96	45.00	69.30			<1.0
24-Jun-20	7.28	53.50	54.20	20.00	<1.0	<1.0
Minimum	6.96	2 - 21 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 -		13.80	<1.0	<1.0
Maximum	7.48	45.00	54.20	13.80	<1.0	<1.0
Average		90.00	358.30	50.00	<1.0	
	7.15	66.40	176.22	35.52		<1.0
Limit	5.5-9.0	100 mg/L	250 mg/L		<1.0	<1.0
e:			250 Hg/L	30 mg/L	5 mg/L	1 mg/L

- 1. Zero Efflent Discharge (ZED) is being maintained at Dispatch / Logistic (Railway siding).
- 2. Oil tarp is installed at HEMM washing area.
- 3. All values are well within limits.

# AMBIENT NOISE MONITORING REPORT Period -April'2020 to June'2020

Industry Name: Logistics (Dispatch)

Date of	Day	Time	Nigh	t Time
Sampling	Limit	Level	Control Programme Control Control	
10-Apr-20	75.00	69.00	Limit	Level
24-Apr-20	75.00		70.00	58.00
13-May-20		71.00	70.00	57.00
	75.00	66.00	70.00	58.00
27-May-20	75.00	69.00	70.00	59.00
10-Jun-20	75.00	68.00	70.00	
24-Jun-20	75.00	67.00		57.00
Minimum	75.00		70.00	57.00
Maximum		66.00	70.00	57.00
	75.00	71.00	70.00	59.00
Average	75.00	68.33	70.00	57.67

# AMBIENT AIR QUALITY REPORT

(As National Ambient air quality monitoring standard dated 18th November, 2009)

Period -July'2020 to September'2020 -- Industry Name: West Bokaro Division

					x 202	+	0 16.00	12.00	+	0 21 00	+	0 18.00	+	00./1	-	7 70.00	13.00	+	0 21.00	Т	17.50	-	80.00
		FICE	1	CN CN	S S		7 28.00	00 96	20:02	32.00		23.00		00./1	12.00		12.00		32.00		72.00		80.00
		Near FMC OFFICE		PM. PM	1 1412	2000	72.00	67.00 26.00		28.00		69.00   26.00		70.00	69 00 33 00	22.00	23.00		33.00		41.33		00.09
		Near E		PM	Olter	20 00	28.00	67.00		55.00			64.00	04.00	00 69	00:00	55.00	0000	00.69	17 27	10.00	40000	100.00
				Date of	Sampling	0.0 Lu1 0.0	1	23-Jul-20		04-Aug-20		77-Aug-70	02-Con-20		25-Sep-20		Minimum	N.M.	MINIMAN	Average	Tri ciago	Limit	(III9/m3)
				so,	'	19 00	17.00	21.00	0000	70.00	24.00	74.00	25.00	20:22	19.00		19.00	25.00	43.00	21.33		00 00	20.00
po	3	ndap		NO		50.00 24 00 19 00		89.00   43.00   30.00	0000	33.00 34.00 20.00	3200	22.00	55.00 31.00		30.00		85.00 43.00 24.00 19.00	34.00		30.17	1		
el Limit		npur Ma		PM <sub>10</sub> PM <sub>2.5</sub> NO				43.00			93.00 62.00	07:70	55.00		89.00   57.00   30.00	1	43.00	00 69	00:00	90.67   53.33   30.17		100.00 60.00 80.00	2
ata Ste	1	Near Chainpur Mandap		PM <sub>10</sub>		96.00	0000	89.00	85.00	00.00	93.00		92.00	0000	89.00	00 00	00.08	00.96		29.06		100.00	
manufacture of the state of the steel Limited	12	N	Date of	Samuling	Sampinig	02-Jul-20	20 1 1 00	07-Inf-c7	04-A110-20	07-Snv1 10	12.00   27-Aug-20		07-Sep-20	0000	07-dac-c7	MATERIA	Mumimum	Maximum		Average	I imit	Tillin ,	(µg/m3)
Bokaro				SO <sub>2</sub>	0000	19.00	15.00	00.01	27.00   19.00		12.00	14.00	14.00	12.00	_	12 00	-	19.00	_	15.53		80.00	1
:: West			4	PM2.5 NOx	00.10	74.00	ON CC	00.77	27.00	100	21.00	30.00 21.00	41.00	22.00	20.00	24.00 21.00		27.00	-	73.00		80.00	1
y warm	ar Banii			PM2.5	20.00	20.00	00.86	20:01	31.00	0000	72.00	30.00	20.00	24 00	200:12	24 00	000	31.00	30.00		_	00.09	1
IIIdustr	Nea		200	FM <sub>10</sub>	60 69	07.70	67 00		00.79		01.00	68.00		59 00	- 1	59.00		00.00	00 19	04.00		100.00	
****	A		Date of	Sampling	-	07-Inc 10	22-Jul-20   67 00	71.00 24.00 26.00 14.00 62 4. 32	02-SuB-co	28.00 31.00 16.00 25. 11.8.20	07-SnW-C7	65.00   26.00   26.00   12.00   01-Sen-20	On day	72.00 27.00 16.00 23-Sep-20		Minimum	72.00 29.00 31.00 17.00 Maximum	Maximum	Average	Same	Limit	(119/m3)	1
			Co		13.00		17:00	17.00	14.00	16.00	70.00	12.00		16.00	40.00	17.00	17.00	71.00	14.67		00 00	00.00	
			CZ	x or i	23.00		20.00	26.00	20.00	3100		26.00	0000	7.00	30.00	70.00	31.00		25.50		00 08	00.00	
1	Near Pundi		PM. PM. NO	2.2.2.2	54.00   29.00   23.00	0000	00.00 23.00 20.00 17.00	24.00	2000	28.00		26.00	00 00	77.00	54 00 23 00 30 00 13 00	43.00	29.00		64.00   26.17   25.50   14.67		00 09	00.00	
14	Near		PM	OI _	54.00	0000	00.00			62.00	00 10	65.00	72.00	12.00	54 00		72.00		04.00		100.00		
	,	Date of		Sampling	01-Jul-20	22 Fel 20 ·	$\neg$	03-Aug-20	Т	25-Aug-20	01.0	07-dec-10	23-Sen-20	22 020 22	Minimim	THE PERSON NAMED IN COLUMN 1	Maximum	4	Average		Limit (ug/m3) 100.00   60.00   80.00	0 7	



West Bokaro Division Tata Steel Limited Sr. Mgr. (Env. & Forest)

(As per GSR 742 (E), dated 25th Sept 2009)

Period -July'2020 to September'2020

Industry Name:	West Bo	karo Coll	iery					W. Albertaines				
	FRS	-QAB			CMC-QSE							
Date of Sampling	SPM	RPM	NOX	SO <sub>2</sub>	Date of Sampling	SPM	RPM	NOX	SO <sub>2</sub>			
02-Jul-20	412.00	194.00	28.00	21.00	06-Jul-20	389.00	185.00	30.00	13.00			
14-Jul-20	406.00	234.00	29.00	15:00	16-Jul-20	372.00	205.00	26.00	17.00			
04-Aug-20	374.00	165.00	35.00	16.00	06-Aug-20	350.00	184.00	34.00	14.00			
14-Aug-20	402.00	174.00	31.00	17.00	18-Aug-20	369.00	196.00	30.00	19.00			
02-Sep-20	368.00	185.00	27.00	18.00	04-Sep-20	399.00	189.00	32.00	13.00			
14-Sep-20	391.00	198.00	26.00	14.00	16-Sep-20	411.00	201.00	29.00	16.00			
Minimum	368.0	165.0	26.0	14.0	Minimum	350.0	184.0	26.0	13.0			
Maximum	412.0	234.0	35.0	21.0	Maximum	411.0	205.0	34.0	19.0			
Average	392.2	191.7	29.3	16.8	Average	381.7	193.3	30.2	15.3			
Limit (µg/m3)	700.00	300.00	120.00	120.00	Limit (µg/m3)	700.00	300.00	120.00	120.00			

# MINE WATER QUALITY REPORT Period -July 2020 to Sentember 2020

	Q	-AB			8	0	-SE		
Date of Sampling	pН	TSS	COD	Oil & Grease	Date of Sampling	рН	TSS	COD	Oil & Grease
02-Jul-20	7.54	19.00	47.00	<1.0	06-Jul-20	7.41	9.00	80.30	<1.0
14-Jul-20	7.43	12.00	70.00	<1.0	16-Jul-20	7.32	11.00	73.50	<1.0
04-Aug-20	7.38	8.00	38.30	<1.0	06-Aug-20	7.81	19.00	69.80	<1.0
14-Aug-20	7.65	18.00	51.50	<1.0	18-Aug-20	7.72	15.00	48.50	<1.0
02-Sep-20	7.44	25.00	60.00	<1.0	04-Sep-20	7.44	18.00	53.20	<1.0
14-Sep-20	7.31	16.00	73.90	<1.0	16-Sep-20	7.38	24.00	39.10	<1.0
Minimum	7.31	8.00	38.30	<1.0	Minimum	7.32	9.00	39.10	<1.0
Maximum	7.65	25.00	73.90	<1.0	Maximum	7.81	24.00	80.30	<1.0
Average	7.46	16.33	56.78	<1.0	Average	7.51	16.00	60.73	<1.0
Limit	5.5-9.0	100 mg/L	250 mg/L	05 mg/L	Limit	5.5-9.0	100 mg/L	250 mg/L	05 mg/L

# AMBIENT NOISE MONITORING REPORT Period -July'2020 to September'2020

	Q	-AB			Q-SE							
Date of	Day	Time	Night	Time	Date of	Day	Time	Night	Time			
Sampling	Limit	Level	Limit	Level	Sampling	Limit	Level	Limit	Level			
02-Jul-20	75.00	68.00	70.00	59.00	06-Jul-20	75.00	70.00	70.00	62.00			
14-Jul-20	75.00	64.00	70.00	61:00	16-Jul-20	75.00	68.00	70.00	56.00			
04-Aug-20	75.00	66.00	70.00	61.00	06-Aug-20	75.00	69.00	70.00	59.00			
14-Aug-20	75.00	68.00	70.00	59.00	18-Aug-20	75.00	69,00	70.00	56.00			
02-Sep-20	75.00	64.00	70.00	62.00	04-Sep-20	75.00	66.00	70.00	59.00			
14-Sep-20	75.00	66.00	70.00	64.00	16-Sep-20	75.00	69.00	70.00	61.00			
Minimum	75.00	64.00	70.00	64.00	Minimum	75.00	66.00	70.00	56.00			
Maximum	75.00	68.00	70.00	64.00	Maximum	75.00	70.00	70.00	62.00			
Average	75.00	66.00	70.00	61.00	Average	75.00	68.50	70.00	58.83			

(As per GSR 742 (E), dated 25th Sept 2009)

# Period -July'2020 to September'2020

Industry Name: Washey Complex (W-II)

Date of Sampling	SPM	RPM	. NO <sub>X</sub>	SO <sub>2</sub>
09-Jul-20	398.00	177.00	31.00	22.00
21-Jul-20	376.00	203.00	27.00	17.00
11-Aug-20	358.00	159.00	25.00	21.00
21-Aug-20	390.00	185.00	31.00	19.00
09-Sep-20	378.00	195.00	29.00	16.00
21-Sep-20	395.00	186.00	27.00	19.00
Minimum	358.00	159.00	25.00	16.00
Maximum	398.00	203.00	31.00	22.00
Average	382.50	184.17	28.33	19.00
Limit (µg/m3)	700.00	300.00	120.00	120.00

# EFFLUENT QUALITY REPORT Period -July'2020 to September'2020

Industry Name: Washey Complex -TP-08

Date of Sampling	pН	TSS	COD	BOD	Oil & Grease	Phenolics
09-Jul-20	7.79	71.00	25.10	5.60	<1.0	<1.0
21-Jul-20	7.68	94.00	36.30	7.80	<1.0	<1.0
11-Aug-20	7.38	76.00	44.00	9.30	<1.0	<1.0
21-Aug-20	7.65	83.00	38.00	8.60	<1.0	<1.0
09-Sep-20	7.44	86.00	59.40	11.50	<1.0	<1.0
21-Sep-20	7.31	68.00	65.30	13.40	<1.0	<1.0
Minimum	7.31	68.00	25.10	5.60	<1.0	<1.0
Maximum	7.79	94.00	65.30	13.40	<1.0	<1.0
Average	7.54	79.67	44.68	9.37	<1.0	<1.0
Limit	5.5-9.0	100 mg/L	250 mg/L	30 mg/L	5 mg/L	1 mg/L

#### Note:

- 1. Zero Effluent Discharge (ZED) is being maintained at Washery. Effluent generated is 100% recycled and reused.
- 2. All values are well within limits.

# AMBIENT NOISE MONITORING REPORT Period -July'2020 to September'2020

Industry Name: Washey Complex (W-II)

Date of	Day Time		Night Time	
Sampling	Limit	Level	Limit	Level
09-Jul-20	75,00	62.00	70.00	57.00
21-Jul-20	75.00	66.00	70.00	55.00
11-Aug-20	75.00	67.00	70.00	59.00
21-Aug-20	75.00	69.00	70.00	53.00
09-Sep-20	75.00	66.00	70.00	54.00
21-Sep-20	75.00	64.00	70.00	61.00
Minimum	75.00	62.00	70.00	53.00
Maximum	75.00	69.00	70.00	61.00
Average	75.00	65.67	70.00	56.50

(As per GSR 742 (E), dated 25th Sept 2009)

# Period -July'2020 to September'2020

Industry Name: Washey Complex (W-III)

Date of Sampling	SPM	RPM	NO <sub>X</sub> :	SO <sub>2</sub>
09-Jul-20	398.00	177.00	31.00	22,00
21-Jul-20	376.00	203.00	27.00	17.00
11-Aug-20	358.00	159.00	25.00	21.00
21-Aug-20	390.00	185.00	31.00	19.00
09-Sep-20	378.00	195.00	29.00	16,00
21-Sep-20	395.00	186.00	27.00	19.00
Minimum	358.00	159.00	25.00	16.00
Maximum	398.00	203.00	31.00	22.00
Average	382.50	184.17	28.33	19.00
Limit (µg/m3)	700.00	300.00	120.00	120.00

# EFFLUENT QUALITY REPORT

Period -July'2020 to September'2020

Industry Name: Washey Complex -TP-08

Date of Sampling	pН	TSS	COD	BOD	Oil & Grease	Phenolics
09-Jul-20	7.79	71.00	25.10	5.60	<1.0	<1.0
21-Jul-20	7.68	94.00	36.30	7.80	<1.0	<1.0
11-Aug-20	7.38	76.00	44.00	9.30	<1.0	<1.0
21-Aug-20	7.65	83.00	38.00	8.60	<1.0	<1.0
09-Sep-20	7.44	86.00	59.40	11.50	<1.0	<1.0
21-Sep-20	7.31	68.00	65.30	13.40	<1.0	<1.0
Minimum	7.38	71.00	25.10	5.60	<1.0	<1.0
Maximum	7.79	94.00	59.40	11.50	<1.0	<1.0
Average	7.59	82.00	40.56	8.56	<1.0	<1.0
Limit	5.5-9.0	100 mg/L	250 mg/L	30 mg/L	5 mg/L	1 mg/L

#### Note

- 1. Zero Efflent Discharge (ZED) is being maintained at Washery. Effluent generated is 100% recycled and reused.
- 2. All values are well within limits.

# AMBIENT NOISE MONITORING REPORT Period -July 2020 to September 2020

Industry Name: Washey Complex (W-III)

Date of	Day	Time	Night	Time
Sampling	Limit	Level	Limit	Level
09-Jul-20	75.00	62.00	- 70.00	55.00
21-Jul-20	. 75.00	66.00	70.00	59.00
11-Aug-20	75.00	69.00	70.00	56.00
21-Aug-20	75.00	64.00	70.00	54.00
09-Sep-20	75.00	66.00	70.00	55.00
21-Sep-20	75.00	69.00	70.00	59.00
Minimum	75.00	62.00	70.00	54.00
Maximum	75.00	69.00	70.00	59.00
Average	75.00	66.00	70.00	56.33

(As per GSR 742 (E), dated 25th Sept 2009)

# Period -July'2020 to September'2020

**Industry Name: Power House** 

Date of Sampling	SPM	RPM	NOX	SO <sub>2</sub>
09-Jul-20	398.00	177.00	31.00	22.00
21-Jul-20	376.00	203.00	27.00	17.00
11-Aug-20	358.00	159.00	25.00	21.00
21-Aug-20	390.00	185.00	31.00	19.00
09-Sep-20	378.00	195.00	29.00	16.00
21-Sep-20	395.00	186.00	27.00	19.00
Minimum	358.00	159.00	25.00	16,00
Maximum	398.00	203.00	31.00	22.00
Average	382.50	184.17	28.33	19.00
Limit (µg/m3)	700.00	300.00	120.00	120.00

# AMBIENT NOISE MONITORING REPORT Period -July'2020 to September'2020

Industry Name: Power House

Date of	Day	Time	Night Time		
Sampling	Limit	Level	Limit	Level	
09-Jul-20	75.00	68.00	70.00	51.00	
21-Jul-20	75.00	64.00	70.00	55.00	
11-Aug-20	75.00	66.00	70.00	57.00	
21-Aug-20	75.00	68.00	70.00	52.00	
09-Sep-20	75.00	69.00	70,00	56.00	
21-Sep-20	75.00	66.00	70.00	55.00	
Minimum	75.00	64.00	70,00	51.00	
Maximum	75.00	69.00	70.00	57.00	
Average	75.00	66,83	70.00	54.33	

# **EFFLUENT QUALITY REPORT** Period -July'2020 to September'2020

Industry Name: Power House (Ash Pond)

Date of Sampling	Color	рН	TSS	TS	COD	BOD	Oil &
09-Jul-20	Colorless	7.48	30 .	31	25.6	1.0	Grease
21-Jul-20	Colorless	7.51 :	136	13	31.5	4.8	<1.0
11-Aug-20	Colorless	7.28	18	19	16.8	5.9	<1.0
21-Aug-20	Colorless	7.32	21	23		3.1	<1.0
09-Sep-20	Colorless	7.48	29	33	28.5	5.3	<1.0
21-Sep-20	Colorless	7.41	16	17	29	5.8	<1.0
Minimum	Colorless	7.28	16	13	37.5	6.3	<1.0
Maximum	Colorless	7.51	136	-	16.8	3.1	<1.0
Average	Colorless	1		33	37.5	6.3	<1.0
· · · · · · · · ·	Coloriess	7.4	42	23	28	5.2	<1.0
Limit	Colorless	6.5-8.5	100 mg/L	2200 mg/L	250 mg/L	30 mg/L	5 mg/L

(As per GSR 742 (E), dated 25th Sept 2009)

# Period -July'2020 to September'2020

Industry Name: Logistics (Dispatch)

Date of Sampling	SPM	RPM	NOX	SO <sub>2</sub>
10-Jul-20	432.00	241.00	34.00	25.00
24-Jul-20	409.00	228.00	37.00	23.00
12-Aug-20	425.00	251.00	35.00	26.00
26-Aug-20	419.00	229.00	37.00	21.00
10-Sep-20	408.00	261.00	36.00	23.00
24-Sep-20	427.00	236.00	31.00	22.00
Minimum	408.0	228.0	31.0	21.0
Maximum	432.0	261.0	37.0	26.0
Average	420.0	241.0	35.0	23.3
Limit (µg/m3)	700.00	300.00	120.00	120.00

# EFFLUENT QUALITY REPORT Period -July'2020 to September'2020

Industry Name: Logistics (Dispatch)

Date of Sampling	pH	TSS	COD	BOD	Oil & Grease	Phenolics
10-Jul-20	7.35	56.00	21.50	2.50	<1.0	
24-Jul-20	7.81	30.00	19.30	2.00	<1.0	<1.0
12-Aug-20	7.66	18.00	49,90	10.30	<1.0	<1.0
26-Aug-20	7.62	38.00	37.30	8.50	<1.0	<1.0
10-Sep-20	7.46	20.00	71.60	15.80	<1.0	<1.0
24-Sep-20	7.51	15.00	25.50	4.90		<1.0
Minimum	7.35	15.00	19.30	2.00	<1.0	<1.0
Maximum	7.81	56.00	71.60	15.80	<1.0	<1.0
Average	7.57	29.50	37.52		<1.0	<1.0
Limit	5.5-9.0	100 mg/L	250 mg/L	7.33 30 mg/L	<1.0 5 mg/L	<1.0 1 mg/L

#### Note:

- 1. Zero Efflent Discharge (ZED) is being maintained at Dispatch / Logistic (Railway siding).
- 2. Oil tarp is installed at HEMM washing area.
- 3. All values are well within limits

# AMBIENT NOISE MONITORING REPORT Period -July'2020 to September'2020

Industry Name: Logistics (Dispatch)

	Section (Disput			
Date of	Day Time		Night Time	
Sampling	Limit	Level	Limit	Level
10-Jul-20	75.00	66.00	70.00	61.00
24-Jul-20	75.00	69.00	70.00	59.00
12-Aug-20	75.00	68.00	70.00	55.00
26-Aug-20	75.00	63.00	70.00	57.00
10-Sep-20	75.00	66.00	70.00	59.00
24-Sep-20	75.00	64.00	70.00	54.00
Minimum	75.00	63.00	70.00	54.00
Maximum	75.00	69.00	70.00	61.00
Average	75.00	66.00	70.00	57.50

# QAB

SI. No.	Item for expenditure	Rs. In Lakh	
31. 140.	item for expenditure	Capital	Revenue
1	Procurement of Water sprinkler with modern technology		
2	Effluent recycling/new system		25.00
3	Tree plantation & lawn maintenance		2.11
4	Water tanker operation (includes wages cost)		178.28
5	Water tanker maintenance cost		78.00
6	Cleaning of workshop(In Rs Lakh)		
7	Chemical mixing for dust suppression		12.00
	Sub Total =	0.00	295.39

# QSE

SI. No.	Itom for overarditure	Rs. In Lakh	
31. INO.	Item for expenditure	Capital	Revenue
1	Effluent recycling system operation/maintenance		7.50
2	Water tanker operation and including wages		313.60
3	Water sprinkler maintenance cost		86.60
4	Cleaning of workshop		39.21
5	Wet drilling operation and maintenance & modification to minimize water consumption		440.05
6	Replacement /Repair of oil try & oil barrel stored		3.00
7	Cost of auto fire system		4.92
8	New pump for recycling system		1.10
9	Water Sprinkler for dust supression		
10	Water Mist Canon for Dust Supression		
	Sub Total =	0.00	895.98

# **Power House**

SI. No.	Item for expenditure	Rs. In	Lakh
31. NO.	item for expenditure		Revenue
1	Dry fog maintenance		16.20
2	Opacity meter for CEMS		1.60
3	Ash Pond Evacuation		152.00
4	New pump installation for IJ Sector		27.30
5	New Pipe laying		36.75
6	ESP field O/H maintenance and operation		18.30
7	Slurry ash line maintenance		42.20
8	Cleaning and housekeeping maintenance		16.20
9	Power cost-Tailing pond water recycling -		14.50
10	Reject shed maintenance		2.20
11	Tailing pond & ash pond embankment strengthening/toe wall		2.06
12	DM plant corrosion resistant painting to avoid seepage/land contamination & Clarifloculator painting		1.20
13	Hiring of night vision camera		0.36
14	Upgradation of CEMS system		21.00
15	Cooling Tower maintenance to reduce evaporation loss		8.20
16	Renewal of Boiler Insulation to reduce heat loss and dust		17.60
•	Sub Total =	0.00	377.67

# W-II

SI. No.	Item for expenditure		n Lakh	
31. 140.			Revenue	
1	Installation of bluescope sheet at conveyor transfer point area and crusher house ro reduce dust pollution air		16.00	
1	borne		10.00	
2	Dust suppression (maintenance spares )		3.20	
3	Water Sprinkling for dust supression		7.20	
4	Effluent recycling for resource conservation and zero effluent discharge		16.50	
5	Cleaning and housekeeping to reduce fugitive emission		40.00	
6	Over dense Cone Wrapping to prevent leakage		9.00	
7	Energy Efficient light replacement for energy conservation		24.00	
8	Modification for Conveyor Spillage Control in conveyor belts		4.50	
9	Spillage Control by Hosch/Tegga Equipment's		22.00	
10	Dry Fog System Operation and Maintenance for dust supression		8.04	
11	Tailing pond structural maintenance to maintain zero effluent discharge		9.00	
	Sub Total =	0.00	159.44	

# W-III

SI. No.	Item for expenditure		n Lakh	
31. NO.			Revenue	
1	Dust suppression by sprinkling		12.72	
2	New pump for water recycling		2.86	
3	Effluent Recycling including power cost for zero effluent discharge		1.02	
4	Maintenance of Dry Fog System for dust supression		24.16	
5	Cleaning and Housekeeping for fugitive dust supression		28.50	
6	Mechanical Tailing Dewatering to ensure Zero Effluent Discharge		923.14	
7	Power cost for Tailing Dewatering Plant to ensure Zero Effluent Discharge		60.26	
8	Road construction for Tailing transportation to minimize dust generation		15.00	
9	Spillage control in conveyors		10.24	
10	Recycling of water for HRT		9.15	
11	Overhauling of media filter		5.25	
12	Housekeeping in office building		5.98	
	Sub Total =	0.00	1098.28	

# **Out Bound Logistics**

SI. No.	the or for a constitution	Rs. In	Lakh
	Item for expenditure	Capital	Revenue
1	Water sprinkling on road for dust supression		8.52
2	Spillage cleaning for Waste Management		24.71
3	Cleaning at B point to reduce generation		13.79
4	Boulder stacking from new and old yard to reduce water flow		0.53
5	Transportation from yard for minimize dust generation		23.45
	Sub Total =	0.00	71.00

# In Bound Logistics

SI. No.	the section and the sec	Rs. In Lakh	
	Item for expenditure	Capital	Revenue
1	Nalco chemical use in water for dust suppression		9.18
2	Spillage cleaning to maintain solid waste		57.66
3	Dry Fog System operation for dust supression		13.19
4	Spares for dust and Spillage control (Belt scrappers,dfds system)		25.91
5	Spares for pumps and pipe line for water spraying		10.52
	Sub Total =	0.00	116.46

# **Environment Management Cell**

SI. No.	Itam for averageliture	Rs. In Lakh	
31. NO.	Item for expenditure	Capital	Revenue
1	Annual maint. Of CAAQMS		2.00
2	PM 10 analyzer at Railway siding Chainpur		10.62
3	Environmental monitoring		3.54
4	Support for Environmental Activities and Jobs (Manpower, Vehicle etc.)		9.24
5	NABL Consultancy & Chemists for Environmental laboratory		26.42
6	Environmental Laboratory consumables		4.00
7	Awareness Programmes (World Environment Day, World Water Day, Green School Project etc.)		5.00
8	Environmenal Laboratory Upgradation		
9	PM10 analyser installation at chainpur		
	Sub Total =	0.00	60.82

# IBMD

SI. No.	Item for expenditure	Rs. In Lakh	
31. 140.		Capital	Revenue
1	Water sprinkling on main road		58.50
	Sub Total =	0.00	58.50

# **Projects**

SI. No.	the section and the sec	Rs. In Lakh	
31. NO.	Item for expenditure	Capital	Revenue
1	Pundi Park Development (Cosultancy, Road and area preparation work)		141.58
2	ETP cum STP for hospital	36.91	11.25
3	Upgradation of Environment lab	77.18	
4	Water mist canon	7.74	
5	PM10 analyser	9.00	
6	Long pipe conveyor for dust and spillage control	2249	
7	Procurement of 2 water sprinkler	594.24	
8	STP for West Bokaro	28.95	
	Sub Total =	3003.02	152.83

# C&SM

SI. No.	. Item for expenditure	Rs. In	n Lakh	
31. IVO.		Capital	Revenue	
1	Town cleaning/garbage dumping fogging/ drain cleaning		120.00	
2	Physiography barrier at Officers club to VV block gate (Total length = 170 RM), excavator hanger QAB &		34.00	
	holycross QSE		34.00	
3	PCC road at ECC colony (240 RM) and "A" block Rajendra Nagar( 50 RM)		5.00	
4	Park development work		20.00	
5	Drain repair and development at Township		2.00	
6	New Toilet construction at CHAINPUR, DAV school and TSRDS office		2.00	
7	RCC road at Karmanallah, IBMD (300 RM)		22.00	
8	Premixed road at Chainpur (750 RM)		25.00	
9	Construction of balance part of RCC road from Sadubera to Chainpur		20.00	
10	Mechanised cleaning of septic tank and overhead water tank		5.00	
11	Resurfacing of road from Rejection yard to New weigh bridge & at CMC (1.4 Km)		75.00	
	Sub Total =	0.00	330.00	

# Admin

SI. No.	Item for expenditure	Rs. In	Lakh
		Capital	Revenue
1	Housekeeping		16.97
	Sub Total =	0.00	16.97

# **TSRDS**

SI. No.	Itana fau ayyan ditura	Rs. In Lakh	
31. INO.	Item for expenditure	Capital	Revenue
1	Plantation in company leasehold area		0.00
2	Horticulture plantation in local villages		0.80
3	Plantation drive on world environment day		0.45
4	Exposure of farmers in flower show		0.25
5	Procurement of seeds for sapling raising by women SHGs for plantation		0.00
6	Installation of solar street light at Mayatungri		0.00
7	Renovation / construction of pond (4 nos)		12.99
8	Lift Irrigation		18.24
	Sub Total =	0.00	32.73

# Planning & Horticulture

SI. No.	No. Item for expenditure	Rs. In	Lakh
31. 110.		Capital	Revenue
1	Parks Maintenance (Maitenance, Security, Material etc.)		97.80
2	Fountain Maintenance		5.00
3	Annual Flower Show Celebration		15.00
4	Bush Cleaning		20.00
5	New Area Development for New Parks		40.00
6	Nursery development		0.00
7	Poly bags & seeds		5.00
8	Aveneu Plantation Preparation		0.00
9	Annual Plantation		53.00
10	Golf ground-80000 area in first phase (soil spreading)		45.00
11	Ground preparatioin work for dump reclamation		26.96
	Sub Total =	0.00	307.76

# Hospital

SI. No.	Item for expenditure	Rs. In Lakh	
		Capital	Revenue
1	Handling and Disposal of BMW		0.00
2	Procurement of BMW Color Bags		0.22
3	Bleaching Powder		0.03
4	Cleaning of Hospital		26.89
5	Procurement of BMW Bar codes		0.03
6	Procurement of ETP cum STP plant		0.00
	Sub Total =	0.00	27.17

# CEP

SI. No.	Item for expenditure	Rs. In Lakh	
		Capital	Revenue
1	Providing fountain		2.18
2	Eco restoration		17.23
3	Approach road		15.34
4	Entrance gate		1.18
5	Misc. civil work like helipad, view points, fountain, statue, etc.		30.00
	Sub Total =	0.00	65.93

# **Water Supply**

SI. No.	Item for expenditure	Rs. In Lakh	
		Capital	Revenue
1	Pumping arrangement for gardens & parks		10.50
2	Disinfection process chlorine dosing		3.20
3	Cleaning of potable water tank & tower		3.75
4	Foot valve cleaning		15.50
5	Installation of Submersible Pump at Lower dam to consume less power		2.50
6	Laying of Pipe line at Pundi Park to sprinkle water for gardening		5.00
7	Overhauling Of Softener for better drinking water quality		8.50
8	Maintenance of drinking water line to stop water leakage		10.50
9	Replacement of pump and motor at Bokaro pump station for power reduction		4.50
10	Replacement of conventional Halogen with LED lights at Engg Shop		2.50
11	House Keeping at Workshop, CSEP, Water Supply& Garage		14.50
12	Operation & Maintenance of STP		13.00
13	Pumping Operation at TP-08		8.50
	Sub Total =	0.00	102.45
	Grand Total =	3003.02	4169.38