



To,  
**The Additional Principal Chief Conservator of Forest,  
Regional Office (Eastern Central Zone)  
Ministry of Environment, Forests and Climate Change, Govt. of India  
Bungalow No. A-2, Shyamali Colony, Ranchi – 834002, Jharkhand.**

Ref No. - JMB/ENV/DIG/37/ 880 /2021

November 27, 2021

Ref.: Environmental Clearance letter No.-J-11015/372/2010-IA.II(M)dated-30<sup>th</sup> September 2013.

**Sub: Half Yearly Compliance Status Report of Environment Clearance conditions issued by MoEF&CC, New Delhi to Digwadih Colliery, Tata Steel Limited, Dhanbad for the period April'21 to September'21**

Dear Sir,

We are enclosing herewith compliance report for the period **April'21 to September'21** for the EC granted vide letter no.- J-11015/372/2010-IA.II(M) dated- 30th September 2013 issued by Ministry of Environment, Forest and Climate Change, New Delhi.

We trust the information furnished is in line with your requirement.

Thanking you,

Yours faithfully,

**Head (Planning)  
Jharia Division, Tata Steel Ltd.**

Encl: As above.

Copy to: Member Secretary, CPCB, Eastern Zonal Office, Southend Conclave, 502, 5<sup>th</sup> Floor  
1582, Rajdanga Main Road, Kolkata -700107.

Copy to: Member Secretary, JSPCB, T.A. Division Building (Ground Floor), H.E.C, Dhurwa,  
Ranchi - 834004.

Copy to: Regional Officer, JSPCB, HIG-1 Sardar Patel Nagar, Housing Colony, Hirapur, Dhanbad

**TATA STEEL LIMITED**

Jharia Colliery, Jamshedpur 831113 Dhanbad India

Tel: 91 826 230283/320285/320287 Fax: 91 826 330368

Regd. Office Boreilly House 24 Hoel, Midway Street Fort Mumbai 400 001

Tel: 91 22 66698294 Fax: 91 22 66657724

Corporate Identity Number: L27106MH1902PLC000260 Website: www.tatasteel.com

**HALF YEARLY COMPLIANCE REPORT**  
**(PERIOD: APRIL'21 – SEPTEMBER'21)**

**DIGWADIH COLLIERY**  
**(CAPACITY: EXPANSION FROM 0.38 TO 0.6 MTPA RAW COAL)**  
**TEHSIL: JHARIA, DIST: DHANBAD, JHARKHAND**



**TATA STEEL LIMITED, JHARIA DIVISION**

**P.O. - JAMADOBA, DIST. - DHANBAD,  
STATE- JHARKHAND, PIN CODE – 828112**

**ENVIRONMENTAL CLEARANCE GRANTED VIDE LETTER NO. - J-  
11015/372/2010-IA.II(M) DATED- 30.09.2013 ISSUED BY GOVT. OF INDIA,  
MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE, NEW  
DELHI.**

**Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013**

S. No.	Condition	Compliance Status
<b>Specific Condition</b>		
<b>(i)</b>	The maximum production from the mines shall not exceed beyond that for which environmental clearance has been granted.	It is being strictly followed. The EC capacity is for 0.6 MTPA raw coal while the raw coal production for Digwadih Colliery is well below the limit. The production details are: FY21 - 0.143 MTPA FY20 - 0.231 MTPA FY19 - 0.261 MTPA FY18 – 0.259 MTPA FY17 – 0.262 MTPA
<b>(ii)</b>	The impact on the Damodar river due to mining activity which is at a distance of 2 km be studied through a reputed 3 <sup>rd</sup> Party and submitted to the SPCB and the regional office of the MoEF for monitoring.	The underground coal mines operated by Tata Steel Ltd are adjacent to the Damodar River. Other coal mines of BCCL & SAIL are also in close proximity to the river basin. Major source of pollution of Damodar River is the flow of industrial effluents and untreated sewage water into the river. A number of OB dumps lie close to the river banks causing the flow of sediments into the river.  As per the hydrology study conducted by Indian School of Mines, Dhanbad, the impact of the underground mines of Tata Steel Ltd is minimal. This is due to the following reasons <ul style="list-style-type: none"> <li>• The mining activity does not require any diversion of river/streams or natural drain. As land profile does not change appreciably in case of underground mines with backfilling of mined out areas, there is no change in surface drainage till date and unlikely to occur in future.</li> <li>• Surface water quality also does not undergo any change, as there is no discharge to surface drainage in dry season. In Monsoon, the excess mine water discharged gets mixed with storm water.</li> <li>• Large settling tanks are available for storage and sedimentation of mine water before its discharge to conform to the norms. The industrial wastewater generated during vehicle washing from</li> </ul>

**Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013**

		<p>the central workshop catering to all the mines is treated in oil and grease trap followed by recycling of water.</p> <ul style="list-style-type: none"> <li>• The two coal washeries of Tata Steel are operating on Zero Liquid discharge (ZLD) principle.</li> <li>• Sewage water generated from our townships is treated in Soak pit and Septic tank arrangement. Now we are replacing it with Packaged Sewage Treatment Plant (PSTP). Already one STP of 200 KLD and another STP of 50 KLD has been installed in two colonies and remaining colonies are also proposed to be covered with STP.</li> </ul>
<b>(iii)</b>	Details of underground transportation of coal from mine to coal yard/ rail yard be submitted to the MoEF for record.	Coal from the mine is sent to the captive Jamadoba coal washery for beneficiation purpose through a network of underground conveyor belts. The detailed diagram of transportation network has already been submitted in earlier compliance reports.
<b>(iv)</b>	Adequate care be taken to prevent sand spillages from the trucks/tippers.	The trucks that are being used for the transportation of sand are properly covered using tarpaulin sheets. Larger trucks have been engaged for reducing no of cycles. To ensure the compliance, every vehicle is checked as per vehicle checklist on PUC, Tyre /body condition, emission check at every entry point. Quality checks are done on trucks to ensure its health.
<b>(v)</b>	The test results of the study of leaching of heavy metals from bottom-ash be submitted to SPCB and the regional office of the MoEF for monitoring.	A study conducted in 2013, by Indian School of Mines, Dhanbad to assess the leachability characteristics of fly ash and bottom ash samples taken from us, has determined that the concentration of heavy metals in the leachates were invariably well below the permissible limits for discharge of effluents as per the Indian standards IS 2490 (1993). The test results have already been submitted in December'13 and also re-submitted in April'18.

**Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013**

<b>(vi)</b>	The CSR activities shall be need based and detailed CSR plan be prepared for implementation.	The CSR plan for each financial year is prepared by TSRDS (Tata Steel Rural Development Society) only after proper discussions to assess the needs have been held with the elected/ senior members of the communities where our CSR activities are to be undertaken.
<b>(vii)</b>	The detailed breakup of funds during 2012-13 be submitted to the MoEF for record. A social audit to be got done annually by a reputed institute and uploaded on the company's website.	The detailed breakup has already been submitted to MOEF. The Corporate Sustainability Reports viz. Integrated Reports are made annually for the company which is certified by an assurance agency. It also includes the Social Audit of the company. All the reports are uploaded on the Tata Steel website. Further, an internal Social audit is also conducted once in five years
<b>(viii)</b>	There should be no OB dumps at the end of the mining.	Since this is an underground mine, it is not applicable.
<b>(ix)</b>	Regular monitoring of subsidence movement on the surface over and around the working area and impact on natural drainage pattern, water bodies, vegetation, structure, roads, and surroundings shall be continued till movement ceases completely. In case of observation of any high rate of subsidence movement, appropriate effective corrective measures shall be taken to avoid loss of life and material. Cracks shall be effectively plugged with ballast and clayey soil/suitable material.	Regular monitoring of subsidence is done by Central Institute for Mining and Fuel Research, Dhanbad. According to the subsidence reports, the impact of subsidence is negligible since the underground mine workings are now at great depth and proper filling of voids through sand stowing is being done. The latest subsidence report has been submitted to MoEFCC, Regional Office, Ranchi in hard copy and soft copy vide mail dt. 19.04.2018.
<b>(x)</b>	If subsidence is found exceeding the permitted limits, then the landowners shall be adequately compensated with mutual agreement of the landowners.	It will be strictly followed.
<b>(xi)</b>	Mining shall be carried out as per statuette at a safe distance from the river/nallah flowing adjacent to the lease boundary.	Since this is an underground project, there is hardly any impact on the river/ nallah. The closest jore is at a distance of about 2kms from the mine office area. Therefore, no

**Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013**

		impact on the course of flow in the jore is anticipated.
(xii)	High root density tree species shall be selected and planted over areas likely to be affected by subsidence.	Impact on land by subsidence has been found to be negligible as per the subsidence monitoring reports prepared by CIMFR, Dhanbad.
(xiii)	Coal extraction shall also be optimized in areas where agricultural production is continuing. Some pillars shall be left below the agricultural land. No depillaring & coal extraction should be carried out below habitation, H.T. Lines & beneath road, water bodies.	It will be strictly followed.
(xiv)	Subsidence shall be monitored closely and if subsidence is found exceeding the permitted limits, then the landowners shall be adequately compensated with mutual agreement with the landowners.	Regular monitoring of subsidence is being done by CIMFR, Dhanbad.
(xv)	3-tier plantation should be developed 2 km stretch of road from the mine using native species.	Plantation along stretches of road has been done. 3-tier plantation is not feasible due to presence of private land around the periphery of colliery. However plantation has been done on vacant plots and areas
(xvi)	Garland drains (size, gradient and length) around the safety areas such as mine shaft and low lying areas and sump capacity shall be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine sites. Sump capacity shall also provide adequate retention period to allow proper settling of silt material.	Garland drains of adequate size and gradient already exist around the colliery area to channelize the surface runoff. The details of size of garland drain mapped in surface plan has been submitted earlier in April' 18.
(xviii)	The locations of monitoring stations in the Jharia Coalfields should be finalized in consultation with the Jharkhand State Pollution Control Board. The smoke/dust emission varies from source to source (fuel wood, coal, flyash from TPPs, silica from natural dust, etc). Mineralogical composition study should	The locations of monitoring stations for our colliery have already been finalized in consultation with JSPCB, Dhanbad. The mineralogical composition study has being carried out by an independent laboratory (recognized by JSPCB and NABL) and the results are provided in <b>Annexure-I</b> .

**Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013**

	be undertaken on the composition of the suspended particulate matter (PM10 and PM2.5) in Jharia Coalfields and also quantified. These studies would help ascertain source and extent of the air pollution, based on which appropriate mitigative measures could be taken.	
(xix)	Water sprinkling system shall be provided to check fugitive emissions from loading operations, conveyor system, haulage roads, transfer points, etc. Major approach roads shall be black topped and properly maintained.	Water spraying arrangement is present in the underground mines at all transfer points. Water spraying via tankers is done on sand transportation routes. Major approach roads have been black-topped and maintained regularly.
(xx)	Transportation of coal from the mine to railway siding should be by 20T mechanically covered trucks.	Not applicable due to transportation of coal via underground belt conveyor network system directly to washery.
(xxi)	A progressive afforestation plan shall be prepared and implemented over the mine lease area acquired and shall include areas under green belt development, areas along roads, infrastructure, along ML boundary and township etc, by planting native species in consultation with the local DFO/Agriculture Department.	Tree plantation activities are carried out every year on the barren/ degraded areas, areas along road-side, infrastructure, etc of the colliery leasehold. Apart from these, fruit plants are distributed to employees and also to villagers, schools, institutions, etc. The environment department is responsible for implementing the afforestation plan which is prepared along with the mine management. High root density trees of native species are planted under annual plantation program and we have covered around 10 Nos of species under tree plantation jobs this year
(xxii)	Regular monitoring of groundwater level and quality shall be carried out by establishing a network of existing wells and construction of new piezometers. The monitoring for quantity shall be done four times a year in pre-monsoon (May), monsoon (August), post-monsoon (November) and winter (January) seasons and for quality in May. Data thus collected shall be submitted to the MoEF&CC and to the CPCB	The regular monitoring of groundwater level and quality is done as per the requirement. The groundwater quality report & groundwater level reports are provided in <b>Annexure-I.</b>

**Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013**

	quarterly within one month of monitoring.	
(xxiii)	Acid Water Treatment Plant, volume of water to be treated and disposal of brine should be provided.	Not applicable.
(xxiv)	Mine discharge water outside the ML shall be monitored, particularly for TDS and treated to conform to prescribed levels before discharge into the natural environment.	There is one mine-water outlet point in the colliery which is regularly monitored by the Environmental Laboratory.
(xxv)	The Company shall put up artificial groundwater recharge measures for augmentation of groundwater resource, in case water table shows a declining trend. The project authorities shall meet water requirement of nearby village(s) in case the village wells go dry due to dewatering of mine.	Most of the water pumped out during underground mining activity is re-circulated back into the mine for the purpose of stowing. Backfilling of mine voids by stowing is done using sand which is having the porosity to hold the underground water thus helping aquifer to retain the underground water. Further, there are a number of ponds existing on the surface of the mining lease which act as natural reservoirs for recharging ground water. These ponds/ tanks are regularly cleaned and maintained by our CSR department. As per the hydro-geological report, the variation in the ground water level is only seasonal. The water requirement of the nearby villages is being met by the company already. Now piped drinking water is being provided.
(xxvi)	Besides carrying out regular periodic health checkup of their workers, 10% of the workers identified from workforce engaged in active mining operations shall be subjected to health checkup for occupational diseases and hearing impairment, if any, through an agency such as NIOH, Ahmedabad within a period of one year and the results reported to this Ministry and to DGMS.	The periodic health checkup of the workers is done regularly by our Occupational Health Department, Tata Central Hospital, Jamadoba. We have a PME (Periodic Medical Examination) centre approved by DGMS where 20 % of the workers identified from workforce engaged in active mining operations are subjected to full medical checkup including hearing impairment checkup, etc. These results are regularly submitted to DGMS as per mines rules. Some sample reports and as well as past records have been submitted in previous compliance reports.

**Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013**

<b>(xxvii)</b>	The mining in the existing mines would be phased out after expiry of the current mining lease and after reclamation of mined over area. The operating mines may be analyzed and monitored for compliance of conditions, having bearing with movement of wild life until such time they are closed/ phased out.	It is not applicable in our case.
<b>(xxviii)</b>	Project specific CSR for an amount of Rs 5/Tonne of coal production should be provided for the activities under CSR undertaken for the neighboring villages shall be for not less than Rs 10 per tonne of coal and the progress made thereon shall be uploaded by the company annually on the company website. Monitoring of the impacts of activities under CSR shall be carried out periodically.	<p>The proposed CSR expenditure for the entire company is decided as per the new Company Rules. Once the CSR budget for company is fixed, a share of that amount is dedicated and utilized for implementing the CSR activities at our Jharia Division level. The CSR expenditure for FY21 is Rs.3.29 crores.</p> <p>CSR data submitted is for Jharia Division which comprises all 5 collieries and 2 washeries. Jamadoba Washery, Digwadih Colliery and 6&amp;7 Pits Colliery are adjacent to each other and fall under same leasehold area i.e. Jamadoba group of collieries. The core zone and buffer zone of all above units overlap to each other and in many cases, the villages are same where CSR work is going on. Therefore, we have a central budget for CSR which is managed by a team of experts who are dedicatedly involved in providing benefits and improving standard of living in over 50+ villages and municipal wards. Hence, separate CSR expenditure for individual unit cannot be estimated. For calculation/ statutory reporting purpose, the consolidated CSR expenditure can be divided into unit-wise based on size of leasehold area of individual units.</p> <p>The progress report is uploaded every year on the company website. Internal social audits are carried out regularly to assess the impact of CSR activities.</p>
<b>(xxix)</b>	A Final Mine Closure Plan along with details of Corpus Fund shall be	Mine Closure Plan has been approved by Ministry of Coal, New Delhi. Details on

**Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013**

	submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.	deposition of closure cost in escrow account along with expenditure incurred for progressive closure is regularly submitted to Office of Coal controller. Final mine closure along with details of corpus fund will be submitted to MoEF&CC 5 years in advance.
<b>(xxx)</b>	<p>Corporate Environment Responsibility:</p> <p>a)The Company shall have a well laid down Environment Policy approved by the Board of Directors.</p> <p>b)The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest norms/conditions.</p> <p>c)The hierarchical system or Administrative Order of the company to deal with environmental issues and for ensuring compliance with the environmental clearance conditions shall be furnished.</p> <p>d) To have proper checks and balances, the company shall have a well laid down system of reporting of non-compliances/violations of environmental norms to the Board of Directors of the company and/or shareholders or stakeholders at large.</p>	<p>The Company already has an Environment Policy approved by the Managing Director and it addresses all the issues mentioned.</p> <p>The status of adherence to the policy and compliance to Environmental laws and regulations is regularly discussed at higher levels. Any non-compliance noticed is corrected at divisional level. If any issue is beyond our control, it is brought to the notice of higher management.</p> <p>Moreover, Digwadih Colliery is IMS (Integrated Management System: Quality Management System, Environment Management System and OHSAS) certified unit addressing all environment aspects, impacts and needs and expectation of interested parties with respect to environment protection.</p>

<b>B.</b>	<b>GENERAL CONDITIONS</b>	
<b>(i)</b>	No change in technology and scope of working shall be made without prior approval of the MoEF.	It is being strictly followed. Board and Pillar method is being used for mining.
<b>(ii)</b>	No change in the calendar plan including quantum of mineral coal and waste being produced shall be made.	It will be strictly followed.

**Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013**

(iii)	<p>Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for monitoring PM10, PM2.5, SO2 and NOx. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, in RSPM etc. shall be carried out at least once in six months.</p>	<p>The Air quality monitoring stations are:</p> <ul style="list-style-type: none"> <li>(i) Jamadoba Group Office (Core Zone)</li> <li>(ii) New Village Colony, Jamadoba (Buffer Zone)</li> <li>(iii) Digwadih 12 No. Colony (Buffer Zone)</li> <li>(iv) 6&amp;7 Pits Kalimandir area (Buffer Zone)</li> </ul> <p>Monitoring of heavy metals in ambient air is being performed by an independent laboratory (recognized by JSPCB &amp; NABL) on quarterly basis. The results are enclosed as <b>Annexure-I</b>.</p>
(iv)	<p>Data on ambient air quality (PM10, PM2.5, SO2 and NOx and heavy metals such as Hg, As, Ni, Cr, etc) and other monitoring data shall be regularly submitted to the Ministry including its Regional Office at Bhubaneswar and to the SPCB and the CPCB once in six months. Random verification of samples through analysis from independent laboratories recognised under the EP Rules, 1986 shall be furnished as part of the compliance report.</p>	<p>Ambient air quality report (PM10, PM 2.5, SO2 and NOx) for the period from Apr'21 to Sep'21 is attached as <b>Annexure-I</b>. Additionally, third party monitoring is being done through a JSPCB and NABL recognized Laboratory for PM10, PM 2.5, SO2, NOx, CO, NH3, O3 and heavy metals (As, Ni, Cd and Cr). The results are enclosed as <b>Annexure-I</b>.</p>
(v)	<p>Adequate measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with ear plugs/muffs.</p>	<p>Regular noise survey is being conducted in the underground work environment. Workers are provided with ear-plugs/ muffs in high noise areas.</p>
(vi)	<p>Industrial wastewater (workshop and wastewater from the mine) shall be properly collected, and treated so as to conform to the standards including for heavy metals before discharge prescribed under GSR 422 (E) dated 19th May 1993 and 31st December 1993 or as amended from time to time. Oil and grease trap shall be installed</p>	<p>No industrial wastewater is generated in Digwadih Colliery premises. There is a central workshop and garage in Jamadoba where Effluent Treatment Plant having oil and grease trap facility has been provided.</p>

**Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013**

	before discharge of workshop effluents.	
(vii)	Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of the mineral shall be covered with tarpaulins and optimally loaded.	Only the vehicles having valid PUC certificates are being allowed to operate for sand transportation. Coal transportation is done through underground belt network. Only sand transportation is done through trucks which are covered with tarpaulins as well as optimally loaded.
(viii)	Monitoring of environmental quality parameters shall be carried out through establishment of adequate number and type of pollution monitoring and analysis equipment in consultation with SPCB and data got analysed through a laboratory recognised under EP Rules, 1986.	We have a fully equipped Environment Cell Laboratory with qualified personnel. The monitoring and analysis is also done at regular intervals by a JSPCB & NABL accredited laboratory  We have also installed a Continuous Ambient Air Quality Monitoring Station at Jamadoba for real time monitoring.
(ix)	Monitoring of outlet points should be carried out and records of same should be maintained and submitted to the Regional Office of the MOEF as part of the Compliance Report.	There is one mine-water outlet point in the colliery which is regularly monitored by the Environmental Laboratory. The analysis results has been provided as <b>Annexure-1</b>
(x)	Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects. Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed.	Persons working in dusty area have been provided with dust masks & have been given awareness training on safety & health aspects. Regular PME (Periodic Medical Examinations) are being done.
(xi)	A separate environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the company.	We have a separate Environmental Management Cell with qualified personnel . The reporting of Environmental Cell is directly to General Manager of the Division.
(xii)	The funds earmarked for environmental protection measures shall be kept in separate account and	The Environment Cell has a separate fund for Environmental protection measures and for complying with legal requirements. The

**Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013**

	shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its Regional Office at Bhubaneswar.	annual environmental expenditure for the financial year 2020-2021 is Rs. 782.85 lakhs.
(xiii)	The Project authorities shall advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution control Board and may also be seen at the website of the ministry of Environment & Forests at <a href="http://envfor.nic.in">http://envfor.nic.in</a> .	It has been complied with.
(xiv)	A copy of the environmental clearance letter shall be marked to concerned Panchayat/Zila Parishad, Municipal Corporation or Urban Local Body and local NGO, if any, from whom any suggestion/representation has been received while processing the proposal. A copy of the clearance letter shall also be displayed on the company's website.	It has been complied with.
(xv)	A copy of the clearance letter shall be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office, District Industry Centre and Collector's Office/Tehsildar's Office for 30 days.	It has been complied with.
(xvi)	The clearance letter shall be uploaded on the company's website. The compliance status of the stipulated EC conditions shall also be uploaded by the project authorities on their website and updated at least once every six months so as to bring the same in the public domain. The monitoring data of	The clearance letter has been uploaded on the company's website. The compliance status (as Half-yearly compliance report) is being uploaded in company's website. The display of information near the mine's office has been done.

**Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013**

	environmental quality parameters (air, water, noise and soil) and critical pollutants such as PM10, PM2.5, SO2 and NOx (ambient and stack if any) and critical sectoral parameters shall also be displayed at the entrance of the project premises and mines office and in corporate office and on the company's website.	
<b>(xvii)</b>	The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions (both in hard copy and in e-mail) to the respective Regional Office of the MOEF, the respective Zonal offices of CPCB and the SPCB.	It is being complied
<b>(xviii)</b>	The Regional Office of this Ministry located at Bhopal shall monitor compliance of the stipulated conditions. The Project authorities shall extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data/information/monitoring reports.	It will be complied with.
<b>(xix)</b>	The environmental statement for each financial year ending 31st March in Form-V is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be uploaded on the company's website along with the status of compliance of EC conditions and shall be sent to the respective Regional Offices of the MOEF by E-mail.	The environmental statement for financial year 2020-21 has been submitted to JSPCB vide letter no. JMB/ENV/ESSA/05/732/2020 on 28 <sup>th</sup> September 2021 and it is also uploaded on the company website. The soft copy of Environment Statement is also sent to MOEF by email at ro.ranchi-mef@gov.in.

**AIR QUALITY REPORT**

Core zone &amp; Buffer zone

Period- April'21 to June'21

No. of sampling points: 4

Core zone (as per Air quality standards for coal mines in EPA Notification, 1988)							
Location	Latitude/ Longitude	Date	Weather Condition	SPM 24 Hourly Limit- 700 $\mu\text{g}/\text{m}^3$	RSPM 24 Hourly Limit- 300 $\mu\text{g}/\text{m}^3$	SO <sub>2</sub> 24 Hourly Limit- 120 $\mu\text{g}/\text{m}^3$	NO <sub>x</sub> 24 Hourly Limit-120 $\mu\text{g}/\text{m}^3$
Jamadoba Group Office	23°42'15.3" N/ 86°24'11" E	21.04.21	Clear	206.8	78.6	12.6	14.8
		04.05.21	Rainy	178.4	68.2	10.6	11.4
		18.06.21	Rainy	162.7	64.3	10.8	11.9
Buffer zone (as per NAAQS 2009 for ambient air quality standards)							
Location	Latitude/ Longitude	Date	Weather Condition	PM10 24 Hourly Limit- 100 $\mu\text{g}/\text{m}^3$	PM2.5 24 Hourly Limit- 60 $\mu\text{g}/\text{m}^3$	SO <sub>2</sub> 24 Hourly Limit- 80 $\mu\text{g}/\text{m}^3$	NO <sub>2</sub> 24 Hourly Limit- 80 $\mu\text{g}/\text{m}^3$
Digwadih 12 No. Colony	23°41'42" N/ 86°24'45.3" E	12.04.21	Clear	84.3	39.7	12.8	10.8
		10.05.21	Clear	78.6	38.2	11.6	12.5
		08.06.21	Clear	76.5	37.9	12.4	13.7
New Village Colony, Jamadoba	23°41'51" N/ 86°23'19" E	26.04.21	Clear	90.5	44.7	10.2	12.7
		06.05.21	Rainy	72.6	39.4	10.9	11.8
		17.06.21	Rainy	69.7	33.2	11.3	12.4
6&7 Pits Kalimandir colony	23°43'15" N/ 86°24'12" E	22.04.21	Clear	88.7	38.0	11.6	10.3
		12.05.21	Clear	80.7	41.3	11.4	12.2
		15.06.21	Rainy	70.4	34.8	11.8	12.7


**Sr. Manager (Environment)**

**AIR QUALITY REPORT**  
Core zone & Buffer zone

Period- July'21 to September'21

No. of sampling points: 4

Core zone (as per Air quality standards for coal mines in EPA Notification, 1988)							
Location	Latitude/ Longitude	Date	Weather Condition	SPM 24 Hourly Limit- 700 µg/m <sup>3</sup>	RSPM 24 Hourly Limit- 300 µg/m <sup>3</sup>	SO <sub>2</sub> 24 Hourly Limit- 120 µg/m <sup>3</sup>	NO <sub>x</sub> 24 Hourly Limit-120 µg/m <sup>3</sup>
Jamadoba Group Office	23°42'15.3" N/ 86°24'11" E	05.07.21	Cloudy	168.2	60.8	11.5	12.3
		19.08.21	Cloudy	170.4	63.2	11.2	12.0
		06.09.21	Cloudy	164.8	69.4	10.4	11.6
Buffer zone (as per NAAQS 2009 for ambient air quality standards)							
Location	Latitude/ Longitude	Date	Weather Condition	PM10 24 Hourly Limit- 100µg/m <sup>3</sup>	PM2.5 24 Hourly Limit- 60µg/m <sup>3</sup>	SO <sub>2</sub> 24 Hourly Limit- 80µg/m <sup>3</sup>	NO <sub>2</sub> 24 Hourly Limit- 80µg/m <sup>3</sup>
Digwadih 12 No. Colony	23°41'42" N/ 86°24'45.3" E	06.07.21	Clear	78.4	39.2	10.7	11.2
		16.08.21	Clear	79.4	40.2	10.8	11.6
		15.09.21	Cloudy	74.2	37.4	10.0	11.2
New Village Colony, Jamadoba	23°41'51" N/ 86°23'19" E	12.07.21	Cloudy	67.2	34.6	11.7	12.9
		18.08.21	Cloudy	65.8	32.1	11.0	12.2
		09.09.21	Clear	76.2	39.2	11.8	12.7
6&7 Pits Kalimandir colony	23°43'15" N/ 86°24'12" E	08.07.21	Cloudy	69.8	37.2	10.5	11.8
		23.08.21	Clear	71.4	38.7	11.2	12.8
		08.09.21	Cloudy	69.7	33.6	10.8	11.6



**Sr. Manager (Environment)**

**Ground Water Quality Analysis (Hand Pump & Dung Well)  
(Pre- Monsoon Season- May'2021)**

S.No	Date	Location	Time	Depth in meter	pH	Electrical Conductivity, $\mu\text{S/m}$
1	11.05.21	Purnadih (Jorapokhar)	09:45 AM	7.95	7.4	784
2	11.05.21	Bhowra 13 No	10:20 AM	3.20	7.2	697
3	11.05.21	Mohalbani Basti	10:45 AM	6.78	7.3	810
4	11.05.21	Digwadih 12 No	11:10 AM	4.72	7.4	782
5	11.05.21	Digwadih 10 No F & J	11:35 AM	3.88	7.2	1038
6	11.05.21	Kalimela Shivmandir	01:10 PM	2.38	7.3	836
7	11.05.21	Kalimela Kalimandir	01:25 PM	4.56	7.2	798
8	11.05.21	Lower Dungari	01:55 PM	5.69	7.4	662
9	11.05.21	Upper Dungari	02:25 PM	4.18	7.5	748
10	11.05.21	Pattia Basti	02:45 PM	4.20	7.3	810
11	11.05.21	Kenduadih Basti	03:10 PM	4.65	7.4	768
12	11.05.21	Jorapokhar Kushtand	09:15 AM	4.10	7.3	798
13	11.05.21	Jamadoba 3 No	04:00 PM	5.68	7.2	766
14	11.05.21	6&7 Pits (Ayodhya Nagri)	12:10 PM	3.96	7.4	698



**Sr. Manager (Environment)**

**Ground Water Quality Analysis (Hand Pump & Dung Well)**  
**(Monsoon Season- August'2021)**

S.No	Date	Location	Time	Depth in meter	pH	Electrical Conductivity $\mu\text{S/m}$
1	25.08.21	Purnadih (Jorapokhar)	09:35 AM	1.78	7.2	712
2	25.08.21	Bhowra 13 No	10:10 AM	0.92	7.3	658
3	25.08.21	Mohalbani Basti	10:40 AM	3.58	7.2	720
4	25.08.21	Digwadih 12 No	11:05 AM	1.26	7.1	694
5	25.08.21	Digwadih 10 No F & J	11:35 AM	1.82	7.0	984
6	25.08.21	Kalimela Shivmandir	12:30 PM	0.98	7.2	812
7	25.08.21	Kalimela Kalimandir	12:45 PM	2.71	7.1	772
8	25.08.21	Lower Dungari	01:10 PM	2.56	7.2	624
9	25.08.21	Upper Dungari	01:35 PM	1.84	7.0	728
10	25.08.21	Pattia Basti	02:25 PM	1.06	7.2	736
11	25.08.21	Kenduadih Basti	02:05 PM	0.65	7.1	710
12	25.08.21	Jorapokhar Kushtand	09:15 AM	2.25	7.2	738
13	25.08.21	Jamadoba 3 No	02:45 PM	1.62	7.3	722
14	25.08.21	6&7 Pits (Ayodhya Nagri)	12:10 PM	1.67	7.1	668



**Sr. Manager (Environment)**

**ECOMEN LABORATORIES PVT. LTD.**

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/AAQ-1/05/21

TEST REPORT ISSUE DATE: 04/06/2021

**TEST REPORT OF AMBIENT AIR\***

Name of the Customer : Tata Steel Colliery (Jamadoba Group)  
 Address of the Customer : Jamadoba, Distt. Dhanbad  
 Jharkhand  
 Sample Collected By : Mr. Arvind Singh  
 Sampling Method : IS: 5182  
 Date of Sampling : May 28<sup>th</sup>, 2021  
 Date of Testing : 29.05.2021 to 04.06.2021  
 Environmental Condition : A.Temp(°C) : 36°C, Humidity(%) : 66,  
 Weather Condition -Shiny  
 Instrument Name & Lab ID : Fine Dust Sampler / Respirable Dust Sampler  
 Location : Central Work Shop Area, Jamadoba

Sl. No.	Tests Conducted	Method	Results	Detection Range	NAAQ Standards as per CPCB, New Delhi, Nov. 18 <sup>th</sup> , 2009
1	PM <sub>10</sub> (µg/m <sup>3</sup> )	IS:5182(Part-23)	78.86	2-1000(µg/m <sup>3</sup> )	100
2	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	IS:5182(Part-24)	42.12	2-100(µg/m <sup>3</sup> )	60
3	SO <sub>2</sub> (µg/m <sup>3</sup> )	IS:5182 (Part-2)	26.30	5-200(µg/m <sup>3</sup> )	80
4	NO <sub>x</sub> (µg/m <sup>3</sup> )	IS:5182 (Part-6)	24.12	5-200(µg/m <sup>3</sup> )	80
5	NH <sub>3</sub> (µg/m <sup>3</sup> )	IS:5182(Part-25)	21.05	0.02-700(µg/m <sup>3</sup> )	400
6	O <sub>3</sub> (µg/m <sup>3</sup> )	IS:5182(Part-9)	18.15	1-200(µg/m <sup>3</sup> )	180
7	CO (mg/m <sup>3</sup> )	IS:5182 (Part-10)	0.795	0-500(mg/l)	4.0
8	Pb(µg/m <sup>3</sup> )	IS:5182(Part-22)	BDL	1-100(µg/m <sup>3</sup> )	1.0
9	C <sub>6</sub> H <sub>6</sub> (µg/m <sup>3</sup> )	IS:5182(Part-11)	BDL	-	05
10	BaP (ng/m <sup>3</sup> )	IS:5182(Part-12)	BDL	>2(ng/m <sup>3</sup> )	01
11	As (ng/m <sup>3</sup> )	NAAQM Guideline Volume-1 by CPCB	BDL	1-100(ng/m <sup>3</sup> )	06
12	Ni (ng/m <sup>3</sup> )	IS:5182(Part-26)	BDL	1-100(ng/m <sup>3</sup> )	20

\*The results is related only to tested item.

**Note:** Below Detection Limit

*Ravi Bhargava*  
Analyst

*Ravi Bhargava*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow - 226024  
Ph. 2746282 Fax-2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/AAQ-2/05/21

TEST REPORT ISSUE DATE: 04/06/2021

## TEST REPORT OF AMBIENT AIR\*

Name of the Customer : Tata Steel Colliery (Jamadoba Group)  
Address of the Customer : Jamadoba, Dist. Dhanbad  
Jharkhand  
Sample Collected By : Mr. Arvind Singh  
Sampling Method : IS: 5182  
Date of Sampling : May 28<sup>th</sup>, 2021  
Date of Testing : 29.05.2021 to 04.06.2021  
Environmental Condition : A.Temp(°C) : 36°C, Humidity(%) : 66,  
Weather Condition -Shiny  
Instrument Name & Lab ID : Fine Dust Sampler / Respirable Dust Sampler  
Location : Officers Colony, 12 No. Digwadih

No.	Sl. No.	Tests Conducted	Method	Results	Detection Range	NAAQ Standards as per CPCB, New Delhi, Nov. 18 <sup>th</sup> , 2009
1		PM <sub>10</sub> ( $\mu\text{g}/\text{m}^3$ )	IS:5182(Part-23)	76.92	2-1000( $\mu\text{g}/\text{m}^3$ )	100
2		PM <sub>2.5</sub> ( $\mu\text{g}/\text{m}^3$ )	IS:5182(Part-24)	47.38	2-100( $\mu\text{g}/\text{m}^3$ )	60
3		SO <sub>2</sub> ( $\mu\text{g}/\text{m}^3$ )	IS:5182 (Part-2)	23.84	5-200( $\mu\text{g}/\text{m}^3$ )	80
4		NO <sub>x</sub> ( $\mu\text{g}/\text{m}^3$ )	IS:5182 (Part-6)	26.08	5-200( $\mu\text{g}/\text{m}^3$ )	80
5		NH <sub>3</sub> ( $\mu\text{g}/\text{m}^3$ )	IS:5182(Part-25)	20.18	0.02-700( $\mu\text{g}/\text{m}^3$ )	400
6		O <sub>3</sub> ( $\mu\text{g}/\text{m}^3$ )	IS:5182(Part-9)	17.86	1-200( $\mu\text{g}/\text{m}^3$ )	180
7		CO (mg/m <sup>3</sup> )	IS:5182 (Part-10)	0.724	0-500(mg/l)	4.0
8		Pb( $\mu\text{g}/\text{m}^3$ )	IS:5182(Part-22)	BDL	1-100( $\mu\text{g}/\text{m}^3$ )	1.0
9		C <sub>6</sub> H <sub>6</sub> ( $\mu\text{g}/\text{m}^3$ )	IS:5182(Part-11)	BDL	-	05
10		BaP (ng/m <sup>3</sup> )	IS:5182(Part-12)	BDL	>2(ng/m <sup>3</sup> )	01
11		As (ng/m <sup>3</sup> )	NAAQM Guideline Volume-1 by CPCB	BDL	1-100(ng/m <sup>3</sup> )	06
12		Ni (ng/m <sup>3</sup> )	IS:5182(Part-26)	BDL	1-100(ng/m <sup>3</sup> )	20

\*The results is related only to tested item.

**Note:** Below Detection Limit.

*Ravi Bhargava*  
Analyst

*Ravi Bhargava*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No.8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph. 2746282 Fax-2745726

*Akhil Shekhar*  
Quality Manager

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/AAQ-3/05/21

TEST REPORT ISSUE DATE: 04/06/2021

**TEST REPORT OF AMBIENT AIR\***

Name of the Customer : Tata Steel Colliery (Jamadoba Group)  
 Address of the Customer : Jamadoba, Distt. Dhanbad  
 Jharkhand  
 Sample Collected By : Mr. Arvind Singh  
 Sampling Method : IS: 5182  
 Date of Sampling : May 28<sup>th</sup>, 2021  
 Date of Testing : 29.05.2021 to 04.06.2021  
 Environmental Condition : A.Temp(°C) : 36°C, Humidity(%) : 66,  
 Weather Condition -Shiny  
 Instrument Name & Lab ID : Fine Dust Sampler / Respirable Dust Sampler  
 Location : General Manager's Office Area

Sl. No.	Tests Conducted	Method	Results	Detection Range	NAAQ Standards as per CPCB, New Delhi, Nov. 18 <sup>th</sup> , 2009
1	PM <sub>10</sub> (µg/m <sup>3</sup> )	IS:5182(Part-23)	74.24	2-1000(µg/m <sup>3</sup> )	100
2	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	IS:5182(Part-24)	24.82	2-100(µg/m <sup>3</sup> )	60
3	SO <sub>2</sub> (µg/m <sup>3</sup> )	IS:5182 (Part-2)	21.46	5-200(µg/m <sup>3</sup> )	80
4	NO <sub>x</sub> (µg/m <sup>3</sup> )	IS:5182 (Part-6)	23.68	5-200(µg/m <sup>3</sup> )	80
5	NH <sub>3</sub> (µg/m <sup>3</sup> )	IS:5182(Part-25)	14.29	0.02-700(µg/m <sup>3</sup> )	400
6	O <sub>3</sub> (µg/m <sup>3</sup> )	IS:5182(Part-9)	12.00	1-200(µg/m <sup>3</sup> )	180
7	CO (mg/m <sup>3</sup> )	IS:5182 (Part-10)	0.715	0-500(mg/l)	4.0
8	Pb(µg/m <sup>3</sup> )	IS:5182(Part-22)	BDL	1-100(µg/m <sup>3</sup> )	1.0
9	C <sub>6</sub> H <sub>6</sub> (µg/m <sup>3</sup> )	IS:5182(Part-11)	BDL	-	05
10	BaP (ng/m <sup>3</sup> )	IS:5182(Part-12)	BDL	>2(ng/m <sup>3</sup> )	01
11	As (ng/m <sup>3</sup> )	NAAQM Guideline Volume-I by CPCB	BDL	1-100(ng/m <sup>3</sup> )	06
12	Ni (ng/m <sup>3</sup> )	IS:5182(Part-26)	BDL	1-100(ng/m <sup>3</sup> )	20

\*The results is related only to tested item.

**Note:** Below Detection Limit

*Arvind Singh*  
Analyst

*Ravi Bhargava*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8 Second Floor Arif Chamber  
Sector-H, Vii, Lucknow-226024  
Ph: 2746282, Fax: 2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/AAQ-4/05/21

TEST REPORT ISSUE DATE: 04/06/2021

## TEST REPORT OF AMBIENT AIR\*

Name of the Customer : Tata Steel Colliery (Jamadoba Group)  
Address of the Customer : Jamadoba, Distt. Dhanbad  
Jharkhand  
Sample Collected By : Mr. Arvind Singh  
Sampling Method : IS: 5182  
Date of Sampling : May 27<sup>th</sup>, 2021  
Date of Testing : 29.05.2021 to 04.06.2021  
Environmental Condition : A.Temp(°C) : 36°C, Humidity(%) : 66,  
Weather Condition -Shiny  
Instrument Name & Lab ID : Fine Dust Sampler / Respirable Dust Sampler  
Location : Jamadoba Colliery

Sl. No.	Tests Conducted	Method	Results	Detection Range	NAAQ Standards as per CPCB, New Delhi, Nov. 18 <sup>th</sup> , 2009
1	PM <sub>10</sub> (µg/m <sup>3</sup> )	IS:5182(Part-23)	81.25	2-1000(µg/m <sup>3</sup> )	100
2	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	IS:5182(Part-24)	42.16	2-100(µg/m <sup>3</sup> )	60
3	SO <sub>2</sub> (µg/m <sup>3</sup> )	IS:5182 (Part-2)	25.84	5-200(µg/m <sup>3</sup> )	80
4	NO <sub>x</sub> (µg/m <sup>3</sup> )	IS:5182 (Part-6)	26.20	5-200(µg/m <sup>3</sup> )	80
5	NH <sub>3</sub> (µg/m <sup>3</sup> )	IS:5182(Part-25)	23.90	0.02-700(µg/m <sup>3</sup> )	400
6	O <sub>3</sub> (µg/m <sup>3</sup> )	IS:5182(Part-9)	17.16	1-200(µg/m <sup>3</sup> )	180
7	CO (mg/m <sup>3</sup> )	IS:5182 (Part-10)	0.705	0-500(mg/l)	4.0
8	Pb(µg/m <sup>3</sup> )	IS:5182(Part-22)	BDL	1-100(µg/m <sup>3</sup> )	1.0
9	C <sub>6</sub> H <sub>6</sub> (µg/m <sup>3</sup> )	IS:5182(Part-11)	BDL	-	05
10	BaP (ng/m <sup>3</sup> )	IS:5182(Part-12)	BDL	>2(ng/m <sup>3</sup> )	01
11	As (ng/m <sup>3</sup> )	NAAQM Guideline Volume-I by CPCB	BDL	1-100(ng/m <sup>3</sup> )	06
12	Ni (ng/m <sup>3</sup> )	IS:5182(Part-26)	BDL	1-100(ng/m <sup>3</sup> )	20

\*The results is related only to tested item.

Note: Below Detection Limit.

*Arvind Singh*  
Analyst

*Ravi Bhargava*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No.8 Second Floor Arif Chamber  
Sector-H, Vile Parle, Lucknow-226024  
Ph.2746282, 2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment, Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/DW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF DRINKING WATER\*

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Sampling Method : APHA, 23rd Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : Digwadih Club

Sl. No.	TESTS	PROTOCOL	RESULT	Detection Range	INDIAN STANDARDS as per IS 11509:1990 (Reaff:2012)	
					Desirable	Permissible
1.	Colour (Hazen unit)	APHA, 23rd Ed. 2017, 2120 B	<5.0	5-100	5.00	15.0
2.	Odour	APHA, 23rd Ed. 2017, 2150 B	Agreeable	Qualitative	Agreeable	Agreeable
3.	Taste	APHA, 23rd Ed. 2017, 2160 A+B	Agreeable	Qualitative	Agreeable	Agreeable
4.	Turbidity as (NTU)	APHA, 23rd Ed. 2017, 2130 A+B	1.10	1-100	1.0	5.0
5.	pH	APHA, 23rd Ed. 2017, 4590H+ A+B	7.36	2-12	6.5-8.5	No Relax.
6.	Total Dissolved Solids as TDS (mg/l)	APHA, 23rd Ed. 2017, 2540-C	320.0	5-5000	500	2000
7.	Alkalinity (mg/l)	APHA, 23rd Ed. 2017, 2320 A+B	188.0	5-1500	200	400
8.	Total Hardness as CaCO <sub>3</sub> (mg/l)	APHA, 23rd Ed. 2017, 2340 A+C	312.0	5-1500	200.0	400.0
9.	Calcium as Ca (mg/l)	APHA, 23rd Ed. 2017, 3500 Ca A+B	56.0	5-1000	75.0	200.0
10.	Copper as Cu (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.05-5	0.05	1.5
11.	Iron as Fe (mg/l)	APHA, 23rd Ed. 2017, 3500 Fe B	0.25	0.02-50	0.3	No Relax.
12.	Manganese as Mn (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.1-5	0.10	0.30
13.	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 Cl A+B	34.0	5-1000	250.0	1000.0
14.	Sulfate as SO <sub>4</sub> (mg/l)	APHA, 23rd Ed. 2017, 4500-SO4- E	45.0	1.0-250	200.0	400.0
15.	Nitrate Nitrogen as NO <sub>3</sub> (mg/l)	APHA, 23rd Ed. 2017, 4500-NO3- B	14.5	5-100	45.0	No Relax.
16.	Fluorides as F (mg/l)	APHA, 23rd Ed. 2017, 4500-C	0.36	0.05-10	1.0	1.5
17.	Mercury as Hg (mg/l)	APHA, 23rd Ed. 2017, 3112 A+B	BDL	0.001-1	0.001	No Relax.
18.	Cadmium as Cd (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.001-2	0.003	No Relax.
19.	Arsenic as As (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.01-2.0	0.01	No Relax.
20.	Lead as Pb (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.01-1.0	0.01	No Relax.
21.	Zinc as Zn (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	0.08	0.02-50	5	15
22.	Aluminium as Al (mg/l)	APHA, 23rd Ed. 2017, 3500Al A+B	BDL	1-100	0.03	0.2
23.	Chromium as Cr+6 (mg/l)	APHA, 23rd Ed. 2017, 3111A+B	BDL	0.05-100	0.05	No Relax.
24.	Cyanide as CN (mg/l)	APHA, 23rd Ed. 2017, 4500CN, A+D	BDL	0.02-10	0.05	No Relax.
25.	Free Residual Chlorine (mg/l)	APHA, 23rd Ed. 2017, 4500-Cl B	BDL	0.1-5	0.20	1.0
26.	Phenolic Compounds as CaH <sub>2</sub> OH (mg/l)	APHA, 23rd Ed. 2017, 5530 A+C	BDL	1-10	0.001	0.002
27.	Mineral Oil 6 (mg/l)	APHA, 23rd Ed. 2017, Class-6 Infrared Partition Method	BDL	0.01-10	0.5	No Relax.
28.	Boron as B (mg/l)	APHA, 23rd Ed. 2017, 4500 B A+C	0.21	0.2-10	0.5	1.0
29.	Total Coliform (MPN/100ml)	APHA, 23rd Ed. 2017, 9221 A+B	Absent	1-8	Absent	Absent

\*The result are related only to item tested. BDL = Below Detection Limit

*Ravi Bhargava*  
Analyst

*Ruchi*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8 Second Floor Arif Chamber  
Sector H, Aliganj, Lucknow-226024  
Ph. 2746282 Fax-2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/DW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF DRINKING WATER\*

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Sampling Method : APHA, 23rd Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : 6&7 Pits Canteen

Sl. No.	TESTS	PROTOCOL	RESULT	Detection Range	INDIAN STANDARDS as per IS 1950:1991 (Reaff:2012)	
					Desirable	Permissible
1.	Colour (Hazen unit)	APHA, 23rd Ed. 2017, 2120 B	<5.0	5-100	5.00	15.0
2.	Odour	APHA, 23rd Ed. 2017, 2150 B	Agreeable	Qualitative	Agreeable	Agreeable
3.	Taste	APHA, 23rd Ed. 2017, 2160 A+B	Agreeable	Qualitative	Agreeable	Agreeable
4.	Turbidity as (NTU)	APHA, 23rd Ed. 2017, 2130 A+B	1.10	1-100	1.0	5.0
5.	pH	APHA, 23rd Ed. 2017, 4500H+ A+B	7.56	2-12	6.5-8.5	No Relax.
6.	Total Dissolved Solids as TDS (mg/l)	APHA, 23rd Ed. 2017, 2540-C	500.0	5-5000	500	2000
7.	Alkalinity (mg/l)	APHA, 23rd Ed. 2017, 2320 A+B	204.0	5-1500	200	600
8.	Total Hardness as CaCO <sub>3</sub> (mg/l)	APHA, 23rd Ed. 2017, 2340 A+C	220.0	5-1500	200.0	600.0
9.	Calcium as Ca (mg/l)	APHA, 23rd Ed. 2017, 3500 Cx A+B	85.60	5-1000	75.0	200.0
10.	Copper as Cu (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.05-5	0.05	1.5
11.	Iron as Fe (mg/l)	APHA, 23rd Ed. 2017, 3500 Fe B	0.23	0.02-50	0.3	No Relax.
12.	Manganese as Mn (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.1-5	0.10	0.30
13.	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 Cl A+B	42.0	5-1000	250.0	1000.0
14.	Sulfate as SO <sub>4</sub> (mg/l)	APHA, 23rd Ed. 2017, 4500-SO <sub>4</sub> -E	46.75	1.0-150	200.0	400.0
15.	Nitrate Nitrogen as NO <sub>3</sub> (mg/l)	APHA, 23rd Ed. 2017, 4500-NO <sub>3</sub> -B	15.0	5-100	45.0	No Relax.
16.	Fluorides as F (mg/l)	APHA, 23rd Ed. 2017, 4500-C	0.39	0.05-10	1.0	1.5
17.	Mercury as Hg (mg/l)	APHA, 23rd Ed. 2017, 3112 A+B	BDL	0.001-1	0.001	No Relax.
18.	Cadmium as Cd (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.002-2	0.003	No Relax.
19.	Arsenic as As (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.01-2.0	0.01	No Relax.
20.	Lead as Pb (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.01-1.0	0.01	No Relax.
21.	Zinc as Zn (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	0.69	0.02-50	5	15
22.	Aluminium as Al (mg/l)	APHA, 23rd Ed. 2017, 3500Al A+B	BDL	1-100	0.03	0.2
23.	Chromium as Cr+6 (mg/l)	APHA, 23rd Ed. 2017, 3111A+B	BDL	0.05-100	0.05	No Relax.
24.	Cyanide as CN (mg/l)	APHA, 23rd Ed. 2017, 4500CN, A+D	BDL	0.02-10	0.05	No Relax.
25.	Free Residual Chlorine (mg/l)	APHA, 23rd Ed. 2017, 4500-Cl B	BDL	0.1-5	0.20	1.0
26.	Phenolic Compounds as C <sub>6</sub> H <sub>5</sub> OH (mg/l)	APHA, 23rd Ed. 2017, 5530 A+C	BDL	1-10	0.001	0.002
27.	Mineral Oil 6 (mg/l)	APHA, 23rd Ed. 2017, Class-6 Infrared Partition Method	BDL	0.01-10	0.5	No Relax.
28.	Boron as B (mg/l)	APHA, 23rd Ed. 2017, 4500 B A+C	0.26	0.2-10	0.8	1.0
29.	Total Coliform (MPN/100ml)	APHA, 23rd Ed. 2017, 9221 A+B	Absent	1.5	Absent	Absent

\*The result are related only to item tested. BDL = Below Detection Limit

*Ravi Bhargava*  
Analyst

*Ravi Bhargava*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8 Second Floor Arif Chamber  
Sector H, Aliganj, Lucknow-226024  
Ph. No. 2746282, 2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6075H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/DW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF GROUND WATER\*

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Sampling Method : APHA, 23rd Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : Purnadih (Jorapokhar)

Sl. No.	TESTS	PROTOCOL	RESULT	Detection Range	INDIAN STANDARDS as per IS 10500:1991(Reaff:2012)	
					Desirable	Permissible
1.	Colour (Hazen unit)	APHA, 23rd Ed. 2017, 2129 B	<5.0	5-100	5.00	15.0
2.	Temperature (0C)	APHA, 23rd Ed. 2017, (2550 A+B)	28.5	10-100	-	-
3.	Electrical Conductivity (µmhos/cm)	APHA, 23rd Ed. 2017, 2510-A+B	1020.0	1-2000	-	-
4.	Dissolved Solids (mg/l)	APHA, 23rd Ed. 2017 (2540B)	684.0	5-10000	-	-
5.	pH	APHA, 23rd Ed. 2017, 4500H+ A+B	7.72	2-12	6.5-8.5	No Relax.
6.	Alkalinity (mg/l)	APHA, 23rd Ed. 2017, 2320 A+ B	224.0	5-1500	200	600
7.	Total Hardness as CaCO <sub>3</sub> (mg/l)	APHA, 23rd Ed. 2017, 2340 A+C	252.0	5-1500	200.0	600.0
8.	Calcium as Ca (mg/l)	APHA, 23rd Ed. 2017, 3500 Ca A+B	64.0	5-1000	75.0	200.0
9.	Magnesium as Mg (mg/l)	APHA, 23rd Ed. 2017, 3500 Mg A+B	22.35	5-1000	30.0	100.0
10.	Copper as Cu (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.05-5	0.05	1.5
11.	Iron as Fe (mg/l)	APHA, 23rd Ed. 2017, 3500 Fe B	0.19	0.02-50	0.3	No Relax.
12.	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 Cl A+B	76.0	5-1000	250.0	1000.0
13.	Sulfate as SO <sub>4</sub> (mg/l)	APHA, 23rd Ed. 2017, 4500-SO42- E	68.20	1.0-250	200.0	400.0
14.	Nitrate Nitrogen as NO <sub>3</sub> (mg/l)	APHA, 23rd Ed. 2017, 4500-NO3- B	12.56	5-100	45.0	No Relax.
15.	Fluorides as F (mg/l)	APHA, 23rd Ed. 2017, 4500-C	0.87	0.05-10	1.0	1.5
16.	Mercury as Hg (mg/l)	APHA, 23rd Ed. 2017, 3112 A+B	BDL	0.001-1	0.001	No Relax.
17.	Cadmium as Cd (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.002-2	0.003	No Relax.
18.	Nickel as Ni (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.02-2	0.02	No Relax.
19.	Arsenic as As (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.01-2.0	0.01	No Relax.
20.	Lead as Pb (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.01-1.0	0.01	No Relax.
21.	Zinc as Zn (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	0.10	0.02-50	5	15
22.	Total Chromium as Cr (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.05-50	0.05	No Relax.
23.	Cyanide as CN (mg/l)	APHA, 23rd Ed. 2017, 4500CN, A+D	BDL	0.02-10	0.05	No Relax.

\*The result are related only to item tested.

BDL = Below Detection Limit

*Ravi Bhargava*  
Analyst

*Ravi Bhargava*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8 Second Floor Arif Chamber  
Sector-H, Aliganj - Lucknow-226024  
Ph: 2746282 Fax: 2745726

Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/DW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF GROUND WATER\*

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Sampling Method : APHA, 23rd Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : Digwadih 10 No, F&J

Sl. No.	TESTS	PROTOCOL	RESULT	Detection Range	INDIAN STANDARDS as per IS 10500:1991(Reaff:2012)	
					Desirable	Permissible
1.	Colour (Hazen unit)	APHA, 23rd Ed. 2017, 2120 B	<5.0	5-100	5.00	15.0
2.	Temperature (0C)	APHA, 23rd Ed. 2017, (2550 A+B)	29.7	10-100	-	-
3.	Electrical Conductivity ( $\mu$ mhos/cm)	APHA, 23rd Ed. 2017, 2510-A+B	820.0	1-2000	-	-
4.	Dissolved Solids (mg/l)	APHA, 23rd Ed. 2017 (2540B)	564.0	5-10000	-	-
5.	pH	APHA, 23rd Ed. 2017, 4500H+ A+B	7.46	2-12	6.5-8.5	No Relax.
6.	Alkalinity (mg/l)	APHA, 23rd Ed. 2017, 2320 A+ B	168.0	5-1500	200	600
7.	Total Hardness as CaCO <sub>3</sub> (mg/l)	APHA, 23rd Ed. 2017, 2340 A+C	228.0	5-1500	200.0	600.0
8.	Calcium as Ca (mg/l)	APHA, 23rd Ed. 2017, 3500 Ca A+B	68.80	5-1000	75.0	200.0
9.	Magnesium as Mg (mg/l)	APHA, 23rd Ed. 2017, 3500 Mg A+B	13.60	5-1000	30.0	100.0
10.	Copper as Cu (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.05-5	0.05	1.5
11.	Iron as Fe (mg/l)	APHA, 23rd Ed. 2017, 3500 Fe B	0.08	0.02-50	0.3	No Relax.
12.	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 Cl A+B	62.0	5-1000	250.0	1000.0
13.	Sulfate as SO <sub>4</sub> (mg/l)	APHA, 23rd Ed. 2017, 4500-SO42- E	46.78	1.0-250	200.0	400.0
14.	Nitrate Nitrogen as NO <sub>3</sub> (mg/l)	APHA, 23rd Ed. 2017, 4500-NO3- B	13.50	5-100	45.0	No Relax.
15.	Fluorides as F (mg/l)	APHA, 23rd Ed. 2017, 4500-C	0.64	0.05-10	1.0	1.5
16.	Mercury as Hg (mg/l)	APHA, 23rd Ed. 2017, 3112 A+B	BDL	0.001-1	0.001	No Relax.
17.	Cadmium as Cd (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.002-2	0.003	No Relax.
18.	Nickel as Ni (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.02-2	0.02	No Relax.
19.	Arsenic as As (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.01-2.0	0.01	No Relax.
20.	Lead as Pb (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.01-1.0	0.01	No Relax.
21.	Zinc as Zn (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	0.14	0.02-50	5	15
22.	Total Chromium as Cr (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.05-50	0.05	No Relax.
23.	Cyanide as CN (mg/l)	APHA, 23rd Ed. 2017, 4500CN, A+D	BDL	0.02-10	0.05	No Relax.

\*The result are related only to item tested. BDL - Below Detection Limit

*[Signature]*  
Analyst

*[Signature]*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8, Second Floor, Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph: 2746282 Fax: 2745726

*[Signature]*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/DW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF GROUND WATER\*

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Sampling Method : APHA, 23rd Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : Kalimela Kalimandir

Sl. No.	TESTS	PROTOCOL	RESULT	Detection Range	INDIAN STANDARDS as per IS 10500:1991(Reaff2012)	
					Desirable	Permissible
1.	Colour (Hazen unit)	APHA, 23rd Ed. 2017, 2120 B	<5.0	5-100	5.00	15.0
2.	Temperature (°C)	APHA, 23rd Ed. 2017, (2550 A+B)	30.5	10-100	-	-
3.	Electrical Conductivity (µmhos/cm)	APHA, 23rd Ed. 2017, 2510-A+B	896.0	1-2000	-	-
4.	Dissolved Solids (mg/l)	APHA, 23rd Ed. 2017 (2540B)	572.0	5-10000	-	-
5.	pH	APHA, 23rd Ed. 2017, 4900H+ A+B	7.25	2-12	6.5-8.5	No Relax.
6.	Alkalinity (mg/l)	APHA, 23rd Ed. 2017, 2320 A+ B	176.0	5-1500	200	600
7.	Total Hardness as CaCO <sub>3</sub> (mg/l)	APHA, 23rd Ed. 2017, 2340 A+C	212.0	5-1500	200.0	600.0
8.	Calcium as Ca (mg/l)	APHA, 23rd Ed. 2017, 3500 Ca A+B	52.80	5-1000	75.0	200.0
9.	Magnesium as Mg (mg/l)	APHA, 23rd Ed. 2017, 3500 Mg A+B	19.44	5-1000	30.0	100.0
10.	Copper as Cu (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.05-5	0.05	1.5
11.	Iron as Fe (mg/l)	APHA, 23rd Ed. 2017, 3500 Fe B	0.06	0.02-50	0.3	No Relax.
12.	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 Cl A+B	56.0	5-1000	250.0	1000.0
13.	Sulfate as SO <sub>4</sub> (mg/l)	APHA, 23rd Ed. 2017, 4500-SO42- E	49.50	1.0-250	200.0	400.0
14.	Nitrate Nitrogen as NO <sub>3</sub> (mg/l)	APHA, 23rd Ed. 2017, 4500-NO3- B	11.90	5-100	45.0	No Relax.
15.	Fluorides as F (mg/l)	APHA, 23rd Ed. 2017, 4500-C	0.68	0.05-10	1.0	1.5
16.	Mercury as Hg (mg/l)	APHA, 23rd Ed. 2017, 3112 A+B	BDL	0.001-1	0.001	No Relax.
17.	Cadmium as Cd (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.002-2	0.003	No Relax.
18.	Nickel as Ni (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.02-2	0.02	No Relax.
19.	Arsenic as As (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.01-2.0	0.01	No Relax.
20.	Lead as Pb (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.01-1.0	0.01	No Relax.
21.	Zinc as Zn (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	0.16	0.02-50	5	15
22.	Total Chromium as Cr (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.05-50	0.05	No Relax.
23.	Cyanide as CN (mg/l)	APHA, 23rd Ed. 2017, 4560CN, A+D	BDL	0.02-10	0.05	No Relax.

\*The result are related only to item tested. BDL = Below Detection Limit

*Arashkumar*  
Analyst

*Ramesh*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph. 2746282 Fax-2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/DW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF GROUND WATER\*

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Sampling Method : APHA, 23rd Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : Upper Dungari

Sl. No.	TESTS	PROTOCOL	RESULT	Detection Range	INDIAN STANDARDS as per IS 10500:1991(Reaff:2012)	
					Desirable	Permissible
1.	Colour (Hazen unit)	APHA, 23rd Ed. 2017, 2120 B	<5.0	5-100	5.00	15.0
2.	Temperature (0C)	APHA, 23rd Ed. 2017, (2550 A+B)	32.0	10-100	-	-
3.	Electrical Conductivity (µmhos/cm)	APHA, 23rd Ed. 2017, 2510-A+B	1120.0	1-2000	-	-
4.	Dissolved Solids (mg/l)	APHA, 23rd Ed. 2017 (2540B)	720.0	5-10000	-	-
5.	pH	APHA, 23rd Ed. 2017, 4500H+ A+B	7.42	2-12	6.5-8.5	No Relax.
6.	Alkalinity (mg/l)	APHA, 23rd Ed. 2017, 2320 A+ B	216.0	5-1500	200	600
7.	Total Hardness as CaCO <sub>3</sub> (mg/l)	APHA, 23rd Ed. 2017, 2340 A+C	264.0	5-1500	200.0	600.0
8.	Calcium as Ca (mg/l)	APHA, 23rd Ed. 2017, 3500 Ca A+B	72.0	5-1000	75.0	200.0
9.	Magnesium as Mg (mg/l)	APHA, 23rd Ed. 2017, 3500 Mg A+B	20.41	5-1000	30.0	100.0
10.	Copper as Cu (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.05-5	0.05	1.5
11.	Iron as Fe (mg/l)	APHA, 23rd Ed. 2017, 3500 Fe B	0.12	0.02-50	0.3	No Relax.
12.	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 Cl A+B	60.0	5-1000	250.0	1000.0
13.	Sulfate as SO <sub>4</sub> (mg/l)	APHA, 23rd Ed. 2017, 4500-SO42- E	44.50	1.0-250	200.0	400.0
14.	Nitrate Nitrogen as NO <sub>3</sub> (mg/l)	APHA, 23rd Ed. 2017, 4500-NO3- B	15.25	5-100	45.0	No Relax.
15.	Fluorides as F (mg/l)	APHA, 23rd Ed. 2017, 4500-C	0.61	0.05-10	1.0	1.5
16.	Mercury as Hg (mg/l)	APHA, 23rd Ed. 2017, 3112 A+B	BDL	0.001-1	0.001	No Relax.
17.	Cadmium as Cd (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.002-2	0.003	No Relax
18.	Nickel as Ni (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.02-2	0.02	No Relax
19.	Arsenic as As (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.01-2.0	0.01	No Relax
20.	Lead as Pb (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.01-1.0	0.01	No Relax.
21.	Zinc as Zn (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	0.21	0.02-50	5	15
22.	Total Chromium as Cr (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.05-50	0.05	No Relax
23.	Cyanide as CN (mg/l)	APHA, 23rd Ed. 2017, 4500CN, A+D	BDL	0.02-10	0.05	No Relax.

\*The result are related only to item tested. BDL = Below Detection Limit

*Shankar*  
Analyst

*Ravi*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph: 2746282 Fax: 2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/DW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF GROUND WATER\*

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Sampling Method : APHA, 23rd Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : Kenduadih Basti

Sl. No.	TESTS	PROTOCOL	RESULT	Detection Range	INDIAN STANDARDS as per IS 10500:1991(Reaff2012)	
					Desirable	Permissible
1.	Colour (Hazen unit)	APHA, 23rd Ed. 2017, 2120 B	<5.0	5-100	5.00	15.0
2.	Temperature (0C)	APHA, 23rd Ed. 2017, (2550 A+B)	31.0	10-100	-	-
3.	Electrical Conductivity (umhos/cm)	APHA, 23rd Ed. 2017, 2510-A+B	854.0	1-2000	-	-
4.	Dissolved Solids (mg/l)	APHA, 23rd Ed. 2017 (2540B)	532.0	5-10000	-	-
5.	pH	APHA, 23rd Ed. 2017, 4560H+ A+B	7.45	2-12	6.5-8.5	No Relax.
6.	Alkalinity (mg/l)	APHA, 23rd Ed. 2017, 2320 A+B	208.0	5-1500	200	600
7.	Total Hardness as CaCO <sub>3</sub> (mg/l)	APHA, 23rd Ed. 2017, 2340 A+C	232.0	5-1500	200.0	600.0
8.	Calcium as Ca (mg/l)	APHA, 23rd Ed. 2017, 3500 Ca A+B	59.20	5-1000	75.0	200.0
9.	Magnesium as Mg (mg/l)	APHA, 23rd Ed. 2017, 3500 Mg A+B	20.41	5-1000	30.0	100.0
10.	Copper as Cu (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.05-5	0.05	1.5
11.	Iron as Fe (mg/l)	APHA, 23rd Ed. 2017, 3500 Fe B	0.12	0.02-50	0.3	No Relax.
12.	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 Cl A+B	46.0	5-1000	250.0	1000.0
13.	Sulfate as SO <sub>4</sub> (mg/l)	APHA, 23rd Ed. 2017, 4500-SO42- E	35.75	1.0-250	200.0	400.0
14.	Nitrate Nitrogen as NO <sub>3</sub> (mg/l)	APHA, 23rd Ed. 2017, 4500-NO3- B	18.75	5-100	45.0	No Relax.
15.	Fluorides as F (mg/l)	APHA, 23rd Ed. 2017, 4500-C	0.65	0.05-10	1.0	1.5
16.	Mercury as Hg (mg/l)	APHA, 23rd Ed. 2017, 3112 A+B	BDL	0.001-1	0.001	No Relax.
17.	Cadmium as Cd (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.002-2	0.003	No Relax.
18.	Nickel as Ni (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.02-2	0.02	No Relax.
19.	Arsenic as As (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.01-2.0	0.01	No Relax.
20.	Lead as Pb (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.01-1.0	0.01	No Relax.
21.	Zinc as Zn (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	0.15	0.02-50	5	15
22.	Total Chromium as Cr (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.05-50	0.05	No Relax.
23.	Cyanide as CN (mg/l)	APHA, 23rd Ed. 2017, 4500CN, A+D	BDL	0.02-10	0.05	No Relax.

\*The result are related only to item tested. BDL = Below Detection Limit

*Apurva*  
Analyst

*Roopa*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph: 2746282 Fax: 2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/DW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF GROUND WATER\*

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Sampling Method : APHA, 23rd Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : 6&7 Pits (Ayodhya Nagar)

Sl. No.	TESTS	PROTOCOL	RESULT	Detection Range	INDIAN STANDARDS as per IS 10500:1991(Reaff:2012)	
					Desirable	Permissible
1.	Colour (Hazen unit)	APHA, 23rd Ed. 2017, 2120 B	<5.0	5-100	5.00	15.0
2.	Temperature (°C)	APHA, 23rd Ed. 2017, (2550 A+B)	30.50	10-100	-	-
3.	Electrical Conductivity (µmhos/cm)	APHA, 23rd Ed. 2017, 2510-A+B	840.0	1-2000	-	-
4.	Dissolved Solids (mg/l)	APHA, 23rd Ed. 2017 (2540B)	564.0	5-10000	-	-
5.	pH	APHA, 23rd Ed. 2017, 4500H+ A+B	7.32	2-12	6.5-8.5	No Relax.
6.	Alkalinity (mg/l)	APHA, 23rd Ed. 2017, 2520 A+B	204.0	5-1500	200	600
7.	Total Hardness as CaCO <sub>3</sub> (mg/l)	APHA, 23rd Ed. 2017, 2340 A+C	264.0	5-1500	200.0	600.0
8.	Calcium as Ca (mg/l)	APHA, 23rd Ed. 2017, 3500 Ca A+B	70.40	5-1000	75.0	200.0
9.	Magnesium as Mg (mg/l)	APHA, 23rd Ed. 2017, 3500 Mg A+B	21.38	5-1000	30.0	100.0
10.	Copper as Cu (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.05-5	0.05	1.5
11.	Iron as Fe (mg/l)	APHA, 23rd Ed. 2017, 3500 Fe B	0.21	0.02-50	0.3	No Relax.
12.	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 Cl A+B	58.0	5-1000	250.0	1000.0
13.	Sulfate as SO <sub>4</sub> (mg/l)	APHA, 23rd Ed. 2017, 4500-SO42- E	39.50	1.0-250	200.0	400.0
14.	Nitrate Nitrogen as NO <sub>3</sub> (mg/l)	APHA, 23rd Ed. 2017, 4500-NO3- B	13.56	5-100	45.0	No Relax.
15.	Fluorides as F (mg/l)	APHA, 23rd Ed. 2017, 4500-C	0.57	0.05-10	1.0	1.5
16.	Mercury as Hg (mg/l)	APHA, 23rd Ed. 2017, 3112 A+B	BDL	0.001-1	0.001	No Relax.
17.	Cadmium as Cd (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.002-2	0.003	No Relax.
18.	Nickel as Ni (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.02-2	0.02	No Relax.
19.	Arsenic as As (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.01-2.0	0.01	No Relax.
20.	Lead as Pb (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.01-1.0	0.01	No Relax.
21.	Zinc as Zn (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	0.22	0.02-50	5	15
22.	Total Chromium as Cr (mg/l)	APHA, 23rd Ed. 2017, 3111 A+B	BDL	0.05-50	0.05	No Relax.
23.	Cyanide as CN (mg/l)	APHA, 23rd Ed. 2017, 4500CN, A+D	BDL	0.02-10	0.05	No Relax.

\*The result are related only to item tested. BDL = Below Detection Limit

*Ravi Bhargava*  
Analyst

*Ravi Bhargava*  
Authorized Signatory,  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph. 2746282 Fax-2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10

TEST REPORT NO: ECO LAB/AN/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF AMBIENT NOISE LEVEL

Name of the Customer : Tata Steel Colliery (Jamadoba Group)  
Address of the Customer : Jamadoba, Distt. Dhanbad  
Jharkhand  
Sample Collected By : Mr. Arvind Singh  
Instrument Used : Noise Meter (HTC)

Sl. No.	Locations	Date of Monitoring	Day Time			Night Time		
			Max.	Min.	Leq.	Max.	Min.	Leq.
1.	Central Work Shop Area Jamadoba	28.05.2021	68.2	54.2	56.2	62.6	47.8	54.2
2.	Officer's Colony, 12 No. Digwadih	28.05.2021	56.4	53.6	52.8	48.2	42.4	44.7
3.	General Manager's Office Area	28.05.2021	53.8	49.3	48.7	46.5	42.6	41.2
4.	Jamadoba Colliery	27.05.2021	68.8	56.8	66.8	64.6	49.8	52.8

### Noise (Ambient Standard)

Area Code	Category of area	Limit in dB (A) Leq	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

**Note:**

1. Day time is reckoned in between 6:00 AM and 10:00 PM.
2. Night time is reckoned in between 10:00 PM and 6:00 AM
3. Silence zone is defined as area up to 100m around such premises as hospitals, Educational institutions & courts. The silence zones are to be declared by a competent authority.
4. Mixed categories of areas should be declared as one of the four above-mentioned Categories by the competent authority and the corresponding standard shall apply.

*Arvind Singh*  
Analyst

*Reena*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph. 2746282 Fax: 2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/SW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF SURFACE WATER

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Dist. Dhanbad - 828 112  
Sampling Method : APHA, 23rd Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : Damodar River, Up Stream

Sl. No.	TESTS	PROTOCOL	RESULT	Detection Range	IS:2296 Class-C
1.	pH	APHA, 23rd Ed. 2017, 4500H+ A+B,	7.36	2-12	8.5
2.	Turbidity as (NTU)	APHA, 23rd Ed. 2017, 2130-A+B	13.50	1-100	-
3.	Total Dissolved Solids as TDS (mg/l)	APHA, 23rd Ed. 2017 (2540C)	664.0	5-10000	1500
4.	Dissolved Oxygen as DO (mg/l)	APHA, 23rd Ed. 2017 (4500 A+C)	6.5	2-10	4.0
5.	Biochemical Oxygen Demand as BOD (mg/l)	APHA, 23rd Ed. 2017 (5210A+B)	BDL	5-10000	3.0
6.	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 Cl A+B	56.0	5-1000	-
7.	Fluorides as F (mg/l)	APHA, 23rd Ed. 2017 (4500 -C)	0.54	0.05-10	1.5
8.	Sulfate as SO <sub>4</sub> (mg/l)	APHA, 23rd Ed. 2017 (4500 -SO <sub>4</sub> E)	32.50	1.0-250	400.0

\*The result are related only to item tested - The parameters are not included in IS: 2296 Class-C  
BDL - Below Detection Limit

*Ravi Bhargava*  
Analyst

*Ravi*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8 Second Floor Arif Chamber  
Sector H, Aliganj, Lucknow-226024  
Ph. 2746282 Fax-2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT.LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/SW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF SURFACE WATER

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Sampling Method : APHA, 23rd Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : Damodar River, Down Stream

Sl. No.	TESTS	PROTOCOL	RESULT	Detection Range	IS:2296 Class-C
1.	pH	APHA, 23rd Ed. 2017, 4500H+A+B,	7.62	2-12	8.5
2.	Turbidity as (NTU)	APHA, 23rd Ed. 2017, 2130-A+B	10.50	1-100	-
3.	Total Dissolved Solids as TDS (mg/l)	APHA, 23rd Ed. 2017 (2540C)	676.0	5-10000	1500
4.	Dissolved Oxygen as DO (mg/l)	APHA, 23rd Ed. 2017 (4500 A+C)	5.6	2-10	4.0
5.	Biochemical Oxygen Demand as BOD (mg/l)	APHA, 23rd Ed. 2017 (5210A+B)	BDL	5-10000	3.0
6.	Chloride as Cl (mg/l)	APHA, 23rd Ed. 2017, 4500 Cl A+B	58.0	5-1000	-
7.	Fluorides as F (mg/l)	APHA, 23rd Ed. 2017 (4500 - C)	0.56	0.05-10	1.5
8.	Sulfate as SO <sub>4</sub> (mg/l)	APHA, 23rd Ed. 2017 (4500 -SO <sub>4</sub> <sup>2-</sup> E)	48.50	1.0-250	400.0

\*The result are related only to item tested - The parameters are not included in IS: 2296 Class-C  
BDL - Below Detection Limit

*Ravi Bhargava*  
Analyst

*Ravi*  
Authorized Signatory,  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8 Second Floor Arif Chamber  
Sector H, Aliganj, Lucknow-226024  
Ph: 2746282 Fax: 2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/WW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF WASTE WATER\*

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Sampling Method : APHA, 23<sup>rd</sup> Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : 3 Pit Jamadoba Colliery

Sl. No.	TESTS	PROTOCOL	RESULT	Limits of Detection	G.S.R 422(E)
					Desirable Limit
1	pH	APHA, 23 <sup>rd</sup> Ed. 2017, 4500H A+B	7.64	2-12	5.5-9.0
2	Total Suspended Solid as TSS (mg/l)	APHA, 23 <sup>rd</sup> Ed. 2017, 2540D	21.50	5-5000	100.0
3	Total Dissolved Solids as TDS (mg/l)	APHA, 23 <sup>rd</sup> Ed. 2017, 2540C	646.0	10-10,000	-
4	Oil & Grease as O & G (mg/l)	APHA, 23 <sup>rd</sup> Ed. 2017, 5520 (A+D)	BDL	5-600	10.0
5	Biochemical Oxygen Demand as BOD (mg/l) 3days at 27°C	APHA, 23 <sup>rd</sup> Ed. 2017, 5210 A+B	10.0	5-10000	30.0
6	Chemical Oxygen Demand as COD (mg/l)	APHA, 23 <sup>rd</sup> Ed. 2017, 5220 A+B	42.0	5-50000	250.0

\*The result are related only to item tested.

BDL = Below Detection Limit

*Arvind Singh*  
Analyst

*Reena*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No.8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph. 2746282 Fax-2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/WW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF WASTE WATER\*

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Sampling Method : APHA, 23<sup>rd</sup> Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : 2 Incline Jamadoba Colliery

Sl. No.	TESTS	PROTOCOL	RESULT	Limits of Detection	G.S.R 422(E)
					Desirable Limit
1	pH	APHA, 23rd Ed. 2017, 4500H A+B	7.62	2-12	5.5-9.0
2	Total Suspended Solid as TSS (mg/l)	APHA, 23rd Ed. 2017, 2540D	18.50	5-5000	100.0
3	Total Dissolved Solids as TDS (mg/l)	APHA, 23rd Ed. 2017, 2540C	520.0	10-10,000	-
4	Oil & Grease as O & G (mg/l)	APHA, 23rd Ed. 2017, 5520 (A+D)	BDL	5-600	10.0
5	Biochemical Oxygen Demand as BOD (mg/l) 3days at 27°C	APHA, 23rd Ed. 2017, 5210 A+B	13.50	5-10000	30.0
6	Chemical Oxygen Demand as COD (mg/l)	APHA, 23rd Ed. 2017, 5220 A+B	26.0	5-90000	250.0

\*The result are related only to item tested.

BDL = Below Detection Limit

*Ravi Bhargava*  
Analyst

*Ravi Bhargava*  
Authorized Signatory,  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph. 2746282 Fax-2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/WW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF WASTE WATER\*

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Sampling Method : APHA, 23<sup>rd</sup> Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : 6&7 Pit Colliery

Sl. No.	TESTS	PROTOCOL	RESULT	Limits of Detection	G.S.R 422(E)
					Desirable Limit
1	pH	APHA, 23 <sup>rd</sup> Ed. 2017, 4500H A+B	7.50	2-12	5.5-9.0
2	Total Suspended Solid as TSS (mg/l)	APHA, 23 <sup>rd</sup> Ed. 2017, 2540D	12.50	5-5000	100.0
3	Total Dissolved Solids as TDS (mg/l)	APHA, 23 <sup>rd</sup> Ed. 2017, 2540C	590.0	10-10,000	-
4	Oil & Grease as O & G (mg/l)	APHA, 23 <sup>rd</sup> Ed. 2017, 5520 (A+D)	BDL	5-600	10.0
5	Biochemical Oxygen Demand as BOD (mg/l) 3days at 27°C	APHA, 23 <sup>rd</sup> Ed. 2017, 5210 A+B	9.50	5-10000	30.0
6	Chemical Oxygen Demand as COD (mg/l)	APHA, 23 <sup>rd</sup> Ed. 2017, 5220 A+B	36.0	5-50000	250.0

\*The result are related only to item tested.

BDL = Below Detection Limit

*Ravi Bhargava*  
Analyst

*Ravi Bhargava*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph. 2746282 Fax-2745726

*Akhilshet*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/WW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF WASTE WATER\*

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Sampling Method : APHA, 23<sup>rd</sup> Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : Digwadih Colliery

Sl. No.	TESTS	PROTOCOL	RESULT	Limits of Detection	G.S.R 422(E)
					Desirable Limit
1	pH	APHA, 23rd Ed. 2017, 4500H <sup>+</sup> A+B	7.42	2-12	5.5-9.0
2	Total Suspended Solid as TSS (mg/l)	APHA, 23rd Ed. 2017, 2540D	16.8	5-5000	100.0
3	Total Dissolved Solids as TDS (mg/l)	APHA, 23rd Ed. 2017, 2540C	610.0	10-10,000	-
4	Oil & Grease as O & G (mg/l)	APHA, 23rd Ed. 2017, 5520 (A+D)	BDL	5-600	10.0
5	Biochemical Oxygen Demand as BOD (mg/l) 3days at 27°C	APHA, 23rd Ed. 2017, 5210 A+B	8.50	5-10000	30.0
6	Chemical Oxygen Demand as COD (mg/l)	APHA, 23rd Ed. 2017, 5220 A+B	32.0	5-50000	250.0

\*The result are related only to item tested.

BDL = Below Detection Limit

*Ravi Bhargava*  
Analyst

*Ravi Bhargava*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No.8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph.2746282 Fax-2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/WW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF WASTE WATER\*


Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Sampling Method : APHA, 23<sup>rd</sup> Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : JCPP (Final Settling Pond)


Sl No.	TESTS	PROTOCOL	RESULT	Limits of Detection
1	Ph	APHA, 23rd Ed. 2017, 4500H' A+B	7.35	2-12
2	Total Suspended Solid as TSS (mg/l)	APHA, 23rd Ed. 2017, 2540D	17.0	5-5000
3	Total Dissolved Solids as TDS (mg/l)	APHA, 23rd Ed. 2017, 2540C	926.0	10-10,000
4	Oil & Grease as O & G (mg/l)	APHA, 23rd Ed. 2017, 5520 (A+D)	6.90	5-600
5	Biochemical Oxygen Demand as BOD (mg/l) 3days at 27°C	APHA, 23rd Ed. 2017, 5210 A+B	13.50	5-10000
6	Chemical Oxygen Demand as COD (mg/l)	APHA, 23rd Ed. 2017, 5220 A+B	40.0	5-50000

\*The result are related only to item tested.

BDL = Below Detection Limit

  
Analyst

  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No.8 Second Floor Arif Chamber  
Sector H, Aliganj, Lucknow-226024  
Ph.2746282 Fax-2745726

  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/WW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF WASTE WATER\*

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Sampling Method : APHA, 23<sup>rd</sup> Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : T.C.H Point -1 (Near Children's Ward)

Sl. No.	TESTS	PROTOCOL	RESULT	Limits of Detection	G.S.R 422(E)
					Desirable Limit
1	pH	APHA, 23rd Ed. 2017, 4300H A+B	7.21	2-12	5.5-9.0
2	Total Suspended Solid as TSS (mg/l)	APHA, 23rd Ed. 2017, 2540D	42.0	5-5000	100.0
3	Total Dissolved Solids as TDS (mg/l)	APHA, 23rd Ed. 2017, 2540C	860.0	10-10,000	-
4	Oil & Grease as O & G (mg/l)	APHA, 23rd Ed. 2017, 3520 (A+D)	BDL	5-600	10.0
5	Biochemical Oxygen Demand as BOD (mg/l) 3days at 27°C	APHA, 23rd Ed. 2017, 5210 A+B	11.50	5-10000	30.0
6	Chemical Oxygen Demand as COD (mg/l)	APHA, 23rd Ed. 2017, 5220 A+B	96.0	5-50000	250.0

\*The result are related only to item tested.

BDL = Below Detection Limit

*Ravi Bhargava*  
Analyst

*Ravi Bhargava*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No.8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph.2746282 Fax-2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/WW/05/21

TEST REPORT ISSUE DATE: 04.06.2021


## TEST REPORT OF WASTE WATER\*


**Name of the Customer** : M/s Tata Steel Ltd. (Jamadoba Group)  
**Address of the Customer** : Jamadoba,  
Distt. Dhanbad - 828 112  
**Sampling Method** : APHA, 23<sup>rd</sup> Ed. 2017  
**Sample Collected by** : Mr. Arvind Singh  
**Sample Quantity** : As per requirement  
**Date of Sampling** : 24.05.2021 to 28.05.2021  
**Date of Sample Receiving** : 29.05.2021  
**Date of Analysis** : 29.05.2021 to 03.06.2021  
**Source of Sample** : ETP Inlet Jamadoba Canteen

Sl. No.	TESTS	PROTOCOL	RESULT	Limits of Detection	G.S.R 422(E)
					Desirable Limit
1	pH	APHA, 23rd Ed. 2017, 4500F A+B	8.56	2-12	5.5-9.0
2	Total Suspended Solid as TSS (mg/l)	APHA, 23rd Ed. 2017, 2540D	162.0	5-5000	100.0
3	Total Dissolved Solids as TDS (mg/l)	APHA, 23rd Ed. 2017, 2540C	936.0	10-10,000	-
4	Oil & Grease as O & G (mg/l)	APHA, 23rd Ed. 2017, 5520 (A+D)	BDL	5-600	10.0
5	Biochemical Oxygen Demand as BOD (mg/l) 3days at 27°C	APHA, 23rd Ed. 2017, 5210 A+B	23.0	5-10000	30.0
6	Chemical Oxygen Demand as COD (mg/l)	APHA, 23rd Ed. 2017, 5220 A+B	156.0	5-50000	250.0

\*The result are related only to item tested.

BDL = Below Detection Limit

  
Analyst

  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph: 2746282 Fax: 2745726

  
Quality Manager

**ECOMEN LABORATORIES PVT. LTD.**

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601,GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.**An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi**

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/WW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

**TEST REPORT OF WASTE WATER\***

**Name of the Customer** : M/s Tata Steel Ltd. (Jamadoba Group)  
**Address of the Customer** : Jamadoba,  
 Distt. Dhanbad - 828 112  
**Sampling Method** : APHA, 23<sup>rd</sup> Ed. 2017  
**Sample Collected by** : Mr. Arvind Singh  
**Sample Quantity** : As per requirement  
**Date of Sampling** : 24.05.2021 to 28.05.2021  
**Date of Sample Receiving** : 29.05.2021  
**Date of Analysis** : 29.05.2021 to 03.06.2021  
**Source of Sample** : ETP Outlet Jamadoba Canteen

Sl. No.	TESTS	PROTOCOL	RESULT	Limits of Detection	G.S.R 422(E)
					Desirable Limit
1	pH	APHA, 23rd Ed. 2017, 4500F A+B	7.52	2-12	5.5-9.0
2	Total Suspended Solid as TSS (mg/l)	APHA, 23rd Ed. 2017, 2540D	47.5	5-5000	100.0
3	Total Dissolved Solids as TDS (mg/l)	APHA, 23rd Ed. 2017, 2540C	890.0	10-10,000	-
4	Oil & Grease as O & G (mg/l)	APHA, 23rd Ed. 2017, 5520 (A+D)	BDL	5-600	10.0
5	Biochemical Oxygen Demand as BOD (mg/l) 3days at 27°C	APHA, 23rd Ed. 2017, 5210 A+B	14.0	5-10000	30.0
6	Chemical Oxygen Demand as COD (mg/l)	APHA, 23rd Ed. 2017, 5220 A+B	72.0	5-50000	250.0

\*The result are related only to item tested.

BDL = Below Detection Limit

*Arvind Singh*  
Analyst

*R. Singh*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No.8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph. 2746282 Fax-2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/WW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF WASTE WATER\*

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Sampling Method : APHA, 23<sup>rd</sup> Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : ETP Inlet JCPP canteen

Sl. No.	TESTS	PROTOCOL	RESULT	Limits of Detection
1	pH	APHA, 23rd Ed. 2017, 4500H <sup>+</sup> A+B	7.46	2-12
2	Total Suspended Solid as TSS (mg/l)	APHA, 23rd Ed. 2017, 2540D	152.0	5-5000
3	Total Dissolved Solids as TDS (mg/l)	APHA, 23rd Ed. 2017, 2540C	1168.0	10-10,000
4	Oil & Grease as O & G (mg/l)	APHA, 23rd Ed. 2017, 5520 (A+D)	BDL	5-500
5	Biochemical Oxygen Demand as BOD (mg/l) 3days at 27°C	APHA, 23rd Ed. 2017, 5210 A+B	24.50	5-10000
6	Chemical Oxygen Demand as COD (mg/l)	APHA, 23rd Ed. 2017, 5220 A+B	178.0	5-50000

\*The result are related only to item tested.

BDL = Below Detection Limit

*Ravi Bhargava*  
Analyst

*Ravi Bhargava*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph. 2746282 Fax-2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/WW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF WASTE WATER\*

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Dist. Dhanbad - 828 112  
Sampling Method : APHA, 23<sup>rd</sup> Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : ETP Outlet JCPP canteen

Sl. No.	TESTS	PROTOCOL	RESULT	Limits of Detection	G.S.R 422(E)
					Desirable Limit
1	pH	APHA, 23rd Ed. 2017, 4500H <sup>+</sup> A+B	7.18	2-12	5.5-9.0
2	Total Suspended Solid as TSS (mg/l)	APHA, 23rd Ed. 2017, 2540D	39.0	5-5000	100.0
3	Total Dissolved Solids as TDS (mg/l)	APHA, 23rd Ed. 2017, 2540C	780.0	10-10,000	-
4	Oil & Grease as O & G (mg/l)	APHA, 23rd Ed. 2017, 5520 (A+D)	BDL	5-600	10.0
5	Biochemical Oxygen Demand as BOD (mg/l) 3days at 27°C	APHA, 23rd Ed. 2017, 5210 A+B	20.5	5-10000	30.0
6	Chemical Oxygen Demand as COD (mg/l)	APHA, 23rd Ed. 2017, 5220 A+B	76.0	5-50000	250.0

\*The result are related only to item tested.

BDL = Below Detection Limit

*Shikhar*  
Analyst

*Roopa*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No.8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph:2746282 Fax:2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/WW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF WASTE WATER\*

**Name of the Customer** : M/s Tata Steel Ltd. (Jamadoba Group)  
**Address of the Customer** : Jamadoba,  
Distt. Dhanbad - 828 112  
**Sampling Method** : APHA, 23<sup>rd</sup> Ed. 2017  
**Sample Collected by** : Mr. Arvind Singh  
**Sample Quantity** : As per requirement  
**Date of Sampling** : 24.05.2021 to 28.05.2021  
**Date of Sample Receiving** : 29.05.2021  
**Date of Analysis** : 29.05.2021 to 03.06.2021  
**Source of Sample** : ETP Inlet TCH

Sl. No.	TESTS	PROTOCOL	RESULT	Limits of Detection
1	pH	APHA, 23rd Ed. 2017, 4500H <sup>+</sup> A+B	6.90	2-12
2	Total Suspended Solid as TSS (mg/l)	APHA, 23rd Ed. 2017, 2540D	142.0	5-5000
3	Total Dissolved Solids as TDS (mg/l)	APHA, 23rd Ed. 2017, 2540C	810.0	10-10,000
4	Oil & Grease as O & G (mg/l)	APHA, 23rd Ed. 2017, 5520 (A+D)	BDL	5-600
5	Biochemical Oxygen Demand as BOD (mg/l) 3days at 27°C	APHA, 23rd Ed. 2017, 5210 A+B	26.0	5-10000
6	Chemical Oxygen Demand as COD (mg/l)	APHA, 23rd Ed. 2017, 5220 A+B	184.0	5-50000

\*The result are related only to item tested.

BDL = Below Detection Limit

*[Signature]*  
Analyst

*[Signature]*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph. 2746282 Fax-2745726

*[Signature]*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/WW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF WASTE WATER\*


Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Sampling Method : APHA, 23<sup>rd</sup> Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : ETP Outlet TCH


Sl. No.	TESTS	PROTOCOL	RESULT	Limits of Detection	G.S.R 422(E)
					Desirable Limit
1	pH	APHA, 23rd Ed. 2017, 4500F A+B	7.46	2-12	5.5-9.0
2	Total Suspended Solid as TSS (mg/l)	APHA, 23rd Ed. 2017, 2540D	38.50	5-5000	100.0
3	Total Dissolved Solids as TDS (mg/l)	APHA, 23rd Ed. 2017, 2540C	748.0	10-10,000	-
4	Oil & Grease as O & G (mg/l)	APHA, 23rd Ed. 2017, 5520 (A+D)	BDL	5-600	10.0
5	Biochemical Oxygen Demand as BOD (mg/l) 3days at 27°C	APHA, 23rd Ed. 2017, 5210 A+B	18.50	5-10000	30.0
6	Chemical Oxygen Demand as COD (mg/l)	APHA, 23rd Ed. 2017, 5220 A+B	78.0	5-50000	250.0

\*The result are related only to item tested.

BDL = Below Detection Limit

  
Analyst

  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No.8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph.2746282 Fax-2745726

  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. B, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/WW/05/21

TEST REPORT ISSUE DATE: 04.06.2021


## TEST REPORT OF WASTE WATER\*


**Name of the Customer** : M/s Tata Steel Ltd. (Jamadoba Group)  
**Address of the Customer** : Jamadoba,  
Distt. Dhanbad - 828 112  
**Sampling Method** : APHA, 23<sup>rd</sup> Ed. 2017  
**Sample Collected by** : Mr. Arvind Singh  
**Sample Quantity** : As per requirement  
**Date of Sampling** : 24.05.2021 to 28.05.2021  
**Date of Sample Receiving** : 29.05.2021  
**Date of Analysis** : 29.05.2021 to 03.06.2021  
**Source of Sample** : ETP Inlet Garage


Sl. No.	TESTS	PROTOCOL	RESULT	Limits of Detection
1	pH	APHA, 23rd Ed. 2017, 4500F A+B	7.59	2-12
2	Total Suspended Solid as TSS (mg/l)	APHA, 23rd Ed. 2017, 2540D	176.0	5-5000
3	Total Dissolved Solids as TDS (mg/l)	APHA, 23rd Ed. 2017, 2540C	980.0	10-10,000
4	Oil & Grease as O & G (mg/l)	APHA, 23rd Ed. 2017, 5520 (A+D)	BDL	5-600
5	Biochemical Oxygen Demand as BOD (mg/l) 3days at 27°C	APHA, 23rd Ed. 2017, 5210 A+B	27.0	5-10000
6	Chemical Oxygen Demand as COD (mg/l)	APHA, 23rd Ed. 2017, 5220 A+B	188.0	5-50000

\*The result are related only to item tested.

BDL = Below Detection Limit

  
Analyst

  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No. B Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph. 2746282 Fax-2745726

  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/WW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

## TEST REPORT OF WASTE WATER\*


**Name of the Customer** : M/s Tata Steel Ltd. (Jamadoba Group)  
**Address of the Customer** : Jamadoba,  
Distt. Dhanbad - 828 112  
**Sampling Method** : APHA, 23<sup>rd</sup> Ed. 2017  
**Sample Collected by** : Mr. Arvind Singh  
**Sample Quantity** : As per requirement  
**Date of Sampling** : 24.05.2021 to 28.05.2021  
**Date of Sample Receiving** : 29.05.2021  
**Date of Analysis** : 29.05.2021 to 03.06.2021  
**Source of Sample** : ETP Outlet Garage


Sl. No.	TESTS	PROTOCOL	RESULT	Limits of Detection	G.S.R 422(E)
					Desirable Limit
1	pH	APHA, 23rd Ed. 2017, 4900H A+B	7.35	2-12	5.5-9.0
2	Total Suspended Solid as TSS (mg/l)	APHA, 23rd Ed. 2017, 2540D	34.0	5-5000	100.0
3	Total Dissolved Solids as TDS (mg/l)	APHA, 23rd Ed. 2017, 2540C	1136.0	10-10,000	-
4	Oil & Grease as O & G (mg/l)	APHA, 23rd Ed. 2017, 5520 (A+D)	BDL	5-600	10.0
5	Biochemical Oxygen Demand as BOD (mg/l) 3days at 27°C	APHA, 23rd Ed. 2017, 5210 A+B	22.0	5-10000	30.0
6	Chemical Oxygen Demand as COD (mg/l)	APHA, 23rd Ed. 2017, 5220 A+B	86.0	5-50000	250.0

\*The result are related only to item tested.

BDL = Below Detection Limit

  
Analyst

  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No.8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph:2746282 Fax:2745726

  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/WW/05/21

TEST REPORT ISSUE DATE: 04.06.2021


## TEST REPORT OF WASTE WATER\*


Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Sampling Method : APHA, 23<sup>rd</sup> Ed. 2017  
Sample Collected by : Mr. Arvind Singh  
Sample Quantity : As per requirement  
Date of Sampling : 24.05.2021 to 28.05.2021  
Date of Sample Receiving : 29.05.2021  
Date of Analysis : 29.05.2021 to 03.06.2021  
Source of Sample : STP Inlet Railway Colony


Sl. No.	TESTS	PROTOCOL	RESULT	Limits of Detection
1	pH	APHA, 23rd Ed. 2017, 4500H <sup>+</sup> A+B	8.15	2-12
2	Total Suspended Solid as TSS (mg/l)	APHA, 23rd Ed. 2017, 2540D	160.0	5-3000
3	Total Dissolved Solids as TDS (mg/l)	APHA, 23rd Ed. 2017, 2540C	856.0	10-10,000
4	Oil & Grease as O & G (mg/l)	APHA, 23rd Ed. 2017, 5520 (A+D)	BDL	5-600
5	Biochemical Oxygen Demand as BOD (mg/l) 3days at 27°C	APHA, 23rd Ed. 2017, 5210 A+B	47.50	5-10000
6	Chemical Oxygen Demand as COD (mg/l)	APHA, 23rd Ed. 2017, 5220 A+B	384.0	5-50000

\*The result are related only to item tested.

BDL = Below Detection Limit

  
Analyst

  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No. 8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph: 2746282 Fax-2745726

  
Quality Manager

**ECOMEN LABORATORIES PVT. LTD.**

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/07

TEST REPORT NO: ECO LAB/WW/05/21

TEST REPORT ISSUE DATE: 04.06.2021

**TEST REPORT OF WASTE WATER\***

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
 Address of the Customer : Jamadoba,  
 Distt. Dhanbad - 828 112

Sampling Method : APHA, 23<sup>rd</sup> Ed. 2017  
 Sample Collected by : Mr. Arvind Singh  
 Sample Quantity : As per requirement  
 Date of Sampling : 24.05.2021 to 28.05.2021  
 Date of Sample Receiving : 29.05.2021  
 Date of Analysis : 29.05.2021 to 03.06.2021  
 Source of Sample : STP Outlet Railway Colony

Sl. No.	TESTS	PROTOCOL	RESULT	Limits of Detection	G.S.R 422(E)
					Desirable Limit
1	pH	APHA, 23rd Ed. 2017, 4500H <sup>+</sup> A+B	7.42	2-12	5.5-9.0
2	Total Suspended Solid as TSS (mg/l)	APHA, 23rd Ed. 2017, 2540D	42.0	5-3000	100.0
3	Total Dissolved Solids as TDS (mg/l)	APHA, 23rd Ed. 2017, 2540C	824.0	10-10,000	-
4	Oil & Grease as O & G (mg/l)	APHA, 23rd Ed. 2017, 5520 (A+D)	BDL	5-600	10.0
5	Biochemical Oxygen Demand as BOD (mg/l) 3days at 27°C	APHA, 23rd Ed. 2017, 5210 A+B	17.0	5-10000	30.0
6	Chemical Oxygen Demand as COD (mg/l)	APHA, 23rd Ed. 2017, 5220 A+B	80.0	5-50000	250.0

\*The result are related only to item tested.

BDL = Below Detection Limit

*Ravi Bhargava*  
Analyst

*Ravi Bhargava*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No.8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph.2746282 Fax-2745726

*Abhishek*  
Quality Manager

# ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024  
Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z

**ecoMen**  
LABORATORIES PVT LTD.

An approved Laboratory from Ministry of Environment , Forests and climate Change, Govt. of India, New Delhi

FORMAT NO. ECO/QS/FORMAT/10 TEST REPORT NO: ECO LAB/MCPM/05/21  
TEST REPORT ISSUE DATE: 04.06.2021

## MINERALOGICAL COMPOSITION OF PARTICULATE MATTER

Name of the Customer : M/s Tata Steel Ltd. (Jamadoba Group)  
Address of the Customer : Jamadoba,  
Distt. Dhanbad - 828 112  
Month : May, 2021

S.NO.	Locations	Date of Sampling	Mineralogical Composition (in %)			
			Silica (SiO <sub>2</sub> )	Ferrous oxide (FeO)	Alumina (Al <sub>2</sub> O <sub>3</sub> )	Calcium Oxide CaO
1	Officer's Colony, 12 No. Digwadih	28.05.2021	1.64	0.08	1.36	2.98
2	Central Work Shop Area Jamadoba	28.05.2021	2.9	0.19	1.42	2.84

*[Signature]*  
Analyst

*[Signature]*  
Authorized Signatory  
Ecomen Laboratories Pvt. Ltd.  
Flat No.8 Second Floor Arif Chamber  
Sector-H, Aliganj, Lucknow-226024  
Ph.2746282 Fax-2745726

*[Signature]*  
Quality Manager

**ENVIRONMENTAL MONITORING REPORT**

**OF**

**M/S TATA STEEL LIMITED**

**DHANBAD**

*for*

**AUGUST - 2021**

*Prepared by:*

**ADITI R&D SERVICES**

**PLOT NO. I-B/17(P), SINDRI INDUSTRIAL AREA,**

**P.O.- DOMGARH, DIST. - DHANBAD-828107**

**(JHARKHAND)**

**M/S TATA STEEL LIMITED**  
**(JAMADOBA GROUP)**



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O. - Domgarh, Dist. - Dhanbad  
Jharkhand - 828107  
Email ID: sindriadditi@gmail.com  
Website: additirdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/2647

Date: 10.08.2021

## TEST REPORT OF AMBIENT AIR QUALITY

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO. : 4700092573/932 Dt. 20.07.2021
- Date of Sample Collection : 06.08.2021 TO 07.08.2021
- Date of Testing : 09.08.2021
- Test Procedure : As per IS-5182

### TEST RESULTS

LOCATION - JAMADOBA COLLIERY				
	Avg. Ambient Temperature	31 <sup>o</sup> C	Avg. Humidity	72%
Sl No.	Particulars	Value	CPCB STANDARD	
1.	Particulate Matter (PM <sub>10</sub> ), µg/m <sup>3</sup>	89.96	100 µg/m <sup>3</sup>	
2.	Particulate Matter (PM <sub>2.5</sub> ), µg/m <sup>3</sup>	40.61	60 µg/m <sup>3</sup>	
3.	SO <sub>2</sub> , µg/m <sup>3</sup>	21.73	80 µg/m <sup>3</sup>	
4.	NO <sub>2</sub> , µg/m <sup>3</sup>	27.29	80 µg/m <sup>3</sup>	
5.	Ozone, µg/m <sup>3</sup>	21.10	180 µg/m <sup>3</sup>	
6.	NH <sub>3</sub> , µg/m <sup>3</sup>	19.82	400 µg/m <sup>3</sup>	
7.	CO, mg/m <sup>3</sup>	1.12	4 mg/m <sup>3</sup>	
8.	Pb, µg/m <sup>3</sup>	BDL	1 µg/m <sup>3</sup>	
9.	As, ng/m <sup>3</sup>	BDL	6 ng/m <sup>3</sup>	
10.	Ni, ng/m <sup>3</sup>	BDL	20 ng/m <sup>3</sup>	
11.	Benzene, µg/m <sup>3</sup>	BDL	5 µg/m <sup>3</sup>	
12.	Benzoapyrene ng/m <sup>3</sup>	BDL	1 ng/m <sup>3</sup>	

NOTE: BDL - Below Detection Limit

*S. K. Das*  
Sr. Chemist  
Aditi R&D Services



*[Signature]*  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O - Domgarh, Dist - Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditindservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/2648

Date: 10.08.2021

## TEST REPORT OF AMBIENT AIR QUALITY

- Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Date of Sample Collection : 06.08.2021 TO 07.08.2021
- Date of Testing : 09.08.2021
- Test Procedure : As per IS-5182


### TEST RESULTS

LOCATION - GENERAL MANAGER'S OFFICE AREA			
	Avg. Ambient Temperature	31°C	Avg. Humidity
Sl No.	Particulars	Value	72% NAAQ - CPCB STANDARD
1.	Particulate Matter (PM <sub>10</sub> ), µg/m <sup>3</sup>	86.98	100 µg/m <sup>3</sup>
2.	Particulate Matter (PM <sub>2.5</sub> ), µg/m <sup>3</sup>	53.10	60 µg/m <sup>3</sup>
3.	SO <sub>2</sub> , µg/m <sup>3</sup>	16.65	80 µg/m <sup>3</sup>
4.	NO <sub>2</sub> , µg/m <sup>3</sup>	29.76	80 µg/m <sup>3</sup>
5.	Ozone, µg/m <sup>3</sup>	18.6	180 µg/m <sup>3</sup>
6.	NH <sub>3</sub> , µg/m <sup>3</sup>	15.2	400 µg/m <sup>3</sup>
7.	CO, mg/m <sup>3</sup>	1.72	4 mg/m <sup>3</sup>
8.	Pb, µg/m <sup>3</sup>	BDL	1 µg/m <sup>3</sup>
9.	As, ng/m <sup>3</sup>	BDL	6 ng/m <sup>3</sup>
10.	Ni, ng/m <sup>3</sup>	BDL	20 ng/m <sup>3</sup>
11.	Benzene, µg/m <sup>3</sup>	BDL	5 µg/m <sup>3</sup>
12.	Benzoapyrene ng/m <sup>3</sup>	BDL	1 ng/m <sup>3</sup>

NOTE: BDL - Below Detection Limit

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements:

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O - Domgarh, Dist - Dhanbad  
Jharkhand - 828107  
Email ID: sindriadti@gmail.com  
Website: aditirdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/2649

Date: 10.08.2021


## TEST REPORT OF AMBIENT AIR QUALITY

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Date of Sample Collection : 06.08.2021 TO 07.08.2021
- Date of Testing : 09.08.2021
- Test Procedure : As per IS-5182

### TEST RESULTS

LOCATION - OFFICERS COLONY, 12 NO. DIGWADIH				
	Avg. Ambient Temperature	31°C	Avg. Humidity	71%
Sl No.	Particulars	Value	NAAQ - CPCB STANDARD	
1.	Particulate Matter (PM <sub>10</sub> ), µg/m <sup>3</sup>	76.83	100 µg/m <sup>3</sup>	
2.	Particulate Matter (PM <sub>2.5</sub> ), µg/m <sup>3</sup>	41.00	60 µg/m <sup>3</sup>	
3.	SO <sub>2</sub> , µg/m <sup>3</sup>	15.16	80 µg/m <sup>3</sup>	
4.	NO <sub>2</sub> , µg/m <sup>3</sup>	27.22	80 µg/m <sup>3</sup>	
5.	Ozone, µg/m <sup>3</sup>	19.94	180 µg/m <sup>3</sup>	
6.	NH <sub>3</sub> , µg/m <sup>3</sup>	16.53	400 µg/m <sup>3</sup>	
7.	CO, mg/m <sup>3</sup>	0.74	4 mg/m <sup>3</sup>	
8.	Pb, µg/m <sup>3</sup>	BDL	1 µg/m <sup>3</sup>	
9.	As, ng/m <sup>3</sup>	BDL	6 ng/m <sup>3</sup>	
10.	Ni, ng/m <sup>3</sup>	BDL	20 ng/m <sup>3</sup>	
11.	Benzene, µg/m <sup>3</sup>	BDL	5 µg/m <sup>3</sup>	
12.	Benzoapyrene ng/m <sup>3</sup>	BDL	1 ng/m <sup>3</sup>	

NOTE: BDL - Below Detection Limit

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements:

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O - Domgarh, Dist - Dhanbad  
Jharkhand - 828107  
Email ID: sindriediti@gmail.com  
Website: aditirdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512508

Ref. No.: - ARDS/21-22/2650

Date: 10.08.2021


## TEST REPORT OF AMBIENT AIR QUALITY

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Date of Sample Collection : 06.08.2021 TO 07.08.2021
- Date of Testing : 09.08.2021
- Test Procedure : As per IS-5182


## TEST RESULTS

LOCATION – CENTRAL WORKSHOP AREA, JAMADOBA				
	Avg. Ambient Temperature	31°C	Avg. Humidity	71%
Sl No.	Particulars	Value	NAAQ - CPCB STANDARD	
1.	Particulate Matter (PM <sub>10</sub> ), µg/m <sup>3</sup>	88.2	100 µg/m <sup>3</sup>	
2.	Particulate Matter (PM <sub>2.5</sub> ), µg/m <sup>3</sup>	42.52	60 µg/m <sup>3</sup>	
3.	SO <sub>2</sub> , µg/m <sup>3</sup>	18.68	80 µg/m <sup>3</sup>	
4.	NO <sub>2</sub> , µg/m <sup>3</sup>	24.27	80 µg/m <sup>3</sup>	
5.	Ozone, µg/m <sup>3</sup>	18.1	180 µg/m <sup>3</sup>	
6.	NH <sub>3</sub> , µg/m <sup>3</sup>	19.53	400 µg/m <sup>3</sup>	
7.	CO, mg/m <sup>3</sup>	1.01	4 mg/m <sup>3</sup>	
8.	Pb, µg/m <sup>3</sup>	BDL	1 µg/m <sup>3</sup>	
9.	As, ng/m <sup>3</sup>	BDL	6 ng/m <sup>3</sup>	
10.	Ni, ng/m <sup>3</sup>	BDL	20 ng/m <sup>3</sup>	
11.	Benzene, µg/m <sup>3</sup>	BDL	5 µg/m <sup>3</sup>	
12.	Benzoapyrene ng/m <sup>3</sup>	BDL	1 ng/m <sup>3</sup>	

NOTE: BDL - Below Detection Limit

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified


Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O. - Domgarh, Dist. - Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

## TEST REPORT OF NOISE (AMBIENT) LEVEL MONITORING


Ref. No. & Date	NAME AND ADDRESS OF THE CLIENT			
ARDS/21-22/2651 Date:10.08.2021	M/S TATA STEEL, JAMADOBA,			
Date of Monitoring	TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)			
06.08.2021 - 07.08.2021	Avg. Ambient Temperature(°C)	Average Humidity (%)	Weather Condition	Status of the plant
Work Order 4700092573/932 Dt. 20.07.2021	29	68	Clear	Running

### MONITORING RESULTS

Sl. No	Place of Monitoring	Day Time (6 AM to 10 PM) Avg. dB(A)			Night Time (10 PM to 6 AM) Avg. dB(A)			Noise level (Ambient standard) for Industrial Area as per CPCB Noise Pollution (Regulation and Control) (Amendment) Rules, 2000 notified vide S.O. 1046(E) Dt. 22.11.2020 Limit in dB(A) Leq	
		MAX	MIN	AVG. dB(A) Leq	MAX	MIN	AVERAGE dB(A) Leq	Day Time	Night Time
	JAMADOBA GROUP							Industrial Area	Industrial Area
1.	Central Workshop	69.8	56.7	67.0	55.8	50.1	53.82	75	70
2.	Jamadoba Colliery	72.8	63.8	70.30	61.7	54.2	59.40		
3.	GM Office Area	52.5	50.2	51.49	50.9	46.7	49.29		
								Residential Area	Residential Area
4.	Officer Colony 12 No. Digwadit	50.5	46.5	49.03	44.6	42.2	43.56	55	45

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
PO - Dongarh, Dist - Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditindservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512808

Ref. No.: - ARDS/21-22/2791


Date: 18.08.2021

## TEST REPORT OF MINERALOGICAL COMPOSITION OF PARTICULATE MATTER


- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Date of Sample Collection : 07.08.2021
- Date of Testing : 09.08.2021 – 12.08.2021

### TEST RESULTS

Sl No.	Particulars	Mineralogical Composition (%)			
		SiO <sub>2</sub>	FeO	Al <sub>2</sub> O <sub>3</sub>	CaO
1.	General Manager's Office Area	1.74	0.05	1.19	2.3
2.	Jamadoba Colliery	2.05	0.12	1.24	2.95

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O - Domgarh, Dist. - Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471355492, 09431512608

Ref. No. - ARDS/21-22/ 2792


Date: 18.08.2021

## TEST REPORT OF SURFACE WATER


- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : 1. Damodar River Up Stream  
2. Damodar River Dn Stream
- Date of Sample Collection: 06.08.2021
- Date of Testing : 09.08.2021 - 13.08.2021
- Test : pH, TDS, Turbidity, DO, BOD, Cl, F, SO<sub>4</sub>

### TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		Limit as per IS 2296 Class - C	Test Method
		Damodar River Up Stream	Damodar River Dn Stream		
1.	pH,	7.4	7.7	6.5 - 8.5	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	618	672	1500	IS-3025 (P-16): 1984
3.	Turbidity, NTU	11.8	15.5	-	IS-3025 (P-10):1984
4.	Dissolved Oxygen, mg/l	6.5	5.4	4.0	IS-3025 (P-38):1989
5.	Bio chemical Oxygen Demand, mg/l	1.0	1.5	3.0	IS-3025 (P-44):1994
6.	Chloride as Cl, mg/l	48.0	70.0	-	IS-3025 (P-32):1988
7.	Fluoride as F, mg/l	0.55	0.61	1.5	IS-3025 (P-60):2008
8.	Sulphate as SO <sub>4</sub> , mg/l	42.12	60.24	400	IS-3025 (P-24):1986

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O. - Domgarh, Dist. - Dhanbad  
Jharkhand - 828107  
Email ID: sindriadi@gmail.com  
Website: aditirdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512508

Ref. No.: - ARDS/21-22/2793


Date: 18.08.2021

## TEST REPORT OF MINE WATER DISCHARGE


- Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : 1. 2 Pit Jamadoba Colliery  
2. 3 Pit Jamadoba Colliery  
3. 2 Incline Jamadoba Colliery  
4. 6 & 7 Pits Colliery
- Date of Sample Collection: 06.08.2021
- Date of Testing : 09.08.2021 – 16.08.2021
- Test : pH, TDS, TSS, BOD, COD, OIL & GREASE.

### TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE				Limit as per IS-2296 Class B (For Bathing)	Test Method
		2 Pit Jamadoba Colliery	3 Pit Jamadoba Colliery	2 Incline Jamadoba Colliery	6 & 7 Pits Colliery		
1.	pH,	7.88	7.70	7.58	8.08	6.5-8.5	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	672	674	610	692	-	IS-3025 (P-16): 1984
3.	Total Suspended Solids, mg/l	13.0	11.8	10.8	10.28	-	IS-3025(P-17): 1984
4.	Bio chemical Oxygen Demand, mg/l	2.0	1.8	1.6	1.7	3	IS-3025 (P-44): 1994
5.	Chemical Oxygen Demand, mg/l	32	30.0	25.2	28.8	-	IS-3025 (P-58): 2006
6.	Oil & Grease, mg/l	BDL	BDL	BDL	BDL	-	IS-3025 (P-39): 2021

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O. - Domgarh, Dist - Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditimdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512606

Ref. No.: - ARDS/21-22/2793

Date: 18.08.2021

## TEST REPORT OF EFFLUENT

- Name of the Industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : 1. JCPP (Final Settling Pond)  
2. T.C.H. Point- 2 (Near Casualty)
- Date of Sample Collection: 06.08.2021
- Date of Testing : 09.08.2021 – 16.08.2021
- Test : pH, TDS, TSS, BOD, COD, OIL & GREASE.

### TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		MoEF&C Notification 1 <sup>st</sup> Jan.2016 Permissible Max. Desirable Limit	Test Method
		JCPP (Final Settling Pond)	TCH Point 2 (Near Casualty)		
1.	pH,	8.20	7.22	6.0-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	972	852	2100	IS-3025 (P-16): 1984
3.	Total Suspended Solids, mg/l	14.10	50.1	100	IS-3025(P-17) : 1984
4.	Bio chemical Oxygen Demand, mg/l	1.9	2.0	30	IS-3025 (P-44): 1994
5.	Chemical Oxygen Demand, mg/l	31.0	96.0	250	IS-3025 (P-58): 2006
6.	• Oil & Grease, mg/l	BDL	BDL	10	IS-3025 (P-39): 2021

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O - Dongarh, Dist. - Dhanbad  
Jharkhand - 828107  
Email ID: sindriadi@gmail.com  
Website: aditindservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No. : - ARDS/21-22/ 2794

Date: 18.08.2021

## TEST REPORT OF DRINKING WATER

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO. : 4700092573/932 Dt. 20.07.2021
- Sample Code : 1. W. T. P. (Jamadoba)  
2. W. T. P. (Digwadih)
- Date of Sample Collection: 06.08.2021
- Date of Testing : 09.08.2021 - 13.08.2021
- Test :

Res. Colour, Odour, Taste, Turbidity, pH, Total Hardness, Iron, Chloride,

Free chlorine, Total Dissolved Solids, Calcium, Copper, Manganese, Sulphate, Nitrate, Fluoride, Phenolic Compound, Mercury, Cadmium, Arsenic, Cyanide, Lead, Zinc, Total Coliform, Hexavalent Chromium, Mineral Oil, Alkalinity, Aluminium & Boron.

### TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		IS as per IS 10500:2012		Test Method
		W.T.P. Jamadoba	W.T.P. Digwadih	Desirable	Permissible	
1.	Colour, (Hazen Unit)	1	1	5.00	15.0	IS 3025 (P-4):2021
2.	Odour	Agreeable	Agreeable	Agreeable	Agreeable	IS 3025 (P-5):2018
3.	Taste	Agreeable	Agreeable	Agreeable	Agreeable	IS 3025 (P-7):2017
4.	Turbidity, NTU	1	1	1.0	5.0	IS 3025 (P-10):1984
5.	pH	7.4	7.1	6.5-8.5	No. Relax.	IS-3025 (P-11):1983
6.	Total Hardness as CaCO <sub>3</sub> , mg/l	284.42	295.68	200	600	IS 3025 (P-21):2009
7.	Chloride as Cl, mg/l	44.0	46.6	250	1000	IS 3025 (P-32):1988
8.	Res. Free chlorine as Cl <sub>2</sub> , mg/l	NIL	NIL	0.20	1.0	IS 3025 (P-26):2021
9.	Total Dissolved Solids, mg/l	660	670	500	2000	IS 3025 (P-16):1984
10.	Calcium as CaCO <sub>3</sub> , mg/l	84	92	75	200	IS 3025 (P-40):1991
11.	Copper as Cu, mg/l	BDL	BDL	0.05	1.5	IS 3025 (P-42):1992

Continued on Page 2



#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O. - Domgarh, Dist. - Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirnds.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608


- 2 -

Sl. No.	PARAMETERS OF TEST	VALUE		IS as per IS 10500:1991		Test Method
		W. T. P. Jamadoba	W.T.P. Digwadih	Desirable	Permissible	
12.	Manganese as Mn, mg/l	BDL	BDL	0.10	0.30	IS 3025 (P-59):2006
13.	Sulphate as SO <sub>4</sub> , mg/l	42	56	200	400	IS 3025 (P-24):1986
14.	Nitrate as NO <sub>3</sub> , mg/l	4.0	3.2	45	No. Relax	IS 3025 (P-34):1988
15.	Fluoride as F, mg/l	0.3	0.2	1.0	1.5	IS 3025 (P-60):2008
16.	Phenolic Compound as (C <sub>6</sub> H <sub>5</sub> OH) mg/l	BDL	BDL	0.001	0.002	IS 3025 (P-43):1992
17.	Mercury as Hg, mg/l	BDL	BDL	0.001	No. Relax	IS 3025 (P-48):1994
18.	Cadmium as Cd, mg/l	BDL	BDL	0.003	No. Relax	IS 3025 (P-41):1992
19.	Arsenic as As, mg/l	BDL	BDL	0.01	No. Relax	IS 3025 (P-37):1988
20.	Cyanide as CN, mg/l	BDL	BDL	0.05	No. Relax	IS 3025 (P-27):1986
21.	Lead as Pb, mg/l	BDL	BDL	0.01	No. Relax	IS 3025 (P-47):1994
22.	Zinc as Zn, mg/l	0.1	0.15	5	15	IS 3025 (P-42):1992
23.	Total Coliform, No./100ml	Absent	Absent	Absent	Absent	IS 3025 (P-49):1994
24.	Hexavalent Chromium as Cr, mg/l	BDL	BDL	0.05	No. Relax	IS 3025 (P-52):2003
25.	Mineral Oil, mg/l	BDL	BDL	0.5	No. Relax	IS 3025 (P-39):1989
26.	Alkalinity as CaCO <sub>3</sub> , mg/l	391	412	200	600	IS 3025 (P-23):1983
27.	Aluminium as Al, mg/l	BDL	BDL	0.03	0.2	IS 3025 (P-55):2003
28.	Boron as B, mg/l	BDL	BDL	0.5	1.0	IS 3025 (P-57):2005

NOTE: BDL - Below Detection Limit

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

## Testing Laboratory

### NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
PO - Domgarh, Dist - Dhanbad  
Jharkhand - 828107  
Email ID: sindriadi@gmail.com  
Website: aditindservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/ 2795

Date: 18.08.2021

### TEST REPORT OF GROUND WATER

- Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO. : 4700092573/932 Dt. 20.07.2021
- Sample Code :
  1. Bhowra 13 No
  2. Mohalbani Basti
  3. Lower Dungari
  4. Jorapokhar Kushtand
  5. Jamadoba 3 No
- Date of Sample Collection : 06.08.2021
- Date of Testing : 09.08.2021 – 13.08.2021
- Test : Colour, Odour, Taste, Turbidity, pH, Total Hardness, Iron, Chloride, Res. Free chlorine, Total Dissolved Solids, Calcium, Copper, Manganese, Sulphate, Nitrate, Fluoride, Phenolic Compound, Mercury, Cadmium, Arsenic, Cyanide, Lead, Zinc, Total Coliform, Hexavalent Chromium, Mineral Oil, Alkalinity, Aluminium & Boron.

### TEST RESULT

Sl. No	PARAMETERS OF TEST	VALUE					IS as per IS 10500:1991		Test Method
		Bhowra 13 No	Mohalbani Basti	Lower Dungari	Jorapokhar Kushtand	Jamadoba 3 No	Desirable	Permissible	
1.	Colour, (Hazen Unit)	2	1	1	2	1	5	15	IS 3025 (P-4): 2021
2.	Temperature °C	28.2	27.8	28.3	27	26	-	-	-
3.	Electrical Conductivity, µmhos/cm	950	1250	1070	1012	970	-	-	-
4.	Total Dissolved Solids, mg/l	636	837	749	594	650	-	-	IS 3025(P-16):1984
5.	pH	7.6	7.8	7.5	7.7	7.5	6.5-8.5	No Relax	IS-3025(P-11):1983
6.	Total Hardness as CaCO <sub>3</sub> , mg/l	340	171.78	128.56	252	245	200	600	IS 3025(P-21):2009
7.	Calcium as Ca, mg/l	95	48	30.7	60	64	75	200	IS 3025(P-40):1991
8.	Magnesium as Mg, mg/l	26	12.8	12.8	25	24.5	30	100	IS 3025(P-46):1994
9.	Chloride as Cl, mg/l	36.5	30.1	52.1	40.1	55	250	1000	IS 3025(P-32):1988
10.	Fluoride as F, mg/l	0.30	0.32	0.4	0.35	0.38	1.0	1.5	IS 3025(P-60):2008

Continued on Page -2



#### Statements :

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O - Domgarh, Dist. - Dhanbad  
Jharkhand - 828107  
Email ID: sindri@aditirds.com  
Website: aditirdservices.com  
Phone: 0328-2952377 (O)  
Mobile: 09471358492, 09431512608

2

Sl. No	PARAMETERS OF TEST	VALUE					IS as per IS 10500:1991		Test Method
		Bhowra 13 No	Mohalbari Basti	Lower Dungari	Jorapokhar Kushtand	Jamadoba 3 No	Desirable	Permissible	
11	Sulphate as SO <sub>4</sub> , mg/l	40.4	38.5	38.2	44.1	38.5	200	400	IS 3025(P-24):1986
12	Nitrate as NO <sub>3</sub> , mg/l	12.6	16.3	7.25	12.6	10.5	45	No. Relax	IS 3025(P-34):1988
13	Alkalinity as CaCO <sub>3</sub> , mg/l	241	204	252	125	432	200	600	IS 3025(P-23):1983
14	Lead as Pb, mg/l	BDL	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025(P-47):1994
15	Zinc as Zn, mg/l	0.18	0.16	0.12	0.11	0.1	5	15	IS 3025(P-42):1992
16	Iron as Fe, mg/l	0.16	0.18	0.15	0.17	0.14	0.3	No. Relax	IS 3025(P-53):2003
17	Copper as Cu, mg/l	BDL	BDL	BDL	BDL	BDL	0.05	1.5	IS 3026 (P-42):1992
18	Mercury as Hg, mg/l	BDL	BDL	BDL	BDL	BDL	0.001	No. Relax	IS 3025(P-48):1994
19	Cadmium as Cd, mg/l	BDL	BDL	BDL	BDL	BDL	0.003	No. Relax	IS 3025(P-41):1992
20	Nickel as Ni, mg/l	BDL	BDL	BDL	BDL	BDL	0.02	No. Relax	IS 3025(P-37):1992
21	Arsenic as As, mg/l	BDL	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025(P-37):1988
22	Cyanide as CN, mg/l	BDL	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025(P-27):1986
22	Total Chromium as Cr, mg/l	BDL	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025(P-52):2003

NOTE: BDL - Below Detection Limit

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O - Domgarh, Dist - Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirndservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471356492, 09431512606

Ref. No.: - ARDS/21-22/2796

Date: 18.08.2021

## TEST REPORT OF ETP


- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : ETP - TCH (Inlet and Outlet)
- Date of Sample Collection: 06.08.2021
- Date of Testing : 09.08.2021 - 16.08.2021
- Test : pH, TDS, TSS, BOD, COD AND OIL & GREASE

## TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		G.S.R 422 (E) Max. Desirable Limit	Test Method
		ETP INLET-TCH	ETP OUTLET-TCH		
1.	pH,	7.2	7.5	5.5-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	1052	824	-	IS-3025 (P-16): 1984
3.	Total Suspended Solids	140	40.8	100	IS-3025 (P-17): 1984
4.	Bio chemical Oxygen Demand, mg/l	25.4	19.0	30.0	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	172	65	250	IS-3025 (P-58):2006
6.	Oil & Grease	2.5	BDL	10	IS-3025 (P-39):2021

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

### Statements:

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O - Domgarh, Dist. - Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirnds.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/2797


Date: 18.08.2021

## TEST REPORT OF ETP

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : ETP - GARAGE (Inlet and Outlet)
- Date of Sample Collection: 06.08.2021
- Date of Testing : 09.08.2021 - 13.08.2021
- Test : pH, TDS, TSS, BOD, COD AND OIL & GREASE

## TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		G.S.R 422(E) Desirable Limit	Test Method
		ETP INLET-GARAGE	ETP OUTLET-GARAGE		
1.	pH,	7.50	7.66	5.5-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	875	751	-	IS-3025 (P-16): 1984
3.	Total Suspended Solids	82	10	100	IS-3025 (P-17): 1984
4.	Bio chemical Oxygen Demand, mg/l	24	9.5	30.0	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	196	81.4	250	IS-3025 (P-58):2006
6.	Oil & Grease	2.5	BDL	10	IS-3025 (P-39):2021

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O - Domgarh, Dist - Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditimdsservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/ 2798

Date: 18.08.2021

## TEST REPORT OF STP


- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : STP - RAILWAY COLONY (Inlet and Outlet)
- Date of Sample Collection: 07.08.2021
- Date of Testing : 09.08.2021 - 13.08.2021
- Test : pH, TDS, TSS, BOD, COD AND OIL & GREASE

## TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		LIMIT G.S.R 422(E) (Inland Surface Water Discharge)		Test Method
		STP INLET- RAILWAY COLONY	STP OUTLET- RAILWAY COLONY	Inlet	Outlet	
1.	pH,	8.20	7.34	-	5.5-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	774	864	-	-	IS-3025 (P-16): 1984
3.	Total Suspended Solids	148	42	-	100	IS-3025 (P-17): 1984
4.	Bio chemical Oxygen Demand, mg/l	44.0	18.2	-	30.0	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	354	86.0	-	250	IS-3025 (P-58):2006
6.	Oil & Grease	BDL	BDL	-	10	IS-3025 (P-39):2021

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.