



The Additional PCCF (C)
Eastern Zone Regional Office
MoEF & CC, Govt. of India
A/3, Chandrasekharpur
Bhubaneswar-751 013 (Odisha)
Email: roez.bsr-mef@nic.in

MD/ENV/ 318 /102 /2021

Date: 29.11.2021

Ref: Environmental Clearance letter no. J-11015/215/2008-IA.II(M) dated: 29.07.2019.

Sub: Submission of Half-yearly compliance status report of Environmental Clearance conditions for the period April'21 - September'21 in respect of Joda East Iron Mine, M/s Tata Steel Limited.

Dear Sir,

Kindly find attached herewith submitting the six monthly compliance report as on date of Joda East Iron Mine, M/s Tata Steel Limited for the period from **April 2021 – September 2021** as per EIA Notification, 2006. Also for the same period vide office memorandum no. Z-11013/57/2014-IA.II (M), dated 29.10.2014, is also attached herewith as Annexure - A. The same has been mailed in soft copy to your good office with e-mail to roez.bsr-mef@nic.in for your ready reference.

We trust that the measures taken towards environmental safeguards comply with the stipulated environmental conditions. We look forward to your further guidance which shall certainly help us in our endeavor for further improve upon our Environmental Management practices.

Thanking you,

Yours faithfully,
f: M/s Tata Steel Limited

Pinky Kumar
Head (Planning), OMQ

Encl. : As above

Copy to : The Chairman, Central Pollution Control Board, Southern Conclave, Block 502, 5th & 6th Floors, 1582 Rajdanga Main Road, Kolkata - 700107 (W. B.).
: The Member Secretary, State Pollution Control Board, Paribesh Bhawan, A/118, Nilakantha Nagar, Unit – VIII, Bhubaneswar – 751012 (Odisha).
: The Regional Officer, SPCB, College Road, Baniapata, Keonjhar – 758001 (Odisha).

TATA STEEL LIMITED

Mines Division Noamundi 833 217 India

Tel 91 9234301340 Fax 91 6596 290737

Registered Office Bombay House 24 Homi Mody Street Fort Mumbai 400 001

Tel 91 22 66658282 Fax 91 22 66657724

Corporate Identity Number L27100MH1907PLC000260 Website www.tatasteel.com

EC COMPLIANCE REPORT PERIOD: April 2021 to September 2021

ENVIRONMENTAL CLEARANCE TO
JODA EAST IRON MINE OF TATA STEEL LIMITED

VIDE MoEF's LETTER NO. J-11015/215/2008-IA.II(M), DATED: 11.03.2013,
EC compliance vide letter no J-11015/215/2008-IA.II(M) dated: 7.09.2018 and EC compliance vide letter no J-
11015/215/2008-IA.II(M) dated: 29.07.2019

FOR PRODUCTION OF 12 MTPA (ROM) OF IRON ORE
Special Conditions

Sl. No.	EC Conditions	Compliance Status
Name of Project: Joda East Iron Mine of Tata Steel Limited. Clearance Letter No.: J-11015/215/2008-IA.II(M), Dated: 11.03.2013. Period of Compliance: April 2021 to September 2021.		
1	No mining activities will be allowed in forest area for which the FC is not available.	Being Complied With. The present mining operation is restricted within 567.087 ha of forest land for which Forest Clearance has been obtained under the Forest (Conservation) Act, 1980 vide letter no. F. No. 8-32/1993-FC (vol-II), date: 24.09.2007.
2	The project proponent shall seek and obtain approval under the FC Act for diversion of the entire forest land located within the mining lease within a period of two years w.e.f. 01.02.2013, failing which the mining lease area will be reduced to the non-forest area plus the forest area for which the project proponent has been able to obtain the FC at the end of this time period. In the case of reduction in mine lease area, the project proponent will need to get a revised mining plan approved from the competent authority for reduced area and enter into a new mining lease as per reduced lease area. The EC will be construed to be available for the mining lease area as per the revised mining lease deed.	Complied. MoEF & CC has issued a Guideline F. No. 11-599/2014-FC, dated: 01.04.2015 in supersession of the Guideline F. No. 11-362/2012-FC, dated: 01.02.2013. At present, mining operation is restricted within 567.087 ha of forest area for which due approval for diversion has already been obtained. In addition, we have also submitted fresh DRP for remaining forest area of 32.425 ha (leaving a total forest area of 9.394 ha for safety zone).
3	The project proponent shall abide by the guidelines dated 01.02.2013 vide no. 1 362/12012-FC put in place by the FC Division of MoEF in respect of cases of mines where at	Complied. MoEF & CC has issued a Guideline F. No. 11-599/2014-FC, dated: 01.04.2015 in supersession of the Guideline F.No. 11-362/2012-FC, dated: 01.02.2013.



Manager Environment

Sl. No.	EC Conditions	Compliance Status
Name of Project: Joda East Iron Mine of Tata Steel Limited. Clearance Letter No.: J-11015/215/2008-IA.II(M), Dated: 11.03.2013. Period of Compliance: April 2021 to September 2021		
	<p>present the forest clearance is available to only a part of the forest land involved in the mine</p>	
4	<p>Environmental clearance is subject to obtaining Clearance as may be necessary under the Wildlife (Protection) Act, 1972 from the competent authority</p>	<p>No specific clearance under the Wildlife (Protection) Act, 1972 is required for the project</p>
5	<p>The project proponent shall obtain Consent to Establish and Consent to Operate from the State Pollution Control Board., Orissa and effectively implement all the conditions stipulated therein</p>	<p>Complied. Consent to Establish has been obtained from OSPCB vide letter no. 21271/IND-II-NOC-5144, dated: 08.07.2011. Consent to Operate has also been obtained from State Pollution Control Board, Orissa vide letter No. 4789/IND-I-CON-184, dated: 24.03.2021 and the consent order is valid till 31.03.2022.</p>
6	<p>The Company shall submit Within 3 months their policy towards Corporate Environment. Responsibility which should inter-alia provide for (i) Standard operating process /process to bring into focus any infringement /deviation /violation of the environmental or forest norms/conditions, (ii) Hierarchical system or Administrative order of the Company to deal with the environmental issues and for ensuring compliance With the EC conditions and (iii)System of reporting of non-compliances /violations of environmental norms to the Board of Directors of the company and / or Shareholders or stakeholders.</p>	<p>Complied. Details on Tata Steel's Policy on corporate Environment Responsibility and other requirements have been submitted to the MoEF vide letter no. MD/ENV/233A/102/2013, Dated. 8th June, 2013. Tata Steel Environmental Policy is attached as Annexure-1.</p>
7	<p>The mining operations shall be restricted to above ground water table and it should not intersect the groundwater table. In case of working below the ground water table, prior approval of the Ministry of Environment and Forests and the Central Ground Water Authority shall be obtained, for which a detailed hydrogeological study shall be carried out.</p>	<p>Complied. The mining operation is restricted to above ground water table. Mining has not intercepted ground water table. The lowest working depth of our mine pits is at 580m RL, whereas the presence of ground water table has been estimated to be at 498.30 mRL. A detailed hydro-geological study was carried out for</p>

Sl. No.	EC Conditions	Compliance Status
Name of Project: Joda East Iron Mine of Tata Steel Limited. Clearance Letter No.: J-11015/215/2008-IA.II(M), Dated: 11.03.2013. Period of Compliance: April 2021 to September 2021		
		the purpose. Ground water level report has been attached as Annexure-2
8	The project proponent shall ensure that no natural watercourse and/or water resources shall be obstructed due to any mining operations.	Being Complied With. No natural watercourse or water resources are obstructed due to our mining operations. Further, no first order or the second order streams are emanating.
9	The top soil, if any shall temporarily be stored at earmarked site(s) only and it should not be kept Unutilized for long. The topsoil shall be used for land reclamation and plantation.	Being Complied With. Since there is very little lateral expansion of mining operations topsoil generation is minimal. Topsoil generated before was stacked at earmarked place and has already been used for plantation purpose. Topsoil being generated is being used concurrently for plantation purpose.
10	As part of Ambient Air Quality monitoring during operational phase of the project the air samples shall also be analysed for their mineralogical composition and records maintained.	Being Complied With. As a part of Ambient Air Quality monitor during operational phase of the project the air is also analyzed for mineralogical composition. The report is attached as Annexure-3
11	The water recovery and spill way system shall be so designed that the natural water resources are not affected and that no spill water from the plant goes into the Kundra nallah or any other water body	Being Complied With. The water recovery and spill way system has been designed such that the natural water resources are not affected and no spill water from the mine goes beyond the lease boundary. The slime is stored in the zero-discharge slime pond. The decanted water from the slime pond is completely recycled back to beneficiation plant within the mine, ensuring zero outside discharge. Photograph of zero discharge slime dam, water recovery system is shown in Annexure-4



Manager Environment

12	The filter cake shall be disposed at the earmarked site, which shall be above highest water table and shall be lined to prevent any leaching from the filter cake disposal site into groundwater. Efforts shall also be made to gainfully utilize the filter cake so generated in an environmentally compatible manner.	There is no filter cake generation in our operations.
13	Effective safeguard measures such as conditioning of ore with water, regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as around crushing and screening plant, loading and unloading point and transfer points. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	<p>Being Complied With.</p> <p>For dust Suppression effective safeguard measures such as regular water sprinkling on the haul roads, loading & unloading points is being done. Fixed water sprinklers of cumulative length 3.35 Km have been installed on main and arterial haul roads and in addition two Komatsu HD 465-7 Water Carts of capacity 50 KL & one 28 kL Water Cart of Caterpillar make have been pressed into service for suppression of fugitive dust. Dust suppressants are added to sprinkling water for effective dust suppression. Photographs of Mobile and Fixed water sprinklers, mist canon is attached in Annexure-5. All transfer points are equipped with dry fog water sprinkling arrangement. Ambient Air Quality is monitored regularly, and the results are well within the limits prescribed. The results are also sent to the OSPCB office, Bhubaneswar once in every month. AAQ monitoring reports are shown in Annexure-6. Results are also sent to the OSPCB office, Bhubaneswar once in every month.</p>
14	The over burden (OB) generated during the mining operation shall be stacked at earmarked dump site(s) only and should not be kept active for long period. There shall be one external OB dump having maximum projected height of 30m with three terraces of 10m each. The overall slope of the dump shall not exceed 27°. The OB dump should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forests and its Regional Office Located at Bhubaneswar on six monthly basis.	<p>Being Complied With.</p> <p>The OB and mineral rejects are being dumped as per the approved mining plan and at earmarked dumping area only. The slopes of the OB dumps are terraced and the overall slope is maintained so as to not exceed 27°. The inactive dump slopes are vegetated with native species. In critical areas, use of geo textiles has been undertaken for stabilization of the dump. The compliance status report is regularly sent to the Regional office, MoEF, Bhubaneswar and SPCB, Orissa once in every six months. OB dump Plantation has been shown in Annexure7</p>



15	Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from mine working, soil, OB and mineral dumps. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly de-silted particularly after monsoon and maintained properly. Garland drain of appropriate size, gradient and length shall be constructed for both mine pit and OB dump and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits should be constructed at the corners of the garland drains and designed at regular intervals.	<p>Being Complied With.</p> <p>Garland drains of 915 running meterage all along toe has been completed in FY-21. Upto FY-21 Sedimentation pits of total 12 Nos. have been constructed at the corner of the garland drains to take care of runoff water even during peak rain fall and they are de silted regularly before and after monsoon. Photograph of Garland drain, settling ponds along toe wall and Sedimentation pit are shown in Annexure 8.</p>
16	Dimension of the retaining wall at the toe of dumps and OB benches within the mine to check run-off and siltation should be based on the rainfall data.	<p>Being Complied With.</p> <p>Toewall of adequate length and height has been constructed at all dumps and product stockpile to prevent any runoff. This is being effective to meet the purpose even during peak rain fall. Photograph of retention wall along OB dump is shown in Annexure-8</p>
17	Plantation shall be raised in an area of 11 ha including a 7.5m wide green belt in the safety zone around the mining lease by planting the native species around OB dump, reclaimed area, mine benches, along the roads etc. in consultation with the local DFO/Agriculture Department.	<p>Being Complied With.</p> <p>Plantation has already been raised in an area of 11 ha including a 7.5m wide green belt in the safety zone around the mining lease by planting the native species around OB dump, reclaimed area, mine benches, along the roads etc. in consultation with the</p>



Manager Environment

Sl. No.	EC Conditions	Compliance Status
<p>Name of Project: Joda East Iron Mine of Tata Steel Limited. Clearance Letter No.: J-11015/215/2008-IA.II(M), Dated: 11.03.2013. Period of Compliance: April 2021 to September 2021</p>		
18	<p>Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as around crushing and screening plant loading and unloading point and transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.</p>	<p>Being Complied With.</p> <p>For dust Suppression effective safeguard measures such as regular water sprinkling on the haul roads, loading & unloading points is being done. Fixed water sprinklers of cumulative length 3.35 Km have been installed on main and arterial haul roads and in addition two Komatsu HD 465-7 Water Carts of capacity 50 KL & one 28 kL Water Cart of Caterpillar make have been pressed into service for suppression of fugitive dust. Dust suppressants are added to sprinkling water for effective dust suppression. Photographs of Mobile and Fixed water sprinklers, mist canon is attached in Annexure-5. All transfer points are equipped with dry fog water sprinkling arrangement. Ambient Air Quality is monitored regularly and the results are well within the limits prescribed. The results are also sent to the OSPCB office, Bhubaneswar once in every month. AAQ monitoring reports are shown in Annexure-6. Results are also sent to the OSPCB office, Bhubaneswar once in every month.</p>
19	<p>The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with Regional Director, Central Ground Water Board.</p>	<p>Complied.</p> <p>We have submitted Rainwater Harvesting Scheme to CGWB vide letter no. MD/ENV/214/102/2013, dated: 31.05.2013 and same was forwarded to CGWA by CGWB for necessary action vide letter no. 5-22/SER/CGWA/2013-539, dated: 17.06.2013.</p>



Manager Environment

Sl. No.	EC Conditions	Compliance Status
<p>Name of Project: Joda East Iron Mine of Tata Steel Limited. Clearance Letter No.: J-11015/215/2008-IA.II(M), Dated: 11.03.2013. Period of Compliance: April 2021 to September 2021</p>		
		<p>Rainwater harvesting structures has been constructed at the mine site by the engagement of expertise of M/s. KRG Rainwater Foundation, Chennai and is operational. Photograph of Rain water harvesting pond at JEIM and Joda town is shown in Annexure-2.</p>
<p>20</p>	<p>Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The periodic monitoring (at least four times in a year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) once in in each season) shall be carried out in consultation with the State Ground Water Board/ Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forests and its Regional Director, Central Ground Water Board. If at any stage, it is observed that the ground water table is getting depleted due to the mining activity, necessary corrective measures shall be carried out.</p>	<p>Being Complied With.</p> <p>Ground water quality and Ground water level are being monitored four times a year pre-monsoon (April- May), monsoon (August), post-monsoon (November) and winter (January). The results are being sent to Regional office, MoEF & CC and SPCB, Odisha half yearly. Latest report of Ground Water Quality and Ground Water Level are shown in Annexure-2. Since, our mining operations are carried out above the ground water table; there will be no depletion of ground water table because of our mining activity. We also like to mention that because of Rainwater Harvesting structures at Joda East Mine, the ground water level has been increased.</p>
<p>21</p>	<p>The project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of surface water required for the project.</p>	<p>Complied.</p> <p>Joda East Iron mine has current surface water drawl permission of 8531 KLD. Our operation is now being managed within that quantity. However, for increased requirement of 9000 KL/day of water, we have applied to Department of water Resources, Govt. of Odisha for obtaining drawl permission, which is in active consideration. The permission has been granted from Office of Tahasildar: Barbil via Order No. 423/ Dated Barbil the 16th Feb' 1996.</p>



Sl. No.	EC Conditions	Compliance Status
Name of Project: Joda East Iron Mine of Tata Steel Limited. Clearance Letter No.: J-11015/215/2008-IA.II(M), Dated: 11.03.2013. Period of Compliance: April 2021 to September 2021		
22	The safeguard measures as suggested by the Central Ground Water Board vide letter No. 21-4(231)/CGWA/SER/2010-1010 dated 11.06.2010 shall be effectively implemented.	Complied. The safeguard measures as suggested by the Central Ground Water Board vide letter No. 21-4(231)/CGWA/SER/2010-1010, dated:11.06.2010 has been effectively implemented.
23	The project proponent shall practice suitable rainwater harvesting measures on long term basis and work out a detailed scheme for rainwater harvesting, in consultation with the Central Ground Water Authority and submit a copy of the same to the Ministry of Environment and Forests and its Regional Office, Bhubneswar.	Complied. After getting NOC from CGWA for ground water withdrawal vide letter no. 21-4(343)/CGWA/SER/2011-956, dated: 27.07.2011, we have submitted Rain Water Harvesting Scheme to CGWB vide letter no. MD/ENV/214/102/2013, dated: 31.05.2013 and same was forwarded to CGWA by CGWB for necessary action vide letter no. 5-22/SER/CGWA/2013-539, dated: 17.06.2013. We have the current NOC of Rainwater harvesting structures has been constructed at the mine site by the engagement of expertise of M/s. KRG Rainwater Foundation, Chennai and is now operational. Photograph of Rain water harvesting pond at JEIM and Joda town is shown in Annexure-2
24	Vehicular emission shall be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of minerals. The vehicles should be covered with a tarpaulin and shall not be overloaded.	Being Complied With. Regular vehicular emission testing is being conducted once in every 6 months. The vehicles those who do not meet the emission standard, are withdrawn from operation and maintained properly. A vehicle is kept abeyance from operation till it does not meet the emission standard. Also the vehicles are not run overloaded. Overloading of trucks is avoided to prevent spillage of material.
25	No blasting shall be carried out after the sunset. Blasting operation shall be carried out only during the daytime. Controlled blasting shall be practices. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented.	Being Complied With. Blasting is carried out during daytime only. Controlled Blasting is carried out for control of ground vibrations and to arrest fly rocks, as per the recommendations of CIMFR, Dhanbad.



Sl. No.	EC Conditions	Compliance Status
Name of Project: Joda East Iron Mine of Tata Steel Limited. Clearance Letter No.: J-11015/215/2008-IA.II(M), Dated: 11.03.2013. Period of Compliance: April 2021 to September 2021		
26	Drills shall either be operated with the dust extractors or equipped with water injection system.	Complied. Wet drilling is in practice and All drills are also provided with dust suppression system. Photograph of wet drilling is shown in Annexure-10
27	Mineral handling area shall be provided with adequate number of high efficiency dust extraction system. Loading and Unloading area including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.	Being Complied With. Effective and high efficiency dust extraction systems are in place at the mineral handling plant. Loading and unloading areas including transfer points have been provided with dust suppression facilities. Photographs of dust suppression system are shown in Annexure-10
28	Sewage treatment plant shall be installed for the colony. ETP shall also be provided for the Workshop and wastewater generated during the mining Operation.	Complied. 6 nos. of Sewage treatment plant have been constructed with capacity 10 KLD, 50 KLD and 630 KLD in residential colony. Further two more STP with 150 KLD is constructed for community. Apart from these STPs in residential colony, Soak pits have been provided inside the mining area because STP constructed in not feasible in the hilly topography of the mine. A 10 KLD ETP has been installed in JEIM for treatment of wastewater generated. The oil catchment pit has also been constructed inside mining area. Photographs of the STPs and Oil catchment pit are shown in Annexure-11 .
29	Pre-placement medical examination and periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.	Being Complied With. Pre-placement medical examination and periodical examination of the workers engaged are being conducted & record maintained. The schedule of Periodical Medical Examination is once in every 3 years for the employees of age more than 40 years and once in 5 years for the employees of age less than 40 years. The concentration of Respirable dust at different locations is monitored. The employees are also given regular awareness training on safety and health aspects as part of implementation process of ISO- 45001 systems.
30	Provision shall be made for the housing of construction labour within the site with necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking	All constructional activities for the project have been completed and there was no requirement for construction of temporary housing since the mine has permanent infrastructural facilities.



	water, medical health care, crèche etc. The housing may in the form of temporary structures to be removed after the completion of the project.	
31	The project proponent shall take all precautionary measures during mining operation for conservation and Protection of endangered fauna namely elephant, sloth bear etc. spotted in the study area. All the safeguard measures brought out in the Wildlife Conservation Plan so prepared specific to this project site and approved by the Chief Conservator of Forest, (Wildlife) shall be effectively implemented. A copy of Wildlife Conservation Plan shall be submitted to the Ministry of Environment and Forest and its Regional Office Bhubaneswar.	<p>Being Complied With.</p> <p>Tata Steel is taking all precautionary measures towards conservation and protection of endangered flora and fauna. We have also deposited a sum of Rs. 1,00,66,395/- with the forest department for implementation of the wildlife management plan in order to protect them within our mine and its periphery. Besides that, the mine had prepared Site Specific Wild Life Conservation Plan and it has been approved by the Principle Chief Conservator of Forests (Wildlife) & Chief Wildlife Warden vide letter no. 3195/1WL-SSP-97/2016, dated: 25.04.2016.</p>
32	The critical parameters such as RSPM (Particulate matter with size less than 10 micron i.e., PM10) and NO in the ambient air within the impact zone, peak particle Velocity at 300m distance or within the nearest habitation, whichever is closer shall be monitored periodically. Further, quality of discharged water shall also be monitored [(TDS, DO, pH and total suspended solids (TSS)]. The monitored data shall be uploaded on the website of the Company as well as display on a display board at the project site at a suitable location near the main gate of the Company in public domain. The Circular No. J-20012/1/2006-IA.II(M) dated 27.05.2009 issued by Ministry of Environment and Forest which is available on the website of the Ministry www.envfor.nic.in shall also be referred in this regard for its compliance.	<p>Being Complied With.</p> <p>Ambient Air Quality is monitored regularly, and the results are shown in Annexure- 6. No water is discharged out of the mine premises. Monitoring data is being uploaded on the Company's website www.tatasteelindia.com as part of this report and displayed on a display board at the main entrance gate of the mine. The photograph of display board is shown in Annexure-12.</p>
33	A Final Mine closure Plan along with detail of Corpus fund shall be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.	<p>Being Complied With.</p> <p>A progressive mine closure plan approved by IBM is in place. The final mine closure plan along with details of Corpus fund shall be submitted to the Ministry of Environment & Forests 5 years in advance.</p>

Anilav

General Conditions

Sl. No.	Condition	Compliance
<p>Name of Project: Joda East Iron Mine of Tata Steel Limited. Clearance Letter No.: J-11015/215/2008-IA.II(M), Dated: 11.03.2013. Period of Compliance: April 2021 to September 2021</p>		
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forests	<p>Being Complied With.</p> <p>We are operating as per the approved mining technology and scope of working mentioned in Environmental Clearance granted to us and No change in mining technology and scope of working shall be made and adhered to the condition of MoEF&CC.</p>
2	No change in the calendar plan including excavation, quantum of mineral iron ore and waste should be made.	<p>Being Complied With.</p> <p>Calendar plan (IBM Approved Mining Plan) prepared for the mine is being strictly adhered to and we are well within the limits specified in Mining Plan as well as EC and CTO granted capacity.</p>
3	At least four ambient air quality-monitoring stations should be established in the core Zone as well as in the buffer zone for RSPM (Particulate matter with size less than 10 micron i.e. PM10) and NOx monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	<p>Complied.</p> <p>Ambient air quality monitoring is regularly being carried out at four different stations within the core zone. The stations were located in consultation with the visiting officers of State Pollution control Board, Orissa. The ambient air quality reports are submitted to Regional office, MoEF, Bhubaneswar and SPCB, Orissa, once in every six months. AAQ monitoring report is attached as Annexure-6</p>
4	Data on Ambient Air Quality (RSPM(particulate matter with size less than 10 micron i.e. PM10) and NOx] should be regularly submitted to the Ministry including its Regional office located at Bhubneswar and the State Pollution Control Board / Central Pollution Control Board once in six months	<p>Being Complied With.</p> <p>The Ambient Air Quality reports are submitted to Regional office, MoEF, Bhubaneswar and SPCB, Orissa, montly and also once in every six months with this report. Please find enclosed the monitoring details in Annexure-6.</p>
5	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	<p>Being Complied With.</p> <p>Effective water sprinkling is being done on haul roads and at loading and unloading points. Dust suppression systems in the drills have been provided for effective functioning. Dust load has been attached as Annexure-13.</p>



Manager Environment

6	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc should be provided with ear plugs / muffs	Being Complied With. High noise areas are earmarked and people working there are provided with ear protection equipment's and the system is ensured by certification to ISO 45001 and regular field audits. Noise quality reports are attached as Annexure- 14.
7	Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the Standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	Being Complied With. Oil & Grease separation pits have been provided to take care of effluents from the workshop. The same water quality is monitored regularly, and the parameters meet the prescribed standard. There is no wastewater generation from the mines. The result of the workshop effluent is enclosed as Annexure-15
8	Personnel Working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Being Complied With. Adequate dust masks are provided to employees engaged in dusty areas. It is also ensured that they use the same. The employees are also given regular awareness training on safety and health aspects as part of implementation process of ISO 45001 systems. Further, employees undergo Lung Function Tests during the Periodical Medical Examination. Periodical Medical Examination of employees and contractor workers are organized regularly to observe any contractions due to exposure to dust and other occupational hazards.
9	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive who will report directly to the Head of the Organization	Complied. A separate environmental management cell is in place with the people having relevant qualification on environmental science. The Head of the environment department reports to General Manager i.e. the head of the organization.
10	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubaneswar.	Being Complied With. Funds allocated for environmental management are spent only for environment related purposes and not diverted to any other purpose. During the year 2021-22 an amount of Rs.663.3lakhs (approx.) will be spent towards environmental protection measures at Joda East Iron Mine. Annexure-17
11	The project authorities should inform to the Regional Office located at Bhubaneswar regarding date of financial closing and final approval of the project by the concerned	This is a running mine. No specific date for start of land development work can be assigned. However, the copy of the Environmental Clearance has been sent to the Regional Office, MoEF&CC, Bhubaneswar for kind



	authorities and the date of start of land development work.	information
12	The Regional Office of this Ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the Officer (s) of the Regional office by furnishing the requisite data / information / monitoring reports.	We extend full co-operation to the officers of the Regional Office during their visit and furnish the required data, information and monitoring reports.
13	The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the Ministry of Environment and Forests, its Regional Office Bhubneswar, the respective Zonal Office of Central Pollution Control Board and the State Pollution Control Board. The proponent shall upload the status of compliance of the environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the Ministry of Environment and Forests, Bhubneswar, the respective Zonal Officer of CPCB and the SPCB.	Being Complied With. Six monthly compliance reports are being submitted regularly to the MoEF, its Regional Office Bhubaneswar, Central Pollution Control Board Kolkata and State Pollution Control Board. Further, the six-monthly compliance reports along with the monitoring results are uploaded in Tata Steel's website www.tatasteel.com and updated periodically. Last six-monthly compliance report was sent vide letter No MD/ENV/58/102/2021, dated:27.05.2021.
14	A copy of the clearance letter shall be sent by the proponent to Concerned Panchayat, Zila Parisad / Municipal Corporation Urban Local Body and the Local NGO, if any, from whom suggestions/ representations if any, were received while processing the proposal. The Clearance letter shall also be put on the website of the Company by the proponent.	Complied. A copy of the Environmental Clearance letter was sent to Member Secretary-OSPCB Bhubaneswar and to Addl. PCCF (Central), Eastern Regional Office Bhubaneswar, vide letter nos. MD/ENV/104/102/2013, dated: 14.03.2013 and MD/ENV/105/102/2013, dated: 14.03.2013 respectively. Similarly, A copy of the Environmental Clearance letter was also sent to President (Zila Parishad) - Keonjhar and Chairman (Joda Municipality) vide letter nos.
15	The State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and the Collector's office/ Tehsildar's Office for 30 days.	Complied. Compiled from State Pollution Control Board, Odisha.
16	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also	Being Complied With. The environmental statement for financial year 2020-21 has been submitted to the State Pollution Control Board vide letter no. MD/ENV/224/120/2021, dated:22.09.2021 and the same has been hosted on



	be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Office of the Ministry of Environment and Forests, Bhubaneswar by email.	company's website www.tatasteelindia.com along with half-yearly compliance environmental clearance conditions.
17	The project authority should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located at Bhubaneswar	Details of Environmental Clearance about Joda East Iron Mine was published in local newspapers (English Daily, New Indian Express & in oriya (Dainik Jagran) on 16.03.2013.

Anil Kumar

Manager Environment

EC compliance vide letter no J-11015/215/2008-IA.II(M) dated: 7.09.2018

Sl. No.	EC Condition	Compliance Status
Name of Project: Joda East Iron Mine of Tata Steel Limited. Clearance Letter No.: J-11015/215/2008-IA.II(M) dated: 7.09.2018. Period of Compliance: April 2021 to September 2021		
1	The Environmental Clearance will not be operational till such time the project proponent complies with all the statutory requirements and judgement of Hon'ble Supreme Court dated the 2 nd August 2017 in Writ Petition (Civil) No. 114 of 2014 in the matter of common cause verses Union of India and Ors.	Noted and is complied
2	Department of Mining & Geology, State govt shall ensure that mining operation shall not commence till the entire compensation levied, for illegal mining paid by the project proponent through their respective department of mining geology in strict compliance of judgement of Hon'ble Supreme Court dated the 2 nd August 2017 in Writ petition (Civil) No. 114 of 2014 in the matter of common cause versus union of India and Ors.	Noted
3	Monitoring of ambient air quality to be carried out based on the 2009 notification, as amended from time to time by the central pollution control board.	Noted & is complied
4	The pollution due to transportation load on the environment will be effectively controlled & water sprinkling will also be done regularly. Vehicles with PUC only will be allowed to ply. The mineral transportation shall be carried out through covered trucks only and the vehicles carrying the mineral shall not be overloaded. Project should obtain PUC certificate for all the vehicles from authorized pollution testing center; washing of all transport vehicle should be done inside the mining lease.	Not applicable as 100 % mineral transportation is done through rails. And mineral transportation from mines to Railway wagon is done through closed conveyers.
5	The activities and budget earmarked for Environmental Responsibility (CER) shall be as per Ministry's O.M No. 22-65/2017-IA.II(M) dated 01.05.2018 and the action plan on the activities proposed under CER shall be submitted to the Regional Office of the Ministry and State Pollution Control Board.	Not applicable.



EC compliance vide letter no J-11015/215/2008-IA.II(M) dated: 29.07.2019

Sl. No.	EC Conditions	Compliance Status
Name of Project: Joda East Iron Mine of Tata Steel Limited. Clearance Letter No.: J-11015/215/2008-IA.II(M) dated: 29.07.2019. Period of Compliance: April 2021 to September 2021		
i	The mining activity will be restricted to the mine lease area for which the earlier EC is granted (i.e. (567.9087 ha (Forest Clearance available) + 62.187 ha= 629.274 ha.). Furthermore, no mining activity will be allowed in remaining forest land (41.819 ha) till PP get the forest clearance.	The present mining operation is restricted within 567.087 ha of forest land for which Forest Clearance has been obtained under the Forest (Conservation) Act, 1980 vide letter no. F. No. 8-32/1993-FC (vol-II), date: 24.09.2007
ii	PP mentioned that the processing of ore at beneficiation plant (old and proposed) will be same as the existing EC capacity (12 MTPA). Three beneficiation units shall be operated at maximum capacity of 5 MTPA for dry processing and 7 MTPA for wet processing (i.e. existing 2.4 MTPA capacity for processing high quality grade of ROM and proposed 4.6 MTPA capacity for processing low quality grade of ROM), respectively, in order, ensure that at any given time, the total beneficiation capacity from all three plants (old dry + old wet + proposed) should not exceed the granted EC capacity of 12 MTPA.	It is being ensured that at any given time, the total beneficiation capacity from all three plants (old dry + old wet + proposed) should not exceed the granted EC capacity of 12 MTPA.
iii	PP should submit an undertaking through affidavit that the total beneficiation capacity from all the three units shall not exceed the granted EC capacity of 12 MTPA at any given time. The operation of this EC amendment is subjected to submission of said affidavit.	This has been noted and complied. The undertaking through affidavit that the total beneficiation capacity from all the three units shall not exceed the granted EC capacity of 12 MTPA at any given time has been submitted.



Manager Environment

Sl. No.	EC Conditions	Compliance Status
Name of Project: Joda East Iron Mine of Tata Steel Limited. Clearance Letter No.: J-11015/215/2008-IA.II(M) dated: 29.07.2019. Period of Compliance: April 2021 to September 2021		
iv	State Pollution Control Board should ensure that the processing capacity of beneficiation plants (all three units) should not exceed the granted EC capacity of 12 MTPA at any given time.	Noted and Agreed Upon.
V	The amendment in EC shall be operational after submission of an undertaking through affidavit to MoEF&CC within 15 days of receipt of this letter, for compliance of all the conditions prescribed herein and mentioned in EC dated 11.03.2013 and 07.09.2018.	An undertaking through affidavit has been sent to MoEF&CC.



Sl. No.	EC Conditions	Compliance Status
Name of Project: Joda East Iron Mine of Tata Steel Limited. Clearance Letter No.: J-11015/215/2008-IA.II(M) dated: 29.07.2019. Period of Compliance: April 2021 to September 2021		
1.	Project Proponent and Department of Steel & Mines, Govt. of Odisha shall ensure the implementation of recommendations of carrying capacity study report conducted by CSIR-NEERI w.r.t mining proposal of Iron Ore and/or Manganese in the State of Odisha.	All efforts are being made to ensure the implementation of recommendations of carrying capacity study report conducted by CSIR-NEERI. Compliance status has been uploaded to i3ms website as well.
2.	Department of Steel & Mines, Govt. of Odisha should prepare 5 years regional plan for annual iron ore requirement from the state, which in turn shall be met from different mines/zones (e.g. Joda, Koira.) in the state. Accordingly, sustainable annual production (SAP) for each zone/mine may be followed adopting necessary environmental protection measures.	Noted.
3.	Project Proponent shall construct the cement concrete road from mine entrance and exit to the main road with proper drainage system and green belt development along the roads and also construction of road minimum 300 m inside the mine. This should be done within one year for existing mines and new mine should have since beginning. The Department of Steel & Mines, Govt. of Odisha should ensure the compliance and should not issue the Mining Permits, if mine lease holder has not constructed proper cement concrete road as suggested above.	Complied. Black top road from mine entrance and exit to the main road with proper drainage system and green belt development along the roads has already been constructed and also road minimum 300 m inside the mine is present.



Manager Environment

Sl. No.	EC Conditions	Compliance Status
Name of Project: Joda East Iron Mine of Tata Steel Limited. Clearance Letter No.: J-11015/215/2008-IA.II(M) dated: 29.07.2019. Period of Compliance: April 2021 to September 2021		
4.	<p>The Committee observed that as per the recommendations of NEERI report the PP need to ensure Regular vacuum cleaning of all mineral carrying roads aiming at “Zero Dust Resuspension” within 3 months for existing roads.</p>	<p>Complied. Since the Ore dispatch from mining lease is 100% through railway siding only hence, we don't have any mineral carrying road other than the mining haul road. Regular water sprinkling through fixed and mobile water sprinklers are carried out on haul roads to minimize dust resuspension.</p>
5.	<p>Project Proponent shall monitor the environmental quality parameters as per EC and CTE/CTO conditions, and implementation of suggested measures for control of road dust and air pollution. Odisha State Pollution Control has to ensure the compliance of CTE/CTO. Regional office of the MOEF&CC, Bhubaneshwar shall monitor the compliance of the EC Conditions. Regional office of Indian Bureau of Mines (IBM) shall monitor the compliance of mining plan and progressive mine closure plan. Any violation by mine lease holder may invite actions per the provisions of the applicable acts.</p>	<p>Complied Continuous monitoring of different environmental quality parameters as per EC and CTE/CTO conditions with respect to air, noise, water (surface & ground water) and soil quality is already being done via third party agency and monthly reports are submitted to SPCB RO office.</p>
6.	<p>Project Proponent shall ensure the compliance of Suggested Ore Transport Mode (SOTM) with association of the State Government of Odisha. All existing Mines should ensure adoption of SOTM within the next 5 years. New Mines or Mines seeking expansion should incorporate provisions of SOTM in the beginning itself and should have system in place within the next 5 years.</p>	<p>Complied EC Capacity based Suggested Ore Transport Mode (SOTM) is 100% by private railway siding which is already in action.</p>



Manager Environment

Sl. No.	EC Conditions	Compliance Status
Name of Project: Joda East Iron Mine of Tata Steel Limited. Clearance Letter No.: J-11015/215/2008-IA.II(M) dated: 29.07.2019. Period of Compliance: April 2021 to September 2021		
7.	<p>The State Govt. of Odisha shall ensure dust free roads in mining areas wherever the road transportation of mineral is involved. The road shoulder shall be paved with fence besides compliance with IRC guidelines. All the roads should have proper drainage system and apart from paving of entire carriage width the remaining right of way should have native plantation (dust capturing species). Further, the regular maintenance should also be ensured by the Govt. of Odisha. Progress on development of dust free roads, implementation of SOTM, increased use of existing rail network, development of additional railway network/conveyor belt/pipelines etc. shall be submitted periodically to Regional Office of the MOEF&CC.</p>	Noted
8.	<p>Project Proponent shall develop the parking plazas for trucks with proper basic amenities/facilities inside the mine. This should be done within one year for existing mines and new mines should have since beginning.</p>	Not applicable as we don't have truck dispatch. All the dispatch is through railway siding only.
9.	<p>Department of Steel & Mine shall ensure the construction of NH 215 as minimum 4 lane road with proper drainage system and plantation and subsequent regular maintenance of the road as per IRC guidelines. Construction of other mineral carrying roads with proper width and drainage system along with road side plantation to be carried out. This shall be completed within 2 years.</p>	Noted.



10.	Regular vacuum cleaning of all mineral carrying roads aiming at “Zero Dust Resuspension” shall be adopted by PWD / NHAI/ Mine Lease Holders within the time Period of 3 months for existing roads.	Complied. Since the Ore dispatch from mining lease is 100% through railway siding only hence we don't have any mineral carrying road other than the mining haul road. Regular water sprinkling through fixed and mobile water sprinklers are carried out on haul roads to minimize dust resuspension
11.	In case the total requirement of iron ore exceeds the suggested limit for that year, permission for annual production by an individual mine may be decided depending on approved EC capacity (for total actual dispatch) and actual production rate of individual mine during last year or any other criteria set by the State Govt., i.e. Dept. of Steel & Mines. Department of Steel and Mines in consultation with Indian Bureau of Mines-RO should prepare in advance mine-wise annual production scenario as suggested in Table, so that demand for iron ore can be anticipated, and actual production/dispatch does not exceed the suggested annual production.	Noted.
12.	R&D studies towards utilization of low- grade iron ore should be conducted through research/academic institutes like IMMT, Bhubaneswar, NML, Jamshedpur, and concerned metallurgical departments in IITs, NITs etc., targeting full utilization of low-grade iron ore (Fe content upto 45% by 2020 and upto 40% by 2025). In fact, life cycle assessment of whole process including environmental considerations should be done for techno-economic and environmental viability. R&D studies on utilization of mine wastewater having high concentration of Fe content for different commercial applications in industries such as cosmetics, pharmaceutical, paint industry should also be explored. Responsibility: IBM, Dept. of Steel & Mines, Individual Mine Lease Holders	Complied. R&D studies are already going for commercial utilization of low grade ore. We are also in process of installation of 4.6 MTPA Low Grade iron ore Beneficiation plant for which the Environmental Clearance has been granted.



13.	<p>The mining activity in Joda-Koira sector is expected to continue for another 100 years, therefore, it will be desirable to develop proper rail network in the region. Rail transport shall not only be pollution free mode but also will be much economical option for iron ore transport. The rail network and/or conveyor belt system upto public railway siding needs to be created. The total length of the conveyor belt system/ rail network to be developed from mines to nearest railway sidings by 11 mines in Joda region is estimated to be about 64 km. Similarly, in Koira region, total length of rail network/ conveyor system for 8 mines (under SOTM 1 & 2) is estimated to be around 95 km. Further, it is suggested to develop a rail network connecting Banspani (Joda region) and Roxy railway sidings in Koira region.</p> <p>Responsibility: Dept. of Steel & Mines, Govt. of Odisha and Concerned Mines along with Indian Railways. Time Period: Maximum 7 years (by 2025). The Department of Steel & Mines, Govt. of Odisha should follow-up with the concerned Departments and railways so that proposed proper rail network is in place by 2025.</p>	Noted.
14.	<p>State Govt. of Odisha shall make all efforts to ensure exhausting all the iron & manganese ore resources in the existing working mines and from disturbed mining leases/zones in Joda and Koira region. The criteria suggested shall be applicable while suggesting appropriate lease area and sustainable mining rate. Responsibility: Dept. of Steel & Mines, Govt. of Odisha</p>	Noted and Agreed Upon.
15.	<p>Mining Operations/Process Related: Project Proponent shall implement the following mitigation measures: Appropriate mining process and machinery (viz. right capacity, fuel efficient) should be selected to carry out various mining operations that generate minimal dust/air pollution, noise, wastewater and solid waste. e.g. drills should either be operated with dust extractors or equipped with water injection system. After commencement of mining operation, a study should be conducted to assess and</p>	<p>Complied</p> <p>Appropriate mining process and machinery (viz. right capacity, fuel efficient) has been selected to carry out various mining operations that generate minimal dust/air pollution, noise, wastewater and solid waste. Wet drilling with water injection system and controlled blasting is in operation. Photograph of wet drilling is shown in Annexure-10. Emission load study has been done and reply has been sent to SPCB via MD/ ENV/95 / 102 /2019 on 20.02.2019. Efforts are continuously made to further eliminate/ minimize generation of air pollution/dust,</p>



	<p>quantify emission load generation (in terms of air pollution, noise, waste water and solid waste) from each of the mining activity (including transportation) on annual basis. Efforts should be made to further eliminate/minimize generation of air pollution/dust, noise, wastewater, solid waste generation in successive years through use of better technology. This shall be ensured by the respective mine lease holders.</p> <p>Various machineries/equipment selected (viz. dumpers, excavators, crushers, screen plants etc.) and transport means should have optimum fuel/power consumption, and their fuel/power consumption should be recorded on monthly basis. Further, inspection and maintenance of all the machineries/equipment/ transport vehicles should be followed as per manufacturer's instructions/recommended time schedule and record should be maintained by the respective mine lease holders.</p> <p>(iv) Digital processing of the entire lease area using remote sensing technique should be carried out regularly once in 3 years for monitoring land use pattern and mining activity taken place. Further, the extent of pit area excavated should also be demarcated based on remote sensing analysis. This should be done by ORSAC (Odisha Space Applications Centre, Bhubaneswar) or an agency of national repute or if done by a private agency, the report shall be vetted/authenticated by ORSAC, Bhubaneswar. Expenses towards the same shall be borne by the respective mine lease holders.</p>	<p>noise, wastewater, solid waste generation through use of better technology.</p> <p>We have a fully-fledged Equipment Maintenance centre where all data related to machineries/equipment are already recorded. Maintenance is carried out as per schedule.</p> <p>Digital processing of the entire lease area using remote sensing technique is carried out regularly for monitoring land use pattern and mining activity taken place. Also, the extent of pit area excavated has been demarcated based on remote sensing analysis. This is being done by M/s Geo Consultant Pvt. Ltd which is an authorised organisation of ORSAC (Odisha Space Applications Centre, Bhubaneswar).</p>
16.	<p>Air Environment Related: Project Proponent shall implement the following mitigation measures:</p> <p>(i) Fugitive dust emissions from all the sources should be controlled regularly on daily basis. Water spraying arrangement on haul roads, loading and unloading and at other transfer points should be provided and properly maintained. Further, it will be desirable to use water fogging system to minimize water consumption. It should be ensured that the ambient air quality parameters conform to the norms prescribed</p>	<p>Being Complied With.</p> <p>(i) Fugitive dust emissions from all the sources are controlled regularly on daily basis. Effective safeguard measures such as regular water sprinkling on the haul roads, loading & unloading points for effective dust suppression are being done. Fixed water sprinklers have been put into operation on the main haul road in addition to two 50 KL & one 28 KL mobile water tankers and dust suppressants are added into the sprinkling water for effective dust suppression. Photographs of Mobile and Fixed water sprinklers, mist canon is attached in Annexure- 5 Photographs of dust suppression system are shown in</p>



<p>by the CPCB in this regard. The core zone of mining activity should be monitored on daily basis. Minimum four ambient air quality monitoring stations should be established in the core zone for SPM, PM10, PM2.5, SO2, NOx and CO monitoring. Location of air quality monitoring stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board (based on Emission Load Assessment Study). The number of monitoring locations may be more for larger capacity mines and working in larger area. Out of four stations, one should be online monitoring station in the mines having more than 3 MTPA EC Capacity. Monitoring in buffer zone should be carried out by SPCB or through NABET accredited agency. In addition, air quality parameters (SPM, PM10, PM2.5, SO2, NOx and CO) shall be regularly monitored at locations of nearest human habitation including schools and other public amenities located nearest to source of the dust generation as applicable. Emissions from vehicles as well as heavy machinery should be kept under control and regularly monitored. Measures should be taken for regular maintenance of vehicles used in mining operations and in transportation of mineral. The vehicles shall be covered with a tarpaulin and should not be overloaded. Further, possibility of 3 using closed container trucks should be explored for direct to destination movement of iron ore. Air quality monitoring at one location should also be carried out along the transport route within the mine (periodically, near truck entry and exit gate) Air quality monitoring at one location should also be carried out along the transport route within the mine (periodically, near truck entry and exit gate)</p>	<p>Annexure-10 Ambient Air Quality is monitored regularly and the results are well within the limit prescribed. The results are also sent to the OSPCB office, Bhubaneswar once in every month. AAQ monitoring reports are shown in Annexure 6 results are also sent to the OSPCB office, Bhubaneswar once in every month. Total 6 ambient air quality monitoring stations are established in the core zone for SPM, PM10, PM2.5, SO2, NOx and CO monitoring. Out of them 2 are online continuous system. Daily Monitoring is carried out with the help of third party NABL accredited agency. Average Air Quality Report has been attached at Annexure- 6.</p> <p>Monitoring in buffer zone is carried out regularly with air quality parameters (SPM, PM10, PM2.5, SO2, NOx and CO) at 4 locations of nearest human habitation including schools and other public amenities located nearest to source of the dust generation as applicable and attached as Annexure - 6.</p> <p>Emissions from vehicles as well as heavy machinery are kept under control and regularly monitored. All vehicles are PUC certified.</p> <p>Not applicable as the Minerals are transported through closed conveyors and Railway Wagons through Rapid Loading System.</p>
--	--



Sl. No.	EC Conditions	Compliance Status
Name of Project: Joda East Iron Mine of Tata Steel Limited. Clearance Letter No.: J-11015/215/2008-IA.II(M) dated: 29.07.2019. Period of Compliance: April 2021 to September 2021		
17.	<p>Noise and Vibration Related: Project Proponent shall implement the following mitigation measures: Blasting operation should be carried out only during daytime. Controlled blasting such as Nonel, should be practiced. The mitigation measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented. Appropriate measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs/muffs. Noise levels should be monitored regularly (on weekly basis) near the major sources of noise generation within the core zone. Further, date, time and distance of measurement should also be indicated with the noise levels in the report. The data should be used to map the noise generation from different activities and efforts should be made to maintain the noise levels with the acceptable limits of CPCB (CPCB, 2000) Similarly, vibration at various sensitive locations should be monitored at least once in month and mapped for any significant changes due to successive mining operations.</p>	<p>Being Complied With.</p> <p>Blasting is carried out during day time only. Controlled Blasting is carried out for control of ground vibrations and to arrest fly rocks, as per the recommendations of CIMFR, Dhanbad.</p> <p>Appropriate measures are taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. are provided with ear plugs/muffs. However, closed AC Cabins have been provided in all the HEMM for controlling exposure to noise. Average Noise quality reports are attached as Annexure- 14.</p> <p>Noise levels are monitored regularly (on weekly basis) near the major sources of noise generation within the core zone. Average Noise quality reports are attached as Annexure- 14.</p> <p>Vibration monitoring is carried out after the end of each blast and mapped for any significant changes due to successive mining operations.</p>
18.	<p>Water/Wastewater Related: Project Proponent shall implement the following mitigation measures</p>	<p>Being Complied With.</p> <p>i.)The mining operation is restricted above the ground water table. There has been no intersection of</p>



Manager Environment

	<p>In general, the mining operations should be restricted to above ground water table and it should not intersect groundwater table. However, if enough resources are estimated below the ground water table, the same may be explored after conducting detailed geological studies by GSI and hydro-geological studies by CGWB or NIH or institute of national repute, and ensuring that no damage to the land stability/ water aquifer system shall happen. The details/ outcome of such study may be reflected/incorporated in the EIA/EMP report of the mine appropriately.</p> <p>Natural watercourse and/or water resources should not be obstructed due to any mining operations. Regular monitoring of the flow rate of the springs and perennial nallas should be carried out and records should be maintained. Further, regular monitoring of water quality of nallas and river passing thorough the mine lease area (upstream and downstream locations) should be carried out on monthly basis.</p> <p>Regular monitoring of ground water level and its quality should be carried out within the mine lease area by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out on monthly basis.</p> <p>In order to optimize water requirement, suitable conservation measures to augment ground water resources in the area should be undertaken in consultation with Central Ground Water Board (CGWB).</p> <p>Suitable rainwater harvesting measures on long term basis should be planned and</p>	<p>ground water table. The lowest working depth of our mine pits is at 580 m RL, whereas the presence of ground water table has been estimated to be at 498.30mRL. A detailed hydro-geological study was carried out for the purpose. Ground water level report has been attached as Annexure-2</p> <p>ii.)No natural watercourse or water resources are obstructed due to our mining operations. Further, no first order or the second order streams are emanating. Regular monitoring of th flow rate of the springs and perennial nallas along with water quality monitoring is sent on monthly basis to Regional office, MoEF&CC and SPCB, Odisha as part of CTO compliance. Reports in Annexure-16</p> <p>iii.) Ground water quality and Ground water level are being monitored four times a year pre-monsoon (April- May), monsoon (August), post-monsoon (November) and winter(January). The results are being sent to Regional office, MoEF&CC and SPCB, Odisha half yearly. Latest report of Ground Water Quality and Ground Water Level are shown in Annexure-2.</p> <p>To optimize water requirement, suitable conservation measures to augment ground water resources in the area should be undertaken in consultation with Central Ground Water Board (CGWB).</p> <p>After getting NOC from CGWA for ground water withdrawal vide letter no. 21-4(343)/CGWA/SER/2011-956, dated: 27.07.2011, we have submitted Rain Water Harvesting Scheme to CGWB vide letter no. MD/ENV/214/102/2013, dated: 31.05.2013 and same was forwarded to CGWA by CGWB for necessary action vide letter no. 5-22/SER/CGWA/2013-539. We have the current NOC of Rainwater harvesting structures has been constructed at the mine site by the engagement of expertise of M/s. KRG Rainwater Foundation,</p>
--	--	--



	<p>implemented in consultation with CGWB, to recharge the ground water source. Further, CGWB can prepare a comprehensive plan for the whole region.</p> <p>Appropriate mitigation measures (viz. ETP, STP, garland drains, retaining walls, collection of runoff etc.) should be taken to prevent pollution of nearby river/other water bodies. Water quality monitoring study should be conducted by State Pollution Control Board to ensure quality of surface and ground water sources on regular basis. The study can be conducted through NABL/ NABET approved water testing laboratory. However, the report should be vetted by SPCB.</p> <p>Industrial wastewater (workshop and wastewater from the mine) should be properly collected, treated in ETP so as to conform to the discharge standards applicable.</p> <p>viii) Oil and grease trap should be installed before discharge of workshop effluents. Further, sewage treatment plant should be installed for the employees/colony, wherever applicable.</p> <p>Mine lease holder should ensure that no silt originating due to mining activity is transported in the surface water course or any other water body. Appropriate measures for prevention and control of soil erosion and management of silt should be undertaken. Quantity of silt/soil generated should be measured on regular basis for its better utilization.</p> <p>Erosion from dumps site should be protected by providing geo-textile matting</p>	<p>Chennai and is now operational. Photograph of Rain water harvesting pond at JEIM and Joda town is shown in Annexure-2</p> <p>vi) Appropriate mitigation measures (viz. ETP(Canteen Effluent), STP, garland drains, retaining walls, collection of runoff etc.) has been taken care to prevent pollution of nearby river/other water bodies. Water quality monitoring is regularly carried out and report is submitted to SPCB.</p> <p>(vii) All the Industrial wastewater (workshop and wastewater from the mine) is properly collected, treated and again used in the process. Monitoring results are attached in Annexure-16</p> <p>viii) 6 nos. of Sewage treatment plant have been constructed with capacity 10 KLD, 50 KLD and 630 KLD in residential colony. Further two more STP with 150 KLD is constructed for community. Apart from these STPs in residential colony, Soak pits have been provided inside the mining area because STP constructed in not feasible in the hilly topography of the mine. A 10 KLD ETP has been installed in JEIM for treatment of wastewater generated. The oil catchment pit has also been constructed inside mining area. Photographs of the STPs and Oil catchment pit are shown in Annexure-11.</p> <p>(ix) No silt originating due to mining activity is transported in the surface water course or any other water body. Appropriate measures for prevention and control of soil erosion and management of silt has been undertaken. Quantity of silt/soil generated is minimal.</p> <p>(xi) Trenches / garland drain and retaining wall of running meterage of 2663 meters with settling pits, have been constructed all along the OB dumps to prevent run off of water and flow of sediments directly into the natural stream. Additional 915 m is proposed in FY- 20. Adequate number of</p>
--	---	--

Anilav

Sl. No.	EC Conditions	Compliance Status
Name of Project: Joda East Iron Mine of Tata Steel Limited. Clearance Letter No.: J-11015/215/2008-IA.II(M) dated: 29.07.2019. Period of Compliance: April 2021 to September 2021		
	<p>or other suitable material, and thick plantation of native trees and shrubs should be carried out at the dump slopes. Further, dumps should be protected by retaining walls.</p> <p>Trenches / garland drain should be constructed at the foot of dumps to arrest silt from being carried to water bodies. Adequate number of check dams should be constructed across seasonal/perennial nallas (if any) flowing through the mine lease areas and silt be arrested. De-silting at regular intervals should be carried out and quantity should be recorded for its better utilization, after proper soil quality analysis.</p> <p>The water so collected in the reservoir within the mine should be utilized for the sprinkling on hauls roads, green belt development etc.</p> <p>There should be zero waste water discharge from the mine. Based on actual water withdrawal and consumption/ utilization in different activities, water balance diagram should be prepared on monthly basis, and efforts should be made to optimize consumption of water per ton of ore production in successive years.</p> <p>Responsibility: Individual Mine Lease Holders, SPCB and CGWB.</p>	<p>check dams has been constructed across seasonal/perennial nallas. Annexure-8</p> <p>All the water collected in the reservoir within the mine is utilized for the sprinkling on hauls roads, green belt development etc.</p> <p>All the efforts has been already taken care to make zero waste water discharge mine. Based on actual water withdrawal and consumption/ utilization in different activities, water balance diagram is being prepared on monthly basis, and efforts are made to optimize specific water consumption in successive years.</p>



Manager Environment

<p>19.</p>	<p>Land/ Soil/ Overburden Related: Project proponent shall implement the following mitigation measures: (i) The top soil should temporarily be stored at earmarked site(s) only and it should not be kept unutilized for long (not more than 3 years or as per provisions mentioned in the mine plan/ scheme). The topsoil should be used for land reclamation and plantation appropriately. Fodder plots should be developed in the non-mineralised area in lieu of use of grazing land, if any. Over burden/ low grade ore should be stacked at earmarked dump site(s) only and should not be kept active for long period. The dump height should be decided on case to case basis, depending on the size of mine and quantity of waste material generated. However, slope stability study should be conducted for larger heights, as per IBM approved mine plan and DGMS guidelines. The OB dump should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles should be undertaken for stabilization of the dump. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Proper records should be maintained regarding species, their growth, area coverage etc. "(iv) Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from mine operation, soil, OB and mineral dumps. The water so collected can be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly de-silted, particularly after monsoon and should be maintained properly. Appropriate documents should be maintained. Garland drain of appropriate size, gradient and length should be constructed for mine pit, soil, OB and mineral dumps and sump capacity should be designed with appropriate safety margin based on long term rainfall data. Sump capacity should be provided for adequate retention period to allow proper settling of silt</p>	<p>Being Complied With.</p> <p>i.) Since there is no longitudinal mining going on right now, so no top soil generation is going on. Whatever top soil generated before was stacked at earmarked place and has already been used for plantation purpose. ii.) Since the mining is on hill top there is no grazing land. However, the vetiver grass plantation has been done which also stabilizes slopes. The OB and minerals rejects are being dumped as per the approved mining plan and at earmarked dumping area only. The slopes of the OB dumps are terraced and the overall slope is maintained. The inactive dump slopes are vegetated with native species. The compliance status report is regularly sent to the Regional office, MoEF, Bhubaneswar and SPCB, Orissa once in every six months. Photograph of OB dump plantation shown in Annexure-7. Trenches / garland drain and retaining wall of running meterage of 2663 meters with settling pits, have been constructed all along the OB dumps to prevent run off of water and flow of sediments directly into the natural stream. Adequate number of check dams has been constructed across seasonal/perennial nallas. Catch drains, siltation ponds and the garland drains are de-silted at regular intervals Annexure-8. Backfilling of mined out pits is done as per approved mining plan/scheme. There is no OB dumps outside the mine lease area. The backfilled area will be afforested, aiming to restore the normal ground level. Monitoring and management of rehabilitated areas is carried till the vegetation is established and becomes self-generating. Hazardous waste such as, waste oil, lubricants, resin, and coal tar etc. are disposed off as per provisions of Hazardous Waste Management Rules, 2016, as amended from time to time and annual return is submitted as Form 4</p>
------------	---	---



	<p>material. Sedimentation pits should be constructed at the corners of the garland drains and de-silted at regular intervals." Backfilling should be done as per approved mining plan/scheme. There should be no OB dumps outside the mine lease area. The backfilled area should be afforested, aiming to restore the normal ground level. Monitoring and management of rehabilitated areas should continue till the vegetation is established and becomes self-generating.</p> <p>Hazardous waste such as, waste oil, lubricants, resin, and coal tar etc. should be disposed off as per provisions of Hazardous Waste Management Rules, 2016, as amended from time to time.</p> <p>Responsibility: Individual Mine Lease Holder</p>	
20.	<p>Ecology/Biodiversity (Flora-Fauna) Related: Project Proponent shall implement the following mitigation measures. (i) All precautionary measures should be taken during mining operation for conservation and protection of endangered fauna namely elephant, sloth bear etc. spotted in the study area. Action plan for conservation of flora and fauna should be prepared and implemented in consultation with the State Forest and Wildlife Department within the mine lease area, whereas outside the mine lease area, the same should be maintained by State Forest Department. Afforestation is to be done by using local and mixed species saplings within and outside the mining lease area. The reclamation and afforestation is to be done in such a manner like exploring the growth of fruit bearing trees which will attract the fauna and thus maintaining the biodiversity of the area. As afforestation done so far is very less, forest department needs to identify adequate land and do afforestation by involving local people in a time bound manner. Green belt development carried out by mines should be monitored regularly in every season and parameters like area under vegetation/plantation, type of plantation, type of tree species /grass species/scrubs etc., distance between the plants and survival rate should be recorded.</p>	<p>Tata Steel is taking all precautionary measures towards conservation and protection of endangered flora and fauna. We have also deposited a sum of Rs. 1,00,66,395/- with the forest department for implementation of the wildlife management plan in order to protect them within our mine and its periphery. Besides that, the mine had prepared Site Specific Wild Life Conservation Plan and it has been approved by the Principle Chief Conservator of Forests (Wildlife) & Chief Wildlife Warden vide letter no. 3195/1WL-SSP-97/2016, dated: 25.04.2016. Plantation has been in safety zone, waste dump slopes & gaps etc. The density has been maintained at the rate of over 4367 plants per ha. Moreover, vetiver plantation is being carried out over 1 ha with 1,00,000 slips. Plantation over an area of 606.229 ha shall be achieved gradually at the time of post mine closure (Conceptual land use). Photographs of vetiver, safety zone, and dump plantation are shown in Annexure-9. (iii) Green belt development has been carried out in the 7.5 m inside mines is being monitored regularly in every season and parameters like area under vegetation/plantation, type of plantation, type of tree species /grass species/scrubs etc., distance between the plants is being recorded to maintain density and survival rate. Annexure-9. Plantation has been raised in the mining area including a 7.5m wide green belt in the safety zone around the mining lease by planting the native species around OB dump, reclaimed area, mine benches, along the roads with native trees in the mine area has been encouraged for plantation. Tree species having</p>



	<p>Green belt is an important sink of air pollutants including noise. Development of green cover in mining area will not only help reducing air and noise pollution but also will improve the ecological conditions and prevent soil erosion to a greater extent. Further, selection of tree species for green belt should constitute dust removal/dust capturing plants since plants can act as efficient biological filters removing significant amounts of particulate pollution. Thus, the identified native trees in the mine area may be encouraged for plantation. Tree species having small leaf area, dense hair on leaf surface (rough surface), deep channels on leaves should be included for plantation. Vetiver plantation on inactive dumps may be encouraged as the grass species has high strength of anchoring besides medicinal value. Details of compensatory afforestation done should be recorded and documented by respective forest divisions, and State Forest Department should present mine-wise annual status, along with expenditure details. Responsibility: Individual Mine Lease Holders and State Forest & Wildlife department.</p>	<p>small leaf area, dense hair on leaf surface (rough surface), deep channels on leaves has been included for plantation. Vetiver plantation on inactive dumps has been encouraged as the grass species has high strength of anchoring besides medicinal value. vetiver plantation is being carried out over 1 ha with 1,00,000 slips. At present, mining operation is restricted within 567.087 ha of forest area for which due approval for diversion has already been obtained. Compensatory afforestation and avenue plantation has been raised with recorded and documented details has been submitted to MOEF&CC.</p>
21	<p>Socio-Economic Related: Project Proponent shall implement the following mitigation measures: Public interaction should be done on regular basis and social welfare activities should be done to meet the requirements of the local communities. Further, basic amenities and infrastructure facilities like education, medical, roads, safe drinking water, sanitation, employment, skill development, training institute etc. should be developed to alleviate the quality of life of the people of the region. Land outeetes and land losers/affected people, if any, should be compensated and rehabilitated as per the national/state policy on Resettlement and Rehabilitation. The socio-economic development in the region should be focused and aligned with the guidelines/initiatives of Govt. of India/ NITI Aayog / Hon'ble Prime Minister's Vision centring around prosperity, equality,</p>	<p>Being Complied With. Public interaction is being done on regular basis and social welfare activities is done to meet the requirements of the local communities. Further, basic amenities and infrastructure facilities like education, medical, roads, safe drinking water, sanitation, employment, skill development, training institute etc. has been developed to alleviate the quality of life of the people of the region with CSR activities. Mining has been going on since a very long time hence there are no land outeetes and land losers. The socio-economic development in the region has been focused and aligned with the guidelines/initiatives of Govt. of India/ NITI Aayog / Hon'ble Prime Minister's Vision centring around prosperity, equality, justice, cleanliness, transparency, employment, respect to women, hope etc. This is being achieved by providing adequate and quality facilities for education, medical and developing</p>



	<p>justice, cleanliness, transparency, employment, respect to women, hope etc. This can be achieved by providing adequate and quality facilities for education, medical and developing skills in the people of the region. District administration in association with mine lease holders should plan for “Samagra Vikas” of these blocks well as other blocks of the district. While planning for different schemes in the region, the activities should be prioritized as per Pradhan Mantri Khanij Kshetra Kalyan Yojna (PMKKKY). Notified by Ministry of Mines, Govt. of India, vide letter no. 16/7/2017- M.VI part dated September 16, 2015.</p> <p>Responsibility: District Administration and Individual Mine lease holder</p>	<p>skills in the people of the region by TSRDS wing of Tata Steel. Activities are prioritized as per Pradhan Mantri Khanij Kshetra Kalyan Yojna (PMKKKY). Notified by Ministry of Mines, Govt. of India, vide letter no. 16/7/2017- M.VI part dated September 16, 2015.</p>
22.	<p>Road Transport Related: Project Proponent shall implement the following mitigation measures:</p> <p>(i) All the mine lease holders should follow the suggested ore transport mode (SOTM), based on its EC capacity within next 5 years.</p> <p>(ii) The mine lease holders should ensure construction of cement road of appropriate width from and to the entry and exit gate of the mine, as suggested in Chapter 10. Further, maintenance of all the roads should be carried out as per the requirement to ensure dust free road transport.</p> <p>(iii) Transportation of ore should be done by covering the trucks with tarpaulin or other suitable mechanism so that no spillage of ore/dust takes place. Further, air quality in terms of dust, PM10 should be monitored near the roads towards entry & exit gate on regular basis, and be maintained within the acceptable limits.</p> <p>Responsibility: Individual Mine Lease Holders and Department of Steel and Mines.</p>	<p>Complied.</p> <p>(i) SOTM 1 is 100% being followed as the entire dispatch of iron ore is through rail.</p> <p>(ii) Black top road has been constructed appropriate width from and to the entry and exit gate of the mine.</p> <p>(iii) Not applicable as the entire dispatch is through the rails only.</p>
23.	<p>Occupational Health Related: Project Proponent shall implement the following mitigation measures</p> <p>Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects periodically.</p>	<p>Being Complied With.</p> <p>Adequate dust masks are provided to employees engaged in dusty areas. It is also ensured that they use the same. The employees are also given regular awareness training on safety and health aspects as part of implementation process of ISO-45001 systems. Further, employees undergo Lung Function Tests</p>



<p>Occupational health surveillance program for all the employees/workers (including casual workers) should be undertaken periodically (on annual basis) to observe any changes due to exposure to dust, and corrective measures should be taken immediately, if needed. Occupational health and safety measures related awareness programs including identification of work-related health hazard, training on malaria eradication, HIV and health effects on exposure to mineral dust etc., should be carried out for all the workers on regular basis. A full-time qualified doctor should be engaged for the purpose. Periodic monitoring (on 6 monthly basis) for exposure to respirable minerals dust on the workers should be conducted, and record should be maintained including health record of all the workers. Review of impact of various health measures undertaken (at an interval of 3 years or less) should be conducted followed by follow-up of actions, wherever required. Occupational health centre should be established near mine site itself. Responsibility: Individual Mine Lease Holders and District Administration (District Medical Officer).</p>	<p>during the Periodical Medical Examination. Periodical Medical Examination of employees and contractor workers are organized regularly to observe any contractions due to exposure to dust and other occupational hazards. (iii) Pre-placement medical examination and periodical examination of the workers engaged are being conducted & record maintained. The schedule of Periodical Medical Examination is once in every 3 years for the employees of age more than 40 years and once in 5 years for the employees of age less than 40 years. The concentration of Respirable dust at different locations is monitored. The employees are also given regular awareness training on safety and health aspects as part of implementation process of ISO- 45001 systems.</p>
---	--



TATA STEEL



ENVIRONMENTAL POLICY

Tata Steel's environmental responsibilities are driven by our commitment to preserve the environment and are integral to the way we do business.

1. We are committed to deal proactively with Climate Change issue by efficient use of natural resources & energy; reducing and preventing pollution; promoting waste avoidance and recycling measures; and product stewardship.
 - We shall identify, assess and manage our environment impact.
 - We shall regularly monitor, review and report publicly our environmental performance.
 - We shall develop & rehabilitate abandoned sites through afforestation and landscaping and shall protect and preserve the biodiversity in the areas of our operations.
 - We shall enhance awareness, skill and competence of our employees and contractors so as to enable them to demonstrate their involvement, responsibility and accountability for sound environmental performance.
2. We are committed to continual improvement in our environmental performance.
 - We shall set objective-targets, develop, implement and maintain management standards and systems, and go beyond compliance of the relevant industry standards, legal and other requirements.
3. We will truly succeed when we sustain our environmental achievement and are valued by the communities in which we work.

Date : 1st October 2009


H M Nerurkar
Managing Director

TATA STEEL





ANNEXURE – 2

Ground Water level details for Joda East Iron Mine, TATA Steel Ltd.

EC condition no. (xx), vide no. J-11015/215/2008-IA.II (M) dated 11th March, 2013.

(xi) Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and installing new piezometers during the mining operation. The periodic monitoring (at least four times in a year - pre-monsoon (April- May), monsoon (August), post – monsoon (November) and winter (January); once in each season) shall be carried out in consultation with the State Ground Water Board/Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forests and its Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the ground water table is getting depleted due to mining activity, necessary corrective measures shall be carried out.

Joda East Iron Mine of M/s Tata Steel Limited is an operational opencast captive iron mine. Regular monitoring of ground water level in and around the mine lease of existing well is regularly been done in desired frequency. The detailed quality report is attached herewith. The Joda East Iron Mine has received NOC from CGWA for ground water withdrawal of 460m³/day recently vide no. CGWA/NOC/MIN/REN/1/2021/6428, valid up to 09/10/2022. As per recent hydro-geological study & regulatory approval, few additional locations are also incorporated along with proposed piezometers in the area. Monitored water level for of area for the month of April 2021 and July 2021 are as follows:

Sl. No.	LOCATION	MONTH	
		April 2021	July 2021
Existing Dug Well Locations:			
1.	Kamar Joda, Joda	3 m 43 cm	3 m 26 cm
2.	Baneikala, Near NAC GATE	3 m 50 cm	3 m 31 cm
3.	Kamar Joda in Rugudi Sahi	7 m 65 cm	7 m 51 cm
4.	Ramjan Hutting, Joda	1 m 67 cm	1 m 35 cm
5.	Khuntpani, near School, Joda	2 m 76 cm	2 m 61 cm
Newly Constructed Piezometer Locations			
6	Chief Office, Joda East Iron Mine	17 m 86 cm	17 m 41 cm
7	RC Gate, Joda East Iron Mine	13 m 43 cm	13 m 02 cm
8	Near Manmora Dump, Joda East Iron Mine	11 m 54 cm	11 m 13 cm
9	Near Rainwater Harvesting Pond, Joda East Iron Mine	01 m 44 cm	01m 12 cm
10	RMP Office, Joda	3 m 14 cm	2 m 08 cm

Manager Environment

Photographs of Piezometer installed at various locations
at
Joda East Iron Mine, Tata Steel Ltd.



Anil Kumar

Manager Environment

*Rain Water Harvesting Structure Developed
Joda East Iron Mine, Tata Steel Ltd*



S. Singh

Manager Environment

Ground water Quality



TC - 5458



ANACON LABORATORIES PVT. LTD.

- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Accredited By Quality Council of India by - NABET and NABL
- Approved by : Food Safety & Standards Authority of India under FSS Act
- Agricultural & Processed Food Products Export Development Authority (APEDA);
- Bureau of India Standards (BIS) • Export inspection council (EIC); AGMARK.

TEST REPORT

Test Report No. : ALPL/26052021/3		dated 26/05/2021		Page 1 of 3	
Issued To : M/s Joda East Iron Mines (M/s TATA Steel Limited)		Sample Inward No. 2021/MON-54/60-1		Analysis Start 20/05/2021	
		Inward Date 19/05/2021		Analysis End 26/05/2021	
		Reference W.O.- 3000132460/962		Sample Category Water	
		Reference Date 15 05 2020			
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-1	Sample Condition Sealed & Ice Preserved	Quantity Received 2.0 Ltr & 250 ml	
Sample Collected By Anacon Representative Mr. Siddhartha Patra		Sampling Date 15/05/2021	Sampling Time 10.30 am to 5.30 pm	Sampling Location Komar Joda Village (Nr. Road Side)	

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit #	
I Biological Testing 1.Water						
1	<i>Escherichia coli</i>	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent
II Chemical Testing 1.Water						
2	pH value	-	IS 3025 (Part 11) : 1983	6.5 to 8.5	No relaxation	7.49 at 25°C
3	Turbidity	NTU	IS 3025 (Part 10) : 1984	1	5	0.8
4	Colour	Hazen units	IS 3025 (Part 4) : 1983	5	15	1
5	Odour	-	IS 3025 (Part 5) : 2018	Agreeable	Agreeable	Agreeable
6	Taste	-	IS 3025 (Part 8) : 1984	Agreeable	Agreeable	Agreeable
7	Free residual chlorine	mg/l	IS 3025 (Part 26) : 1986	Min. 0.2	1	BDL(DL-0.1)
8	Total dissolved solids	mg/l	IS 3025 (Part 16) : 1984	500	2000	256
9	Fluoride (as F)	mg/l	IS 3025 (Part 60) : 2008	1.0	1.5	BDL(DL-0.1)
10	Cyanide (as CN)	mg/l	IS 3025 (Part 27) : 1986	0.05	No relaxation	BDL(DL-0.005)
11	Chloride (as Cl)	mg/l	IS 3025 (Part 32) : 1988	250	1000	46.62
12	Total Alkalinity (as CaCO ₃)	mg/l	IS 3025 (Part 23) : 1986	200	600	142
13	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21) : 2009	200	600	149.76
14	Calcium (as Ca)	mg/l	IS 3025 (Part 40) : 1991	75	200	40.70
15	Magnesium (as Mg)	mg/l	IS 3025 (Part 46) : 1994	30	100	11.69
16	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	200	400	12.69
17	Nitrate (as NO ₃)	mg/l	APHA Method 23 rd Edition	45	No relaxation	6.19
18	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	IS 3025 (Part 43) : 1992	0.001	0.002	BDL(DL-0.001)
19	Anionic detergents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL(DL-0.01)


NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • "mg/l" is equivalent to "ppm". • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as "absent".

Verified By


Swati Shrivastava
Technical Manager


Authorized Signatories.


Pooja Kathane
Technical Manager


Dr. (Mrs.) S.D. Garway
Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.
Email : support@anacon.in;
Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.
We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.
In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





TEST REPORT



- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Accredited By Quality Council of India by - NABET and NABL
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Agricultural & Processed Food Products Export Development Authority (APEDA);
- Bureau of India Standards (BIS) • Export inspection council (EIC); AGMARK.

Test Report No. : ALPL/26052021/3 dated 26/05/2021 Page 2 of 3

Issued To : M/s Joda East Iron Mines (M/s TATA Steel Limited)		Sample Inward No. 2021/MON-54/60-1 Inward Date 19/05/2021 Reference W.O.- 3000132460/962 Reference Date 15.05.2020	Analysis Start 20/05/2021 Analysis End 26/05/2021 Sample Category Water
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-1	Sample Condition Sealed & Ice Preserved
Sample Collected By Anacon Representative Mr. Siddhartha Patra		Sampling Date 15/05/2021	Sampling Time 10.30 am to 5.30 pm
		Quantity Received 2.0 Ltr & 250 ml	
		Sampling Location Komar Joda Village (Nr. Road Side)	

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit #	
II	Chemical Testing					
	2. Residues In Water					
20	Iron (as Fe)	mg/l	IS 3025 (Part 2) : 2019	1.0	No relaxation	0.21
21	Copper (as Cu)	mg/l	IS 3025 (Part 2) : 2019	0.05	1.5	BDL(DL-0.03)
22	Manganese (as Mn)	mg/l	IS 3025 (Part 2) : 2019	0.1	0.3	BDL(DL-0.05)
23	Mercury (as Hg)	mg/l	IS : 3025 (Part 48) : 1994	0.001	No relaxation	BDL(DL-0.0005)
24	Cadmium (as Cd)	mg/l	IS : 3025 (Part 41) : 1992	0.003	No relaxation	BDL(DL-0.001)
25	Selenium (as Se)	mg/l	IS : 3025 (Part 56) : 2003	0.01	No relaxation	BDL(DL-0.001)
26	Arsenic (as As)	mg/l	IS : 3025 (Part 37) : 1988	0.01	No relaxation	BDL(DL-0.01)
27	Aluminium (as Al)	mg/l	IS 15302 : 2003	0.03	0.2	BDL(DL-0.01)
28	Lead (as Pb)	mg/l	IS 3025 (Part 47) : 2003	0.01	No relaxation	BDL(DL-0.001)
29	Zinc (as Zn)	mg/l	IS 3025 (Part 2) : 2019	5	15	BDL(DL-0.1)
30	Total Chromium (as Cr)	mg/l	IS 3025 (Part 2) : 2019	0.05	No relaxation	BDL(DL-0.03)
31	Boron (as B)	mg/l	IS 3025 (Part 2) : 2019	0.5	2.4	BDL(DL-0.1)
32	Polynuclear aromatic hydrocarbon (PAH)	µg/l	ANqr RES-30	0.1	No relaxation	BDL(DL-0.03)
33	Mineral Oil	mg/l	ANqr RES-40	0.5	No relaxation	BDL(DL-0.001)

NOTES: ● Please see watermark "Original Test Report" to confirm the authenticity of this report. ● Results shall be referred to tested sample(s) and applicable to tested parameters only. ● Test report shall not be reproduced except in full without prior written approval of Anacon Labs. ● Liability of Anacon Labs is limited to invoiced amount only. ● Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. ● 'mg/l' is equivalent to 'ppm'. ● BDL- Below detection limit ● DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. ● ANqr RES-30 & 40 : Inhouse validated method.

Verified By

Shashikant Satdeve
 Sr. Chemist

Sonali Gharpure
 Technical Manager

Authorized Signatory

Dr. (Mrs.) S.D. Garway
 Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.
 Email : support@anacon.in;
 Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





ANACON LABORATORIES PVT. LTD.

- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Accredited By Quality Council of India by - NABET and NABL
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Agricultural & Processed Food Products Export Development Authority (APEDA);
- Bureau of India Standards (BIS) • Export inspection council (EIC); AGMARK.

TEST REPORT

Test Report No. : ALPL/26052021/3		dated 26/05/2021		Page 3 of 3
Issued To : M/s Joda East Iron Mines (M/s TATA Steel Limited)		Sample Inward No. 2021/MON-54/60-1	Analysis Start 20/05/2021	
		Inward Date 19/05/2021	Analysis End 26/05/2021	
		Reference W.O.- 3000132460/962	Sample Category Water	
		Reference Date 15.05.2020		
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-1	Sample Condition Scald & Ice Preserved	Quantity Received 2.0 Ltr & 250 ml
Sample Collected By Anacon Representative Mr. Siddhartha Patra		Sampling Date 15/05/2021	Sampling Time 10.30 am to 5.30 pm	Sampling Location Komar Joda Village (Nr. Road Side)

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit [#]	
II	Chemical Testing					
	2. Residues In Water					
34	Pesticide Residues					
i	Alpha-HCH	µg/l	ANqr RES-28	0.01	No relaxation	BDL(DL-0.01)
ii	Beta HCH	µg/l	ANqr RES-28	0.04	No relaxation	BDL(DL-0.03)
iii	Delta- HCH	µg/l	ANqr RES-28	0.04	No relaxation	BDL(DL-0.03)
iv	Alachlor	µg/l	ANqr RES-28	20	No relaxation	BDL(DL-0.03)
v	Aldrin / Dieldrin	µg/l	ANqr RES-28	0.03	No relaxation	BDL(DL-0.03)
vi	Atrazine	µg/l	ANqr RES-29	2	No relaxation	BDL(DL-0.03)
vii	Butachlor	µg/l	ANqr RES-29	125	No relaxation	BDL(DL-0.03)
viii	Chlorpyrifos	µg/l	ANqr RES-28	30	No relaxation	BDL(DL-0.03)
ix	DDT (p,p'-DDE, o,p'-DDE, p,p'-DDD, o,p'-DDD o,p'- DDT, p,p'- DDT)	µg/l	ANqr RES-28	1	No relaxation	BDL(DL-0.03)
x	Gamma - HCH (Lindane)	µg/l	ANqr RES-28	2	No relaxation	BDL(DL-0.03)
xi	2,4-Dichlorophenoxyacetic acid	µg/l	ANqr RES-29	30	No relaxation	BDL(DL-0.03)
xii	Endosulphan	µg/l	ANqr RES-28	0.4	No relaxation	BDL(DL-0.03)
xiii	Ethion	µg/l	ANqr RES-29	3	No relaxation	BDL(DL-0.03)
xiv	Isoproturon	µg/l	ANqr RES-29	9	No relaxation	BDL(DL-0.03)
xv	Malathion	µg/l	ANqr RES-29	190	No relaxation	BDL(DL-0.03)
xvi	Methyl Parathion	µg/l	ANqr RES-29	0.3	No relaxation	BDL(DL-0.03)
xvii	Monocrotophos	µg/l	ANqr RES-29	1	No relaxation	BDL(DL-0.03)
xviii	Phorate	µg/l	ANqr RES-29	2	No relaxation	BDL(DL-0.03)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANqr RES-28, 29, 30 & 40 : Inhouse validated method.

REMARKS : As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

Verified By

Sonali Gharpure
Technical Manager

Authorized Signatory

Dr. (Mrs.) S.D. Garway
Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.

Email : support@anacon.in;

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.

In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.



TEST REPORT



- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Accredited By Quality Council of India by - NABET and NABL
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Agricultural & Processed Food Products Export Development Authority (APEDA);
- Bureau of India Standards (BIS) • Export inspection council (EIC); AGMARK.

Test Report No. : ALPL/26052021/4		dated 26/05/2021		Page 1 of 3	
Issued To : M/s Joda East Iron Mines (M/s IATA Steel Limited)		Sample Inward No. 2021/MON-54/60-2 Inward Date 19/05/2021 Reference W.O.- 3000132460/962 Reference Date 15.05.2020		Analysis Start 20/05/2021 Analysis End 26/05/2021 Sample Category Water	
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-2	Sample Condition Sealed & Ice Preserved	Quantity Received 2.0 Ltr & 250 ml	
Sample Collected By Anacon Representative Mr. Siddhartha Patra		Sampling Date 15/05/2021	Sampling Time 10.30 am to 5.30 pm	Sampling Location Banaikala Village (Gov.)	

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit #	
I Biological Testing 1.Water						
1	Escherichia coli	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent
II Chemical Testing 1.Water						
2	pH value	-	IS 3025 (Part 11) : 1983	6.5 to 8.5	No relaxation	7.28 at 25°C
3	Turbidity	NTU	IS 3025 (Part 10) : 1984	1	5	0.4
4	Colour	Hazen units	IS 3025 (Part 4) : 1983	5	15	1
5	Odour	-	IS 3025 (Part 5) : 2018	Agreeable	Agreeable	Agreeable
6	Taste	-	IS 3025 (Part 8) : 1984	Agreeable	Agreeable	Agreeable
7	Free residual chlorine	mg/l	IS 3025 (Part 26) : 1986	Min. 0.2	1	BDL(DL 0.1)
8	Total dissolved solids	mg/l	IS 3025 (Part 16) : 1984	500	2000	210
9	Fluoride (as F)	mg/l	IS 3025 (Part 60) : 2008	1.0	1.5	BDL(DL-0.1)
10	Cyanide (as CN)	mg/l	IS 3025 (Part 27) : 1986	0.05	No relaxation	BDL(DL-0.005)
11	Chloride (as Cl)	mg/l	IS 3025 (Part 32) : 1988	250	1000	34.97
12	Total Alkalinity (as CaCO ₃)	mg/l	IS 3025 (Part 23) : 1986	200	600	128
13	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21) : 2009	200	600	130.56
14	Calcium (as Ca)	mg/l	IS 3025 (Part 40) : 1991	75	200	39.94
15	Magnesium (as Mg)	mg/l	IS 3025 (Part 46) : 1994	30	100	7.48
16	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	200	400	14.51
17	Nitrate (as NO ₃)	mg/l	APHA Method 23 rd Edition	45	No relaxation	11.68
18	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	IS 3025 (Part 43) : 1992	0.001	0.002	BDL(DL-0.001)
19	Anionic detergents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL(DL-0.01)

NOTES: ● Please see watermark "Original Test Report" to confirm the authenticity of this report. ● Results shall be referred to tested sample(s) and applicable to tested parameters only. ● Test report shall not be reproduced except in full without prior written approval of Anacon Labs. ● Liability of Anacon Labs is limited to invoiced amount only. ● Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. ● "mg/l" is equivalent to "ppm". ● Result for test no. 7 is not relevant. ● BDL- Below detection limit ● DL- Indicates detection limit of instrument/method and shall be considered as 'absent'.

Verified By

Swati Shrivastava
Swati Shrivastava
Technical Manager

Authorized Signatories

Pooja Kathane
Pooja Kathane
Technical Manager

Dr. (Mrs.) S.D. Garway
Dr. (Mrs.) S.D. Garway
Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.
Email : support@anacon.in;
Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.
We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.
In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.



TC - 5458



- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Accredited By Quality Council of India by - NABET and NABL
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Agricultural & Processed Food Products Export Development Authority (APEDA);
- Bureau of India Standards (BIS) • Export inspection council (EIC); AGMARK.

TEST REPORT


Test Report No. : ALPL/26052021/4		dated 26/05/2021		Page 2 of 3
Issued To : M/s Joda East Iron Mines (M/s TATA Steel Limited)		Sample Inward No. 2021/MON-54/60-2 Inward Date 19/05/2021 Reference W.O.- 3000132460/962 Reference Date 15.05.2020	Analysis Start 20/05/2021 Analysis End 26/05/2021 Sample Category Water	
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-2	Sample Condition Sealed & Ice Preserved	Quantity Received 2.0 Ltr & 250 ml
Sample Collected By Anacon Representative Mr. Siddhartha Patra		Sampling Date 15/05/2021	Sampling Time 10.30 am to 5.30 pm	Sampling Location Banalkala Village (Gov.)

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit #	
II	Chemical Testing 2. Residues In Water					
20	Iron (as Fe)	mg/l	IS 3025 (Part 2) : 2019	1.0	No relaxation	0.16
21	Copper (as Cu)	mg/l	IS 3025 (Part 2) : 2019	0.05	1.5	BDL(DL-0.03)
22	Manganese (as Mn)	mg/l	IS 3025 (Part 2) : 2019	0.1	0.3	BDL(DL-0.05)
23	Mercury (as Hg)	mg/l	IS : 3025 (Part 48) : 1994	0.001	No relaxation	BDL(DL-0.0005)
24	Cadmium (as Cd)	mg/l	IS : 3025 (Part 41) : 1992	0.003	No relaxation	BDL(DL-0.001)
25	Selenium (as Se)	mg/l	IS : 3025 (Part 56) : 2003	0.01	No relaxation	BDL(DL-0.001)
26	Arsenic (as As)	mg/l	IS : 3025 (Part 37) : 1988	0.01	No relaxation	BDL(DL-0.01)
27	Aluminium (as Al)	mg/l	IS 15302 : 2003	0.03	0.2	BDL(DL-0.01)
28	Lead (as Pb)	mg/l	IS 3025 (Part 47) : 2003	0.01	No relaxation	BDL(DL-0.001)
29	Zinc (as Zn)	mg/l	IS 3025 (Part 2) : 2019	5	15	BDL(DL-0.1)
30	Total Chromium (as Cr)	mg/l	IS 3025 (Part 2) : 2019	0.05	No relaxation	BDL(DL-0.03)
31	Boron (as B)	mg/l	IS 3025 (Part 2) : 2019	0.5	2.4	BDL(DL-0.1)
32	Polynuclear aromatic hydrocarbon (PAH)	µg/l	ANqr RES-30	0.1	No relaxation	BDL(DL-0.03)
33	Mineral Oil	mg/l	ANqr RES-40	0.5	No relaxation	BDL(DL-0.001)


NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • "mg/l" is equivalent to "ppm". • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANqr RES-30 & 40 : Inhouse validated method.

Verified By


Shashikant Satdeve
Sr. Chemist


Sonali Gharpure
Technical Manager

Authorized Signatory


Dr. (Mrs.) S.D. Garway
Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.

Email : support@anacon.in;

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.

In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





TC - 5458



ANACON LABORATORIES PVT. LTD.

- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Accredited By Quality Council of India by - NABET and NABL
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Agricultural & Processed Food Products Export Development Authority (APEDA);
- Bureau of India Standards (BIS) • Export inspection council (EIC); AGMARK.

TEST REPORT

Test Report No. : ALPL/26052021/4

dated 26/05/2021

Page 3 of 3

Issued To : M/s Joda East Iron Mines (M/s TATA Steel Limited)		Sample Inward No. 2021/MON-54/60-2	Analysis Start 20/05/2021
		Inward Date 19/05/2021	Analysis End 26/05/2021
		Reference W.O.- 3000132460/962	Sample Category Water
		Reference Date 15.05.2020	
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-2	Sample Condition Sealed & Ice Preserved
			Quantity Received 2.0 Ltr & 250 ml
Sample Collected By Anacon Representative Mr. Siddhartha Patra		Sampling Date 15/05/2021	Sampling Time 10.30 am to 5.30 pm
			Sampling Location Banaikala Village (Gov.)

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit #	
II	Chemical Testing					
	2. Residues In Water					
34	Pesticide Residues					
i	Alpha-HCH	µg/l	ANqr RES-28	0.01	No relaxation	BDL(DL-0.01)
ii	Beta HCH	µg/l	ANqr RES-28	0.04	No relaxation	BDL(DL-0.03)
iii	Delta- HCH	µg/l	ANqr RES-28	0.04	No relaxation	BDL(DL-0.03)
iv	Alachlor	µg/l	ANqr RES-28	20	No relaxation	BDL(DL-0.03)
v	Aldrin / Dieldrin	µg/l	ANqr RES-28	0.03	No relaxation	BDL(DL-0.03)
vi	Atrazine	µg/l	ANqr RES-29	2	No relaxation	BDL(DL-0.03)
vii	Butachlor	µg/l	ANqr RES-29	125	No relaxation	BDL(DL-0.03)
viii	Chlorpyrifos	µg/l	ANqr RES-28	30	No relaxation	BDL(DL-0.03)
ix	DDT (p,p'-DDE, o,p'-DDE, p,p'-DDD, o,p' DDD o,p' DDT, p,p' DDT)	µg/l	ANqr RES-28	1	No relaxation	BDL(DL-0.03)
x	Gamma - HCH (Lindane)	µg/l	ANqr RES-28	2	No relaxation	BDL(DL-0.03)
xi	2,4-Dichlorophenoxyacetic acid	µg/l	ANqr RES-29	30	No relaxation	BDL(DL-0.03)
xii	Endosulphan	µg/l	ANqr RES-28	0.4	No relaxation	BDL(DL-0.03)
xiii	Ethion	µg/l	ANqr RES-29	3	No relaxation	BDL(DL-0.03)
xiv	Isoproturon	µg/l	ANqr RES-29	9	No relaxation	BDL(DL-0.03)
xv	Malathion	µg/l	ANqr RES-29	190	No relaxation	BDL(DL-0.03)
xvi	Methyl Parathion	µg/l	ANqr RES-29	0.3	No relaxation	BDL(DL-0.03)
xvii	Monocrotophos	µg/l	ANqr RES-29	1	No relaxation	BDL(DL-0.03)
xviii	Phorate	µg/l	ANqr RES-29	2	No relaxation	BDL(DL-0.03)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANqr RES-28, 29, 30 & 40 : Inhouse validated method.

REMARKS: As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

Verified By

Sonali Gharpure
Technical Manager

Authorized Signatory

Dr. (Mrs.) S.D. Garway
Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.


Email : support@anacon.in;

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.

In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





TC - 5458



ANACON LABORATORIES PVT. LTD.

- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Accredited By Quality Council of India by - NABET and NABL
- Approved by - Food Safety & Standards Authority of India under FSS Act;
- Agricultural & Processed Food Products Export Development Authority (APEDA);
- Bureau of India Standards (BIS) • Export Inspection Council (EIC); AGMARK.

TEST REPORT

Test Report No. : ALPL/31082021/1-3

dated 31/08/2021

Page 1 of 3

Issued To : M/s Joda East Iron Mines (M/s TATA Steel Limited)		Sample Inward No. 2021/MON-100/60-GW-1	Analysis Start 23/08/2021
		Inward Date 20/08/2021	Analysis End 28/08/2021
		Reference W.O.- 3000132460/962	Report Issue Date 31/08/2021
		Reference Date 15.05.2020	Sample Category Water
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-1	Sample Condition Sealed & Ice Preserved
			Quantity Received 2.0 Ltr & 250 ml
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 16/08/2021	Sampling Time 10.30 am to 5.45 pm
			Sampling Location Kornar Joda Village (Nr. Road Side)

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit ^a	
I	Biological Testing 1.Water					
1	<i>Escherichia coli</i>	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent
II	Chemical Testing 1.Water					
2	pH value	-	IS 3025 (Part 11) : 1983	6.5 to 8.5	No relaxation	7.41 at 25°C
3	Turbidity	NTU	IS 3025 (Part 10) : 1984	1	5	0.6
4	Colour	Hazen units	IS 3025 (Part 4) : 1983	5	15	1
5	Odour	-	IS 3025 (Part 5) : 2018	Agreeable	Agreeable	Agreeable
6	Taste	-	IS 3025 (Part 8) : 1984	Agreeable	Agreeable	Agreeable
7	Free residual chlorine	mg/l	IS 3025 (Part 26) : 1986	Min. 0.2	1	BDL(DL-0.1)
8	Total dissolved solids	mg/l	IS 3025 (Part 16) : 1984	500	2000	252
9	Fluoride (as F)	mg/l	IS 3025 (Part 60) : 2008	1.0	1.5	BDL(DL-0.1)
10	Cyanide (as CN)	mg/l	IS 3025 (Part 27) : 1986	0.05	No relaxation	BDL(DL-0.005)
11	Chloride (as Cl)	mg/l	IS 3025 (Part 32) : 1988	250	1000	47.38
12	Total Alkalinity (as CaCO ₃)	mg/l	IS 3025 (Part 23) : 1986	200	600	144
13	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21) : 2009	200	600	153
14	Calcium (as Ca)	mg/l	IS 3025 (Part 40) : 1991	75	200	41.04
15	Magnesium (as Mg)	mg/l	IS 3025 (Part 46) : 1994	30	100	12.27
16	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	200	400	13.48
17	Nitrate (as NO ₃)	mg/l	APHA Method 23 rd Edition	45	No relaxation	8.11
18	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	IS 3025 (Part 43) : 1992	0.001	0.002	BDL(DL-0.001)
19	Anionic detergents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL(DL-0.01)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • "mg/l" is equivalent to "ppm". • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'.

Verified By

Roshani Thakur
Roshani Thakur
Sr. Chemist

Authorized Signatories

Pooja Khatane
Pooja Khatane
Technical Manager

Dr. (Mrs.) S.D. Garway
Dr. (Mrs.) S.D. Garway
Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.

Email : support@anacon.in;

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.

In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.

Mane



- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Accredited By Quality Council of India by - NABET and NABL
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Agricultural & Processed Food Products Export Development Authority (APEDA);
- Bureau of India Standards (BIS) • Export inspection council (EIC); AGMARK.

TEST REPORT

Test Report No. : ALPL/31082021/1-3

dated 31/08/2021

Page 2 of 3

Issued To : M/s Joda East Iron Mines (M/s TATA Steel Limited)		Sample Inward No. 2021/MON-100/60-GW-1	Analysis Start 23/08/2021
		Inward Date 20/08/2021	Analysis End 28/08/2021
		Reference W.O.- 3000132460/962	Report Issue Date 31/08/2021
		Reference Date 15.05.2020	Sample Category Water
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-1	Sample Condition Sealed & Ice Preserved
			Quantity Received 2.0 Ltr & 250 ml
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 16/08/2021	Sampling Time 10.30 am to 5.45 pm
			Sampling Location Komar Joda Village (Nr. Road Side)

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit [#]	
II	Chemical Testing 2. Residues In Water					
20	Iron (as Fe)	mg/l	IS 3025 (Part 2) : 2019	1.0	No relaxation	0.17
21	Copper (as Cu)	mg/l	IS 3025 (Part 2) : 2019	0.05	1.5	BDL(DL-0.03)
22	Manganese (as Mn)	mg/l	IS 3025 (Part 2) : 2019	0.1	0.3	BDL(DL-0.05)
23	Mercury (as Hg)	mg/l	IS : 3025 (Part 48) : 1994	0.001	No relaxation	BDL(DL-0.0005)
24	Cadmium (as Cd)	mg/l	IS : 3025 (Part 41) : 1992	0.003	No relaxation	BDL(DL-0.001)
25	Selenium (as Se)	mg/l	IS : 3025 (Part 56) : 2003	0.01	No relaxation	BDL(DL-0.001)
26	Arsenic (as As)	mg/l	IS : 3025 (Part 37) : 1988	0.01	No relaxation	BDL(DL-0.01)
27	Aluminium (as Al)	mg/l	IS 15302 : 2003	0.03	0.2	BDL(DL-0.01)
28	Lead (as Pb)	mg/l	IS 3025 (Part 47) : 2003	0.01	No relaxation	BDL(DL-0.001)
29	Zinc (as Zn)	mg/l	IS 3025 (Part 2) : 2019	5	15	BDL(DL-0.1)
30	Total Chromium (as Cr)	mg/l	IS 3025 (Part 2) : 2019	0.05	No relaxation	BDL(DL-0.03)
31	Boron (as B)	mg/l	IS 3025 (Part 2) : 2019	0.5	2.4	BDL(DL-0.1)
32	Polynuclear aromatic hydrocarbon (PAH)	µg/l	ANqr RES-30	0.1	No relaxation	BDL(DL-0.03)
33	Mineral Oil	mg/l	ANqr RES-40	0.5	No relaxation	BDL(DL-0.001)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only.
• Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANqr RES-30 & 40 : Inhouse validated method.

Verified By

Shashikant Satdeve
Sr. Chemist

Sonali Gharpure
Technical Manager

Authorized Signatory

Dr. (Mrs.) S.D. Garway
Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.

Email : support@anacon.in;

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.

In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





TC - 5458



ANACON LABORATORIES PVT. LTD.

- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Accredited By Quality Council of India by - NABET and NABL
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Agricultural & Processed Food Products Export Development Authority (APEDA);
- Bureau of India Standards (BIS) • Export inspection council (EIC); AGMARK.

TEST REPORT

Test Report No. : ALPL/31082021/ 1-3

dated 31/08/2021

Page 3 of 3

Issued To : M/s Joda East Iron Mines (M/s TATA Steel Limited)		Sample Inward No. 2021/MON-100/60-GW-1	Analysis Start 23/08/2021
		Inward Date 20/08/2021	Analysis End 28/08/2021
		Reference W.O.- 3000132460/962	Report Issue Date 31/08/2021
		Reference Date 15.05.2020	Sample Category Water
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-1	Sample Condition Sealed & Ice Preserved
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 16/08/2021	Sampling Time 10.30 am to 5.45 pm
		Quantity Received 2.0 Ltr & 250 ml	
		Sampling Location Komar Joda Village (Nr. Road Side)	

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit "	
II	Chemical Testing					
	2. Residues In Water					
34	Pesticide Residues					
i	Alpha-HCH	µg/l	ANqr RES-28	0.01	No relaxation	BDL(DL-0.01)
ii	Beta HCH	µg/l	ANqr RES-28	0.04	No relaxation	BDL(DL-0.03)
iii	Delta- HCH	µg/l	ANqr RES-28	0.04	No relaxation	BDL(DL-0.03)
iv	Alachlor	µg/l	ANqr RES-28	20	No relaxation	BDL(DL-0.03)
v	Aldrin / Dieldrin	µg/l	ANqr RES-28	0.03	No relaxation	BDL(DL-0.03)
vi	Atrazine	µg/l	ANqr RES-29	2	No relaxation	BDL(DL-0.03)
vii	Butachlor	µg/l	ANqr RES-29	125	No relaxation	BDL(DL-0.03)
viii	Chlorpyrifos	µg/l	ANqr RES-28	30	No relaxation	BDL(DL-0.03)
ix	DDT (p,p'-DDE, o,p'-DDE, p,p'-DDD, o,p'-DDD o,p'- DDT, p,p'- DDT)	µg/l	ANqr RES-28	1	No relaxation	BDL(DL-0.03)
x	Gamma - HCH (Lindane)	µg/l	ANqr RES-28	2	No relaxation	BDL(DL-0.03)
xi	2,4-Dichlorophenoxyacetic acid	µg/l	ANqr RES-29	30	No relaxation	BDL(DL-0.03)
xii	Endosulphan	µg/l	ANqr RES-28	0.4	No relaxation	BDL(DL-0.03)
xiii	Ethion	µg/l	ANqr RES-29	3	No relaxation	BDL(DL-0.03)
xiv	Isoproturon	µg/l	ANqr RES-29	9	No relaxation	BDL(DL-0.03)
xv	Malathion	µg/l	ANqr RES-29	190	No relaxation	BDL(DL-0.03)
xvi	Methyl Parathion	µg/l	ANqr RES-29	0.3	No relaxation	BDL(DL-0.03)
xvii	Monocrotophos	µg/l	ANqr RES-29	1	No relaxation	BDL(DL-0.03)
xviii	Phorate	µg/l	ANqr RES-29	2	No relaxation	BDL(DL-0.03)


NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent' • ANqr RES-28, 29, 30 & 40 : Inhouse validated method.

REMARKS: As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

Verified By


Sonali Gharpure
Technical Manager

Authorized Signatory


Dr. (Mrs.) S.D. Garway
Quality Manager

---End of Report---

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.


Email : support@anacon.in;

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.

In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.



Manag



TC - 5458



ANACON LABORATORIES PVT. LTD.

- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Accredited By Quality Council of India by - NABET and NABL
- Approved by - Food Safety & Standards Authority of India under FSS Act;
- Agricultural & Processed Food Products Export Development Authority (APEDA);
- Bureau of India Standards (BIS) • Export Inspection council (EIC); AGMARK.

TEST REPORT

Test Report No. : ALPL/31082021/1-4

dated 31/08/2021

Page 1 of 3

Issued To : M/s Joda East Iron Mines (M/s TATA Steel Limited)		Sample Inward No. 2021/MON-100/60-GW-2	Analysis Start 23/08/2021
		Inward Date 20/08/2021	Analysis End 28/08/2021
		Reference W.O.- 3000132460/962	Report Issue Date 31/08/2021
		Reference Date 15.05.2020	Sample Category Water
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-2	Sample Condition Sealed & Ice Preserved
			Quantity Received 2.0 Ltr & 250 ml
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 16/08/2021	Sampling Time 10.30 am to 5.45 pm
			Sampling Location Banaikala Village (Gov.)

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit ¹	
I	Biological Testing I.Water					
1	<i>Escherichia coli</i>	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent
II	Chemical Testing I.Water					
2	pH value	-	IS 3025 (Part 11) : 1983	6.5 to 8.5	No relaxation	7.22 at 25°C
3	Turbidity	NTU	IS 3025 (Part 10) : 1984	1	5	0.3
4	Colour	Hazen units	IS 3025 (Part 4) : 1983	5	15	1
5	Odour	-	IS 3025 (Part 5) : 2018	Agreeable	Agreeable	Agreeable
6	Taste	-	IS 3025 (Part 8) : 1984	Agreeable	Agreeable	Agreeable
7	Free residual chlorine	mg/l	IS 3025 (Part 26) : 1986	Min. 0.2	1	BDL(DL-0.1)
8	Total dissolved solids	mg/l	IS 3025 (Part 16) : 1984	500	2000	214
9	Fluoride (as F)	mg/l	IS 3025 (Part 60) : 2008	1.0	1.5	BDL(DL-0.1)
10	Cyanide (as CN)	mg/l	IS 3025 (Part 27) : 1986	0.05	No relaxation	BDL(DL-0.005)
11	Chloride (as Cl)	mg/l	IS 3025 (Part 32) : 1988	250	1000	35.89
12	Total Alkalinity (as CaCO ₃)	mg/l	IS 3025 (Part 23) : 1986	200	600	132
13	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21) : 2009	200	600	127.8
14	Calcium (as Ca)	mg/l	IS 3025 (Part 40) : 1991	75	200	36.72
15	Magnesium (as Mg)	mg/l	IS 3025 (Part 46) : 1994	30	100	8.77
16	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	200	400	15.29
17	Nitrate (as NO ₃)	mg/l	APHA Method 23 rd Edition	45	No relaxation	11.47
18	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	IS 3025 (Part 43) : 1992	0.001	0.002	BDL(DL-0.001)
19	Anionic detergents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL(DL-0.01)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • "mg/l" is equivalent to "ppm". • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'.

Verified By

R. Thakur

Roshani Thakur
Sr. Chemist

Authorized Signatories

Pooja Kulkarni
Pooja Kulkarni
Technical Manager

Dr. Mrs. S.D. Garway
Dr. (Mrs.) S.D. Garway
Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.
Email : support@anacon.in;
Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.



Manag



- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Accredited By Quality Council of India by - NABET and NABL
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Agricultural & Processed Food Products Export Development Authority (APEDA);
- Bureau of India Standards (BIS) • Export inspection council (EIC); AGMARK.

TEST REPORT

Test Report No. : ALPL/31082021/1-4

dated 31/08/2021

Page 2 of 3

Issued To : M/s Joda East Iron Mines (M/s TATA Steel Limited)		Sample Inward No. 2021/MON-100/60-GW-2	Analysis Start 23/08/2021
		Inward Date 20/08/2021	Analysis End 28/08/2021
		Reference W.O.- 3000132460/962	Report Issue Date 31/08/2021
		Reference Date 15.05.2020	Sample Category Water
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-2	Sample Condition Sealed & Ice Preserved
		Quantity Received 2.0 Ltr & 250 ml	
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 16/08/2021	Sampling Time 10.30 am to 5.45 pm
		Sampling Location Banalkala Village (Gov.)	

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit ^a	
II	Chemical Testing					
	2. Residues In Water					
20	Iron (as Fe)	mg/l	IS 3025 (Part 2) : 2019	1.0	No relaxation	0.18
21	Copper (as Cu)	mg/l	IS 3025 (Part 2) : 2019	0.05	1.5	BDL(DL-0.03)
22	Manganese (as Mn)	mg/l	IS 3025 (Part 2) : 2019	0.1	0.3	BDL(DL-0.05)
23	Mercury (as Hg)	mg/l	IS : 3025 (Part 48) : 1994	0.001	No relaxation	BDL(DL-0.0005)
24	Cadmium (as Cd)	mg/l	IS : 3025 (Part 41) : 1992	0.003	No relaxation	BDL(DL-0.001)
25	Selenium (as Se)	mg/l	IS : 3025 (Part 56) : 2003	0.01	No relaxation	BDL(DL-0.001)
26	Arsenic (as As)	mg/l	IS : 3025 (Part 37) : 1988	0.01	No relaxation	BDL(DL-0.01)
27	Aluminium (as Al)	mg/l	IS 15302 : 2003	0.03	0.2	BDL(DL-0.01)
28	Lead (as Pb)	mg/l	IS 3025 (Part 47) : 2003	0.01	No relaxation	BDL(DL-0.001)
29	Zinc (as Zn)	mg/l	IS 3025 (Part 2) : 2019	5	15	BDL(DL-0.1)
30	Total Chromium (as Cr)	mg/l	IS 3025 (Part 2) : 2019	0.05	No relaxation	BDL(DL-0.03)
31	Boron (as B)	mg/l	IS 3025 (Part 2) : 2019	0.5	2.4	BDL(DL-0.1)
32	Poly-nuclear aromatic hydrocarbon (PAH)	µg/l	ANqr RES-30	0.1	No relaxation	BDL(DL-0.03)
33	Mineral Oil	mg/l	ANqr RES-40	0.5	No relaxation	BDL(DL-0.001)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANqr RES-30 & 40 : Inhouse validated method.

Verified By

Shashikant Satdeve
Sr. Chemist

Sonali Gharpure
Technical Manager

Authorized Signatory

Dr. (Mrs.) S.D. Garway
Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.

Email : support@anacon.in;

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.

In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Accredited By Quality Council of India by - NABET and NABL
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Agricultural & Processed Food Products Export Development Authority (APEDA);
- Bureau of India Standards (BIS) • Export Inspection council (EIC); AGMARK.

TEST REPORT

Test Report No. : ALPL/31082021/1-4

dated 31/08/2021

Page 3 of 3

Issued To : M/s Joda East Iron Mines (M/s TATA Steel Limited)		Sample Inward No. 2021/MON-100/60-GW-2	Analysis Start 23/08/2021
		Inward Date 20/08/2021	Analysis End 28/08/2021
		Reference W.O.- 3000132460/962	Report Issue Date 31/08/2021
		Reference Date 15.05.2020	Sample Category Water
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-2	Sample Condition Sealed & Ice Preserved
			Quantity Received 2.0 Ltr & 250 ml
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 16/08/2021	Sampling Time 10.30 am to 5.45 pm
			Sampling Location Banaikala Village (Gov.)

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit ^a	
II	Chemical Testing					
	2. Residues In Water					
34	Pesticide Residues					
i	Alpha-HCH	µg/l	ANqr RES-28	0.01	No relaxation	BDL(DL-0.01)
ii	Beta HCH	µg/l	ANqr RES-28	0.04	No relaxation	BDL(DL-0.03)
iii	Delta- HCH	µg/l	ANqr RES-28	0.04	No relaxation	BDL(DL-0.03)
iv	Alachlor	µg/l	ANqr RES-28	20	No relaxation	BDL(DL-0.03)
v	Aldrin / Dieldrin	µg/l	ANqr RES-28	0.03	No relaxation	BDL(DL-0.03)
vi	Atrazine	µg/l	ANqr RES-29	2	No relaxation	BDL(DL-0.03)
vii	Butachlor	µg/l	ANqr RES-29	125	No relaxation	BDL(DL-0.03)
viii	Chlorpyrifos	µg/l	ANqr RES-28	30	No relaxation	BDL(DL-0.03)
ix	DDT (p,p'-DDE, o,p'-DDE, p,p'-DDD, o,p'-DDD o,p'- DDT, p,p'- DDT)	µg/l	ANqr RES-28	1	No relaxation	BDL(DL-0.03)
x	Gamma - HCH (Lindane)	µg/l	ANqr RES-28	2	No relaxation	BDL(DL-0.03)
xi	2,4-Dichlorophenoxyacetic acid	µg/l	ANqr RES-29	30	No relaxation	BDL(DL-0.03)
xii	Endosulphan	µg/l	ANqr RES-28	0.4	No relaxation	BDL(DL-0.03)
xiii	Ethion	µg/l	ANqr RES-29	3	No relaxation	BDL(DL-0.03)
xiv	Isoproturon	µg/l	ANqr RES-29	9	No relaxation	BDL(DL-0.03)
xv	Malathion	µg/l	ANqr RES-29	190	No relaxation	BDL(DL-0.03)
xvi	Methyl Parathion	µg/l	ANqr RES-29	0.3	No relaxation	BDL(DL-0.03)
xvii	Monocrotophos	µg/l	ANqr RES-29	1	No relaxation	BDL(DL-0.03)
xviii	Phorate	µg/l	ANqr RES-29	2	No relaxation	BDL(DL-0.03)


NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • "mg/l" is equivalent to "ppm". • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as "absent". • ANqr RES-28, 29, 30 & 40 : Inhouse validated method.

REMARKS: As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

Verified By


Sonali Gharpure
Technical Manager

Authorized Signatory


Dr. (Mrs.) S.D. Garway
Quality Manager

---End of Report---

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.


Email : support@anacon.in;

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.

In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Accredited By Quality Council of India by - NABET and NABL
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Agricultural & Processed Food Products Export Development Authority (APEEDA);
- Bureau of India Standards (BIS) • Export inspection council (EIC); AGMARK

TEST REPORT

Test Report No. : ALPL/31082021/1-5

dated 31/08/2021

Page 1 of 3

Issued To : M/s Joda East Iron Mines (M/s TATA Steel Limited)		Sample Inward No. 2021/MON-100/60-GW-3	Analysis Start 23/08/2021
		Inward Date 20/08/2021	Analysis End 28/08/2021
		Reference W.O.- 3000132460/962	Report Issue Date 31/08/2021
		Reference Date 15.05.2020	Sample Category Water
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-3	Sample Condition Sealed & Ice Preserved
			Quantity Received 2.0 Ltr & 250 ml
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 16/08/2021	Sampling Time 10.30 am to 5.45 pm
			Sampling Location Hudi Sabi Village (Nr. Komar Joda Basti) (Mr. Jagbandhu Nayak)

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit ^a	
I - Biological Testing - 1.Water						
1	<i>Es. herichia coli</i>	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent
II - Chemical Testing - 1.Water						
2	pH value	-	IS 3025 (Part 11) : 1983	6.5 to 8.5	No relaxation	7.49 at 25°C
3	Turbidity	NTU	IS 3025 (Part 10) : 1984	1	5	0.5
4	Colour	Hazen units	IS 3025 (Part 4) : 1983	5	15	1
5	Odour	-	IS 3025 (Part 5) : 2018	Agreeable	Agreeable	Agreeable
6	Taste	-	IS 3025 (Part 8) : 1984	Agreeable	Agreeable	Agreeable
7	Free residual chlorine	mg/l	IS 3025 (Part 26) : 1986	Min. 0.2	1	BDL(DL-0.1)
8	Total dissolved solids	mg/l	IS 3025 (Part 16) : 1984	500	2000	274
9	Fluoride (as F)	mg/l	IS 3025 (Part 60) : 2008	1.0	1.5	BDL(DL-0.1)
10	Cyanide (as CN)	mg/l	IS 3025 (Part 27) : 1986	0.05	No relaxation	BDL(DL-0.005)
11	Chloride (as Cl)	mg/l	IS 3025 (Part 32) : 1988	250	1000	53.60
12	Total Alkalinity (as CaCO ₃)	mg/l	IS 3025 (Part 23) : 1986	200	600	138
13	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21) : 2009	200	600	171
14	Calcium (as Ca)	mg/l	IS 3025 (Part 40) : 1991	75	200	45.36
15	Magnesium (as Mg)	mg/l	IS 3025 (Part 46) : 1994	30	100	14.03
16	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	200	400	10.37
17	Nitrate (as NO ₃)	mg/l	APHA Method 23 rd Edition	45	No relaxation	10.25
18	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	IS 3025 (Part 43) : 1992	0.001	0.002	BDL(DL-0.001)
19	Anionic detergents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL(DL-0.01)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'.

Verified By

Rshani
Roshani Thakur
Sr. Chemist

Authorized Signatories

Pooja
Pooja Kulkarni
Technical Manager

S.D. Garway
Dr. (Mrs.) S.D. Garway
Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.

Email : support@anacon.in;

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.

In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.

Manag



- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Accredited By Quality Council of India by - NABET and NABL
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Agricultural & Processed Food Products Export Development Authority (APEDA);
- Bureau of India Standards (BIS) • Export Inspection council (EIC); AGMARK.

TEST REPORT

Test Report No. : ALPL/31082021/1-5

dated 31/08/2021

Page 2 of 3


Issued To : M/s Joda East Iron Mines (M/s TATA Steel Limited)		Sample Inward No. : 2021/MON-100/60-GW-3	Analysis Start : 23/08/2021
		Inward Date : 20/08/2021	Analysis End : 28/08/2021
		Reference : W.O.- 3000132460/962	Report Issue Date : 31/08/2021
		Reference Date : 15.05.2020	Sample Category : Water
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-3	Sample Condition Sealed & Ice Preserved
		Quantity Received 2.0 Ltr & 250 ml	
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 16/08/2021	Sampling Time 10.30 am to 5.45 pm
		Sampling Location Hudi Sahi Village (Nr. Komar Joda Basti) (Mr. Jagbandhu Nayak)	


TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit	
II	Chemical Testing					
	2. Residues In Water					
20	Iron (as Fe)	mg/l	IS 3025 (Part 2) : 2019	1.0	No relaxation	0.13
21	Copper (as Cu)	mg/l	IS 3025 (Part 2) : 2019	0.05	1.5	BDL(DL-0.03)
22	Manganese (as Mn)	mg/l	IS 3025 (Part 2) : 2019	0.1	0.3	BDL(DL-0.05)
23	Mercury (as Hg)	mg/l	IS : 3025 (Part 48) : 1994	0.001	No relaxation	BDL(DL-0.0005)
24	Cadmium (as Cd)	mg/l	IS : 3025 (Part 41) : 1992	0.003	No relaxation	BDL(DL-0.001)
25	Selenium (as Se)	mg/l	IS : 3025 (Part 56) : 2003	0.01	No relaxation	BDL(DL-0.001)
26	Arsenic (as As)	mg/l	IS : 3025 (Part 37) : 1988	0.01	No relaxation	BDL(DL-0.01)
27	Aluminium (as Al)	mg/l	IS 15302 : 2003	0.03	0.2	BDL(DL-0.01)
28	Lead (as Pb)	mg/l	IS 3025 (Part 47) : 2003	0.01	No relaxation	BDL(DL-0.001)
29	Zinc (as Zn)	mg/l	IS 3025 (Part 2) : 2019	5	15	BDL(DL-0.1)
30	Total Chromium (as Cr)	mg/l	IS 3025 (Part 2) : 2019	0.05	No relaxation	BDL(DL-0.03)
31	Boron (as B)	mg/l	IS 3025 (Part 2) : 2019	0.5	2.4	BDL(DL-0.1)
32	Polynuclear aromatic hydrocarbon (PAH)	µg/l	ANqr RES-30	0.1	No relaxation	BDL(DL-0.03)
33	Mineral Oil	mg/l	ANqr RES-40	0.5	No relaxation	BDL(DL-0.001)


NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • "mg/l" is equivalent to "ppm". • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as "absent". • ANqr RES-30 & 40 : Inhouse validated method.

Verified By


Shashikant Satdeve
Sr. Chemist


Sonali Gharpure
Technical Manager

Authorized Signatory


Dr. (Mrs.) S.D. Garway
Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.

Email : support@anacon.in

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.

In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Accredited By Quality Council of India by - NABET and NABL
- Approved by - Food Safety & Standards Authority of India under FSS Act;
- Agricultural & Processed Food Products Export Development Authority (APEEDA);
- Bureau of India Standards (BIS) • Export Inspection Council (EIC); AGMARK.

TEST REPORT

Test Report No. : ALPL/31082021/1-5

dated 31/08/2021

Page 3 of 3

Issued To : M/s Joda East Iron Mines (M/s TATA Steel Limited)		Sample Inward No. 2021/MON-100/60-GW-3	Analysis Start 23/08/2021
		Inward Date 20/08/2021	Analysis End 28/08/2021
		Reference W.O.- 3000132460/962	Report Issue Date 31/08/2021
		Reference Date 15.05.2020	Sample Category Water
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-3	Sample Condition Sealed & Ice Preserved
		Quantity Received 2.0 Ltr & 250 ml	
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 16/08/2021	Sampling Time 10.30 am to 5.45 pm
Sampling Location Hudi Sahi Village (Nr. Komar Joda Basti) (Mr. Jagbandhu Nayak)			

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit ^a	
II	Chemical Testing					
	2. Residues In Water					
34	Pesticide Residues					
i	Alpha-HCH	µg/l	ANqr RES-28	0.01	No relaxation	BDL(DL-0.01)
ii	Beta HCH	µg/l	ANqr RES-28	0.04	No relaxation	BDL(DL-0.03)
iii	Delta- HCH	µg/l	ANqr RES-28	0.04	No relaxation	BDL(DL-0.03)
iv	Alachlor	µg/l	ANqr RES-28	20	No relaxation	BDL(DL-0.03)
v	Aldrin / Dieldrin	µg/l	ANqr RES-28	0.03	No relaxation	BDL(DL-0.03)
vi	Atrazine	µg/l	ANqr RES-29	2	No relaxation	BDL(DL-0.03)
vii	Butachlor	µg/l	ANqr RES-29	125	No relaxation	BDL(DL-0.03)
viii	Chlorpyrifos	µg/l	ANqr RES-28	30	No relaxation	BDL(DL-0.03)
ix	DDT (p,p'-DDE, o,p'-DDE, p,p'-DDD, o,p'-DDD, o,p'-DDT, p,p'-DDT)	µg/l	ANqr RES-28	1	No relaxation	BDL(DL-0.03)
x	Gamma - HCH (Lindane)	µg/l	ANqr RES-28	2	No relaxation	BDL(DL-0.03)
xi	2,4-Dichlorophenoxyacetic acid	µg/l	ANqr RES-29	30	No relaxation	BDL(DL-0.03)
xii	Endosulphan	µg/l	ANqr RES-28	0.4	No relaxation	BDL(DL-0.03)
xiii	Ethion	µg/l	ANqr RES-29	3	No relaxation	BDL(DL-0.03)
xiv	Isoproturon	µg/l	ANqr RES-29	9	No relaxation	BDL(DL-0.03)
xv	Malathion	µg/l	ANqr RES-29	190	No relaxation	BDL(DL-0.03)
xvi	Methyl Parathion	µg/l	ANqr RES-29	0.3	No relaxation	BDL(DL-0.03)
xvii	Monocrotophos	µg/l	ANqr RES-29	1	No relaxation	BDL(DL-0.03)
xviii	Phorate	µg/l	ANqr RES-29	2	No relaxation	BDL(DL-0.03)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANqr RES-28, 29, 30 & 40 : Inhouse validated method.

REMARKS: As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

Verified By

Sonali Gharpure
Technical Manager

Authorized Signatory

Dr. (Mrs.) S.D. Garway
Quality Manager

End of Report

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.
Email : support@anacon.in;
Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.

Man



- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Accredited By Quality Council of India by - NABET and NABL
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Agricultural & Processed Food Products Export Development Authority (APEDA);
- Bureau of India Standards (BIS) • Export Inspection council (EIC); AGMARK,

TEST REPORT

Test Report No. : ALPL/31082021/1-6

dated 31/08/2021

Page 1 of 3

Issued To : M/s Joda East Iron Mines (M/s TATA Steel Limited)		Sample Inward No. 2021/MON-100/60-GW-4	Analysis Start 23/08/2021
		Inward Date 20/08/2021	Analysis End 28/08/2021
		Reference W.O.- 3000132460/962	Report Issue Date 31/08/2021
		Reference Date 15.05.2020	Sample Category Water
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-4	Sample Condition Sealed & Ice Preserved
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 16/08/2021	Sampling Time 10.30 am to 5.45 pm
			Quantity Received 2.0 Ltr & 250 ml
			Sampling Location Ramjan Hutting Basti

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit ¹	
I	Biological Testing I.Water					
1	<i>Escherichia coli</i>	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent
II	Chemical Testing I.Water					
2	pH value	-	IS 3025 (Part 11) : 1983	6.5 to 8.5	No relaxation	7.65 at 25°C
3	Turbidity	NTU	IS 3025 (Part 10) : 1984	1	5	0.5
4	Colour	Hazen units	IS 3025 (Part 4) : 1983	5	15	1
5	Odour	-	IS 3025 (Part 5) : 2018	Agreeable	Agreeable	Agreeable
6	Taste	-	IS 3025 (Part 8) : 1984	Agreeable	Agreeable	Agreeable
7	Free residual chlorine	mg/l	IS 3025 (Part 26) : 1986	Min. 0.2	1	BDL(DL-0.1)
8	Total dissolved solids	mg/l	IS 3025 (Part 16) : 1984	500	2000	262
9	Fluoride (as F)	mg/l	IS 3025 (Part 20) : 2008	1.0	1.5	BDL(DL-0.1)
10	Cyanide (as CN)	mg/l	IS 3025 (Part 27) : 1986	0.05	No relaxation	BDL(DL-0.005)
11	Chloride (as Cl)	mg/l	IS 3025 (Part 32) : 1988	250	1000	40.68
12	Total Alkalinity (as CaCO ₃)	mg/l	IS 3025 (Part 23) : 1986	200	600	132
13	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21) : 2009	200	600	183.6
14	Calcium (as Ca)	mg/l	IS 3025 (Part 40) : 1991	75	200	48.24
15	Magnesium (as Mg)	mg/l	IS 3025 (Part 46) : 1994	30	100	15.34
16	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24) : 1986	200	400	12.69
17	Nitrate (as NO ₃)	mg/l	APHA Method 23 rd Edition	45	No relaxation	12.49
18	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	IS 3025 (Part 43) : 1992	0.001	0.002	BDL(DL-0.001)
19	Anionic detergents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL(DL-0.01)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'.

Verified By

Roshani Thakur
Sr. Chemist

Authorized Signatories

Pooja Kathare
Technical Manager

Dr. (Mrs.) S.D. Garway
Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.

Email : support@anacon.in;

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.

In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





TC - 5458

TEST REPORT



- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Accredited By Quality Council of India by - NABET and NABL
- Approved by - Food Safety & Standards Authority of India under FSS Act;
- Agricultural & Processed Food Products Export Development Authority (APEDA);
- Bureau of India Standards (BIS) • Export Inspection Council (EIC); AGMARK;

Test Report No. : ALPL/31082021/1-6

dated 31/08/2021

Page 2 of 3


Issued To : M/s Joda East Iron Mines (M/s TATA Steel Limited)		Sample Inward No. 2021/MON-100/60-GW-4	Analysis Start 23/08/2021
		Inward Date 20/08/2021	Analysis End 28/08/2021
		Reference W.O.- 3000132460/962	Report Issue Date 31/08/2021
		Reference Date 15.05.2020	Sample Category Water
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-4	Sample Condition Sealed & Ice Preserved
		Quantity Received 2.0 Ltr & 250 ml	
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 16/08/2021	Sampling Time 10.30 am to 5.45 pm
		Sampling Location Ramjan Hutting Basti	

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit *	
II	Chemical Testing 2. Residues In Water					
20	Iron (as Fe)	mg/l	IS 3025 (Part 2) : 2019	1.0	No relaxation	0.14
21	Copper (as Cu)	mg/l	IS 3025 (Part 2) : 2019	0.05	1.5	BDL(DL-0.03)
22	Manganese (as Mn)	mg/l	IS 3025 (Part 2) : 2019	0.1	0.3	BDL(DL-0.05)
23	Mercury (as Hg)	mg/l	IS : 3025 (Part 48) : 1994	0.001	No relaxation	BDL(DL-0.0005)
24	Cadmium (as Cd)	mg/l	IS : 3025 (Part 41) : 1992	0.003	No relaxation	BDL(DL-0.001)
25	Selenium (as Se)	mg/l	IS : 3025 (Part 56) : 2003	0.01	No relaxation	BDL(DL-0.001)
26	Arsenic (as As)	mg/l	IS : 3025 (Part 37) : 1988	0.01	No relaxation	BDL(DL-0.01)
27	Aluminium (as Al)	mg/l	IS 15302 : 2003	0.03	0.2	BDL(DL-0.01)
28	Lead (as Pb)	mg/l	IS 3025 (Part 47) : 2003	0.01	No relaxation	BDL(DL-0.001)
29	Zinc (as Zn)	mg/l	IS 3025 (Part 2) : 2019	5	15	BDL(DL-0.1)
30	Total Chromium (as Cr)	mg/l	IS 3025 (Part 2) : 2019	0.05	No relaxation	BDL(DL-0.03)
31	Boron (as B)	mg/l	IS 3025 (Part 2) : 2019	0.5	2.4	BDL(DL-0.1)
32	Polynuclear aromatic hydrocarbon (PAH)	µg/l	ANqr RES-30	0.1	No relaxation	BDL(DL-0.03)
33	Mineral Oil	mg/l	ANqr RES-40	0.5	No relaxation	BDL(DL-0.001)


NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • "mg/l" is equivalent to "ppm". • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANqr RES-30 & 40 : Inhouse validated method.

Verified By


Shashikant Satdeve
Sr. Chemist


Sonali Gharpure
Technical Manager

Authorized Signatory


Dr. (Mrs.) S.D. Garway
Quality Manager

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.
Email : support@anacon.in;
Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





TC - 5458



ANACON LABORATORIES PVT. LTD.

- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Accredited By Quality Council of India by - NABET and NABL
- Approved by : Food Safety & Standards Authority of India under FSS Act.
- Agricultural & Processed Food Products Export Development Authority (APEDA)
- Bureau of India Standards (BIS) • Export Inspection Council (EIC), AGMARK.

TEST REPORT

Test Report No. : ALPL/31082021/1-6

dated 31/08/2021

Page 3 of 3

Issued To : M/s Joda East Iron Mines (M/s TATA Steel Limited)		Sample Inward No. 2021/MON-100/60-GW-4	Analysis Start 23/08/2021
		Inward Date 20/08/2021	Analysis End 28/08/2021
		Reference W.O.- 3000132460/962	Report Issue Date 31/08/2021
		Reference Date 15.05.2020	Sample Category Water
Sample Name Ground Water	Sample Source Dugwell	Sample Particulars Sample Code-GW-4	Sample Condition Sealed & Ice Preserved
		Quantity Received 2.0 Ltr & 250 ml	
Sample Collected By Anacon Representative Mr. K. Pandey		Sampling Date 16/08/2021	Sampling Time 10.30 am to 5.45 pm
		Sampling Location Ramjan Hutting Basti	

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit	
II	Chemical Testing					
	2. Residues In Water					
34	Pesticide Residues					
i	Alpha-HCH	µg/l	ANqr RES-28	0.01	No relaxation	BDL(DL-0.01)
ii	Beta HCH	µg/l	ANqr RES-28	0.04	No relaxation	BDL(DL-0.03)
iii	Delta- HCH	µg/l	ANqr RES-28	0.04	No relaxation	BDL(DL-0.03)
iv	Alachlor	µg/l	ANqr RES-28	20	No relaxation	BDL(DL-0.03)
v	Aldrin / Dieldrin	µg/l	ANqr RES-28	0.03	No relaxation	BDL(DL-0.03)
vi	Atrazine	µg/l	ANqr RES-29	2	No relaxation	BDL(DL-0.03)
vii	Butachlor	µg/l	ANqr RES-29	125	No relaxation	BDL(DL-0.03)
viii	Chlorpyrifos	µg/l	ANqr RES-28	30	No relaxation	BDL(DL-0.03)
ix	DDT (p,p'-DDE, o,p'-DDE, p,p'-DDD, o,p'-DDD o,p'- DDT, p,p'- DDT)	µg/l	ANqr RES-28	1	No relaxation	BDL(DL-0.03)
x	Gamma - HCH (Lindane)	µg/l	ANqr RES-28	2	No relaxation	BDL(DL-0.03)
xi	2,4-Dichlorophenoxyacetic acid	µg/l	ANqr RES-29	30	No relaxation	BDL(DL-0.03)
xii	Endosulphan	µg/l	ANqr RES-28	0.4	No relaxation	BDL(DL-0.03)
xiii	Ethion	µg/l	ANqr RES-29	3	No relaxation	BDL(DL-0.03)
xiv	Isoproturon	µg/l	ANqr RES-29	9	No relaxation	BDL(DL-0.03)
xv	Malathion	µg/l	ANqr RES-29	190	No relaxation	BDL(DL-0.03)
xvi	Methyl Parathion	µg/l	ANqr RES-29	0.3	No relaxation	BDL(DL-0.03)
xvii	Monocrotophos	µg/l	ANqr RES-29	1	No relaxation	BDL(DL-0.03)
xviii	Phorate	µg/l	ANqr RES-29	2	No relaxation	BDL(DL-0.03)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-purifiable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • 'mg/l' is equivalent to 'ppm'. • Result for test no. 7 is not relevant. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'. • ANqr RES-28, 29, 30 & 40 : Inhouse validated method.

REMARKS: As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

Verified By

Sonali Gharpure
Technical Manager

Authorized Signatory

Dr. (Mrs.) S.D. Garway
Quality Manager

---End of Report---

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Bulburi, Nagpur - 441 122.

Email : support@anacon.in

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.

In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.



Manag

Mineralogical Composition Joda East Iron Mine



MARK OF PROGRESS FOR BETTER ENVIRONMENT & HEALTH

ANACON LABORATORIES PVT. LTD.

- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Bureau of Indian Standards (BIS); Agricultural & Processed Food Products Export Development Authority (APEDA);
- Export inspection council (EIC); AGMARK.

TEST REPORT


Mineralogical Composition Report-September-2021

Report No.: AN/MC/TS-JEIM/2021/1-13		Date: 30/09/2021	
Name and Address of Industry:-	M/s Joda East Iron Mines (M/s TATA Steel Limited)	W. O. No.	
		3000132460/962 15.05.2020	
Sample Description/Type	Mineralogical Composition	Sample Ref. No.:-	2021/Mon-244/JEIM/MC-1
Sample Drawn By:-	Anacon Representative	Sample Inward Date:-	21/09/2021
Test Started On:-	22/09/2021	Test Completed On:-	24/09/2021


Date of sampling	Location	Parameter	Unit	Result
17/09/2021	Near Mines Area	Silica	%	0.47
		FeO	%	0.41
		CaO	%	0.026
		Al ₂ O ₃	%	BDL (DL-0.01)
		P ₂ O ₅	%	BDL (DL-0.01)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'.

Verified by


 Shashikant Satdeve
 (Sr. Chemist)

Authorized Signatory


 Dr. (Mrs.) S.D. Garway
 (Quality Manager)

-----End of Report-----

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.
 Email : support@anacon.in;
 Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship. We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.





ANACON LABORATORIES PVT. LTD.

- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Approved by - Food Safety & Standards Authority of India under FSS Act;
- Bureau of Indian Standards (BIS); Agricultural & Processed Food Products Export Development Authority (APEDA);
- Export inspection council (EIC); AGMARK.

TEST REPORT

Mineralogical Composition Report-June-2021

Report No.: AN/MC/TS-JEIM/2021/4-1		Date: 30/06/2021	
Name and Address of Industry:-	M/s Joda East Iron Mines (M/s TATA Steel Limited)	W. O. No.	
		3000132460/962 15.05.2020	
Sample Description/Type	Mineralogical Composition	Sample Ref. No.:-	2021/Mon-147/JEIM/MC-1
Sample Drawn By:-	Anacon Representative	Sample Inward Date:-	21/06/2021
Test Started On:-	21/06/2021	Test Completed On:-	23/06/2021

Date of sampling	Location	Parameter	Unit	Result
17/06/2021	Near Mines Area	Silica	%	0.58
		FeO	%	0.46
		CaO	%	0.029
		Al ₂ O ₃	%	< 0.01
		P ₂ O ₅	%	< 0.01

Thanks for utilizing our services.

For ANACON LABORATORIES PVT.LTD.

Verified by

Shashikant Satdeve
(Sr. Chemist)

Authorized Signatory

Dr. (Mrs.) S.D. Garway
(Quality Manager)

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.
Email : support@anacon.in;
Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.
We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.
In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.



Manager Environment

Zero Discharge Slime Dam & Water Recovery System



Anilav

Dust suppression system

Use of fixed water sprinklers at haul roads for dust suppression



Use of water Mist Canon for dust suppression



Use of Dry fog system at all transfer points in plants



Use of mobile tankers for water sprinkling on haul roads



Anilav

ANNEXURE-6

JODA EAST IRON MINE AVERAGE AIR QUALITY REPORT (CORE ZONE)

Month	Manmora Slime Dam					Near Rainwater Harvesting					Near Magazine					Near Equipment Maintenance				
	PM ₁₀	PM _{2.5}	SO ₂	NOX	CO	PM ₁₀	PM _{2.5}	SO ₂	NOX	CO	PM ₁₀	PM _{2.5}	SO ₂	NOX	CO	PM ₁₀	PM _{2.5}	SO ₂	NOX	CO
Apr 21	63.6	21.7	9.8	18.8	0.292	61.3	22.5	9.2	16.2	0.300	60.4	20.0	9.1	18.8	0.283	59.3	20.1	9.0	18.6	0.285
May21	58.9	19.5	8.7	18.5	0.287	62.3	23.6	9.2	17.8	0.296	58.1	21.2	9.0	18.1	0.279	56.2	19.8	8.3	18.8	0.256
Jun 21	53.1	23.1	8.6	15.1	0.249	54.8	26.7	9.2	14.4	0.209	62.1	25.2	9.1	14.5	0.255	55.3	25.2	8.5	15.9	0.221
Jul 21	51.4	18.4	7.4	14.2	0.189	54.7	19.6	7.5	15.5	0.200	53.6	18.2	7.0	12.8	0.189	51.1	17.8	7.1	15.1	0.201
Aug 21	48.5	18.8	8.5	16.5	0.205	50.9	20.7	10.0	16.4	0.227	52.1	18.8	7.5	16.2	0.206	50.9	19.7	8.2	21.0	0.235
Sep 21	50.9	18.3	8.3	17.8	0.198	50.7	19.3	9.6	16.7	0.219	51.8	19.0	9.3	19.2	0.208	54.1	19.4	7.7	18.7	0.220

AVERAGE AIR QUALITY REPORT (BUFFER ZONE)

Month	Baneikela					Lohanda					Khuntpani					Joda Hospital				
	PM ₁₀	PM _{2.5}	SO ₂	NOX	CO	PM ₁₀	PM _{2.5}	SO ₂	NOX	CO	PM ₁₀	PM _{2.5}	SO ₂	NOX	CO	PM ₁₀	PM _{2.5}	SO ₂	NO _x	CO
Apr 21	62.9	24.2	8.9	17.1	0.257	59.7	22.4	10.5	17.6	0.278	61.4	18.9	11.3	21.6	0.281	58.5	18.8	7.1	17.7	0.271
May21	55.5	19.1	6.9	15.8	0.241	53.9	15.8	7.1	17.1	0.262	50.0	16.6	7.7	16.9	0.257	54.5	19.5	6.1	16.5	0.240
Jun 21	50.9	17.3	6.3	15.8	0.225	52.1	15.3	6.6	18.0	0.255	49.9	17.0	7.1	15.8	0.251	51.2	17.6	5.5	15.5	0.234
Jul 21	46.7	16.1	5.8	15.8	0.22	49.5	14.4	6.0	17.0	0.232	42.8	13.7	5.9	16.6	0.21	49.5	16.9	5.9	15.4	0.227
Aug 21	45.0	15.8	5.6	17.1	0.195	47.4	15.8	6.3	18.0	0.228	48.9	18.0	7.0	18.0	0.243	50.5	18.2	7.0	16.5	0.213
Sep 21	49.2	17.1	6.1	17.2	0.185	50.4	16.9	7.0	17.1	0.199	46.5	17.2	6.0	15.8	0.193	49.4	15.5	6.1	17.0	0.197

Unit of measurement for all parameters except CO is $\mu\text{g}/\text{m}^3$. Co is in mg/m^3

Subal vengra

Manager Environment

Plantation on OB dump



Anilav

Manager Environment

ANNEXURE-8

Garland Drains, Toe wall & Settling pits

Settling pit



Garland drain



Toe wall



Anilav

Manager Environment

Green Belt development




Safety zone plantation



Mine road side plantation



Plantation at OB dump



Plantation at OB dump

Subash

Wet Drilling and Dry Fog System



Anilav veng

Manager Environment

STP/ETP and Oil Catchment Pit



Anilav


CAAQMS and Display Board



Anilav

Manager Environment

DUST-FALL ANALYSIS



ANACONLABS
MARK OF PROGRESS FOR BETTER ENVIRONMENT & HEALTH
ANACON LABORATORIES PVT. LTD.

- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Bureau of Indian Standards (BIS); Agricultural & Processed Food Products Export Development Authority (APEDA);
- Export Inspection council (EIC); AGMARK.


TEST REPORT

DUST FALL MONITORING REPORT
FOR THE MONTH OF OCTOBER-2021


Report No.: AN/MC/TS-JEIM/2021/1-1		Date: 02/11/2021	
Name and Address of Industry:-	M/s Joda East Iron Mines (M/s TATA Steel Limited)		W. O. No.
			3000132460/962 15.05.2020
Sample Description/Type	Dust Fall	Sample Ref. No.:-	2021/Mon-256/JEIM-DF
Sample Drawn By:-	Anacon Representative		

Sr. No.	Parameters	Unit	Analysis Results
			01/10/2021 to 31/10/2021
			DF-1
1.	Nickel as Ni	%	0.016
2.	Cobalt as Co	%	0.007
3.	Mercury as Hg	%	< 0.001
4.	Arsenic as As	%	< 0.001
5.	Iron as Fe	%	1.7

Total Dust Fall for the month of October-2021 is 1.72 Ton/km²/month.




Verified by



Authorized Signatory

-----End of Report-----



Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.
 Email : support@anacon.in;
 Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.
 We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.
 In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.

Anilav

Manager Environment

AMBIENT NOISE QUALITY AT JODA EAST
Average from April 2021- September 2021

	Location	Day Time 8.00 am to 10.00 pm	Limits in dB(A) Leq	Night Time 8.00 am to 10.00 pm	Limits in dB(A) Leq
Residential area	Hospital Premises	47.97	55.00	39.15	45.00
	Training Centre	52.22		42.37	
	Township	48.23		39.23	
Industrial area	Chief Office	56.02	75.00	55.20	70.00
	Mining area	60.07		59.02	
	Plant area	66.75		51.42	



Joda East Iron Mine
Workshop Effluent Quality
April 2021 – September 2021

Parameters	Limit	
	Equipment Maintenance	Limit
pH	6.54	5.5 – 9.0
Suspended Solids mg/l	46.86	100.00
Oil & Grease mg/l	7.37	10.00

*Whole water is recycled back.



Manager Environment

FLOW RATE AND SURFACE WATER QUALITY

Flow Rate of Kundra Nalla (April 2021- September 2021)

ANALYSIS OF WATER QUALITY
Sample collected from Kundra Nalla

Parameters	April-21	May-21	June-21	July-21	Aug-21	Sept-21
BOD mg/l	2.34	2.25	2.91	2.54	2.32	2.45
CPCB Limit (30 mg/l)						
TSS mg/l	20.00	26.87	22.11	24.09	32.76	34.40
CPCB Limit (100 mg/l)						
Flow Rate Cum/hr	48.23	57.46	76.23	87.43	64.23	50.46

There is no any industrial effluents discharge from the mine.



ANNEXURE-17

Expenses Incurred for Environment Management during FY-22			
Sl. No	Activity	Capital (Rs. In Lakhs)	Recurring (Rs.in Lakhs)
1	Covering stack fines	05	
2	Spares of existing fixed water sprinkler	34	
3	Maintenance of existing fixed water sprinkler		40
4	construction of Toe wall & garland drain	38	
5	Maintenance of toe wall & garland drain		15
6	Cleaning & desilting of check dam		15
7	Mobile water sprinkling arrangements		20
8	Dust suppression Nalco chemicals		15
9	Operation and Maintenance of dry fog system		130
10	Purchase of spare parts of dry fog system	08	
11	Maintenance of vetiver plantation	16	
12	Maintenance of rainwater harvesting structures		15
14	Operation and Maintenance of STP	26	
16	Plantation & Its maintenance		30
17	operation & Maintenance of biomedical waste facilities	23	
18	Housekeeping of plant & Township		150
19	Development & execution for monsoon preparation plan	14	
20	Expenses incurred for Environment awareness sessions, Swachhata Pakhwara etc.	12	
21	Shifting of Trees and Garden	06	
22	Installation of Vertical Garden Project	05	
23	Installation of Drip Irrigation	10	5
24	Maintenance of CAAQMS and spares		10
25	Environmental Monitoring by third party		6.3
26	Studies conducted as advised by MoEFCC	15	
	Total	212	451.3



Manager Environment