



HALF YEARLY COMPLIANCE REPORT

(Period from 01.10.2016 to 31.03.2017)

OF

**Ferro Alloys Plant, Joda
Tata Steel Limited**

P.O- Joda, Dist. Keonjhar
Odisha- 758034

**ENVIRONMENTAL CLEARANCE GRANTED
VIDE LETTER NO. - J-11011/03/2012-IA.II(I) DATED- 05th November 2015
ISSUED BY
GOVT. OF INDIA, MINISTRY OF ENVIRONMENT, FOREST& CLIMATE CHANGE, NEW DELHI.**

A. SPECIFIC CONDITIONS:

- i. The project proponent should install 24x7 air monitoring devices to monitor air emission, as provided by CPCB and submit report to Ministry and its Regional Office.
 - **It will be strictly adhered after commissioning of plant. Presently we have been installed four nos. ambient air monitoring stations for monitoring air emission and the reports are submitted on monthly basis to SPCB, Odisha.**
Monitoring results for last six months i.e Oct'2016 to March'2017 is enclosed as Annexure-I
- ii. Stack of adequate height & diameter with continuous stack monitoring facilities for all the stacks shall be provided and sufficient air pollution control devices viz, Electrostatic precipitator (ESP), bag house, bag filters etc. shall be provided to keep the emission levels below 50 mg/Nm³ and installing energy efficient technology.
 - **There are four nos. of stacks in existing plant and all having adequate height and diameter. Online stack monitoring system installation has been completed.**
A At present four nos. of Gas cleaning plants are operational among two of them are in operation and two are kept for stand-by to ensure emission level within the norms prescribed by CPCB. Same facility will be provided to forthcoming project. Stack Monitoring results for last six months i.e Oct'2016 to March'2017 is enclosed as Annexure-II.
- iii. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826 (E) dated 16th November, 2009 shall be followed.
 - **Existing plant emissions are within the specified limit prescribed by national ambient air quality emission standards; also the same will be followed after commissioning of forthcoming Plant. Ambient Air quality Monitoring results for last six months i. Oct'2016 to March'2017 is enclosed as Annexure-I**
- iv. Gaseous emission levels including secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits issued by the Ministry and regularly monitored. Guidelines/Code of Practice issued by the CPCB should be followed. New standards for the sponge iron plant issued by the Ministry vide G.S.R. 414 (E) dated 30th May, 2008 should be followed.
 - **Existing plant emission level is within the permissible limit. Guidelines/codes of practice issued by CPCB are followed. Monthly reports are sent to SPCB, Bhubaneswar and Regional office, Keonjhar. Monitoring results of Gaseous emission levels including secondary fugitive emissions from all the sources for last six months i.e Oct'2016 to March'2017 is enclosed as Annexure-I**

- v. water sprinkling arrangements as well as dry fog system to control fugitive emission shall be undertaken.
- **For dry fogging one Mobile water sprinkler cum mist canon is in operation. 9 Nos. of Water sprinkling system was installed at all critical location for existing plant same will be installed after project execution. (Include photographs as Annexure III)**
- vi. Tap hole emissions shall be taken to GCP system by providing proper hood and suction system.
- **Two nos. of Fume extraction system is in place for existing plant and same system will be provided to forthcoming project. (Include photographs as Annexure IV)**
- vii. Efforts should further be made to use maximum water from the rain water harvesting sources. If needed, capacity of the reservoir shall be enhanced to meet the maximum water requirement. Only balance water requirement shall be met from other sources. Use of air cooled condensers shall be explored and closed circuit cooling system should be provided to reduce water consumption and water requirement shall be modified accordingly.
- **It will be complied. For Existing Plant close circuit cooling system is in operation & same will be followed for forthcoming plant.**
- viii. All the effluent should be treated and used for ash handling, dust suppression and green belt development. No effluent shall be discharged and 'zero' discharge shall be adopted. Sanitary sewage should be treated in septic tank followed by the soak pit.
- **Now the existing plant is a zero effluent discharge plant. STP is in operation for Sewage treatment, and the recycled water is being utilised for gardening purpose. Photograph is included in Annexure V)**
- ix. Regular monitoring of surface, sub-surface and ground water should be ensured and treated waste water should meet the norms prescribed by the State Pollution Control Board or described under the E (P) Act 1986 whichever are more stringent. Leachate study for the effluent generated and analysis shall also be regularly carried out and report submitted to the Ministry's Regional Office at Bhubaneswar, SPEB and CPCB.
- **Monitoring of ground water and surface water is been carry out on regular basis. Leachate study for effluent generated will be carried out soon. (details of monitoring results are given in Annexure VI)**

- x. Slag produced in Ferro Manganese (Fe-Mn) production should be used in manufacture of Silico Manganese (Si-Mn). All the other Ferro alloy slag should be used in the preparation of building materials.
 - **Slag produced from existing FeMn plant are, Partly used in the process as a raw material for FeMn production and rest are sold to the Ferro Alloys Industry.**
- xi. Risk and Disaster Management Plan along with the mitigation measures should be prepared and a copy submitted to the Ministry's Regional Office at Bhubaneswar, SPCB and CPCB within 3 months of issue of environment clearance letter.
 - **Risk and disaster management plan along with the mitigation measures was submitted vide Letter no. FAPJ/4249/2016, dtd. 01.02.2016 to the central Pollution control board, New Delhi, Vide letter no. FAP(J)/4250/2016, dtd. 01.02.2016, to the Ministry of Environment & Forest, Eastern Regional Office, Bhubaneswar and vide letter no. FAP(J)/4251/2016, dtd. 01.02.2016 to State Pollution Control Board, Bhubaneswar. Copy of the letter is enclosed as Annexure-VII.**
- xii. Green belt shall be developed in 33% of plant area. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.
 - **Plantation programme is regularly done. Plant species are selected as per CPCB guidelines. In the Year 2016-17 till date total 1000 nos. of Plantation done & 2130 nos. of seeding distributed.**
- xiii. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Steel Plants shall be implemented.
 - **It will be followed.**
- xiv. At least 5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESC) based on locals need and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office at Chennai. Implementation of such program shall be ensured accordingly in a time bound manner.
 - **It will be done. The details of expenditure towards CSR activity done along with details are given in Annexure XI.**
- xv. Provisions shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking mobile toilets, mobile STP, Safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project
 - **It has been complied. There is no labour camp within the Site.**

B. GENERAL CONDITIONS :

- i. The project authorities must strictly adhere to the stipulations made by the Odisha Pollution Control Board and the State Government.
 - **It will be strictly followed. Once the expansion work starts conditions shall be adhered to.**
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEFCC).
 - **No expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEFCC).**
- iii. At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM10, PM2.5, SO₂ and NO_x are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Bhubaneswar and the SPCB/CPCB once in six months.
 - **At present four ambient air quality monitoring stations are installed at the downward direction in consultation with the SPCB. . Ambient air quality report and stack emission reports are submitted monthly to Ministry including its Regional Office at Bhubaneswar and SPCB, Bhubaneswar. Monitoring results for last six months i.e Oct'2016 to March'2017 is enclosed as Annexure-I**
- iv. Industrial waste water shall be properly collected, treated so as to conform to the standard prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December 1993 or as amended from time to time. The treated waste water shall be utilized for plantation purpose.
 - **It has been followed .Treated waste water is utilised for plantation/gardening purpose.**
- v. overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz 75 dBA (day time) and 70 dBA (night time).
 - **It has been strictly adhered. Acoustic enclosures are provided for DG sets. Monitoring results for last six months i. Oct'2016 to March'2017 is enclosed as Annexure-VIII**

- vi. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- **Periodic medical check-ups were conducted yearly. Last medical check-up was done on December'2016 and 453 nos. of employees are examined including contractual employees. Records were maintained as per Orissa factory rule it is shown in Annexure IX.**
- vii. The company shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.
- **It will be followed.**
- viii. The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake social-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.
- **Complied to environmental protection measures and safeguards recommended in the EIA/EMP report. Social-economic development activities in the surrounding villages were carried out with Tata Steel Rural Development Society. Details of Expenditure made towards CSR activities are given in Annexure XI.**
- ix. Requisite funds shall be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change (MoEFCC) as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Bhubaneswar. The funds so provided shall not be diverted for any other purpose.
- **It will be adhered.**
- x. A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.

Already Complied. Intimation of obtaining Environmental Clearance is given to Zila Parishad vide letter No. FAPJ/4136/2015. Copy of Letter is given in Annexure-X.

xi.

- xii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MoEFCC at Bhubaneswar. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM10, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

Status of compliance will be uploaded in the website along with the monitored data. It will be sent to regional office of MoEFCC at Bhubaneswar, SPCB, Bhubaneswar & regional office, Keonjhar.

The criteria pollutant levels PM 10,PM 2.5, SO₂, NO_x , CO, Ambient air parameters along with stack emission parameters are displayed at the company's main gate. Photograph is given in the Annexure XII.

- xiii. The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MoEFCC, the respective Zonal Office of CPCB and the SPCB. The Regional Office of the Ministry at Bhubaneswar/CPCB/SPVCB shall monitor the stipulated conditions.

- **It has been complied.**

- xiv. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MoEFCC) at Bhubaneswar by e-mail.

- **The Environment statement in Form V was submitted for the year 2015-16 on 23rd september'2016 vide letter no.- FAPJ/4652/20156 to SPCB, Bhubaneswar and Regional office, Keonjhar. And the compliance of environmental conditions is uploaded on the website.**

- xiv. The Project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment, Forests and Climate Change (MoEFCC) at <http://envfor.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional Office at Bhubaneswar.
- Information regarding Environmental clearance issued is published on Sambad Oriya news paper of 13th November issue. And on The statesman English News paper of 12th November issue. Details of Publication is given in Annexure XIV.
- xv. Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.
- It will be strictly followed.

Annexure # 1

Ambient Air quality Report From 01-10-2016 To 31-03-2017

Mitra S. K. Private Limited

AUP.O : BARBIL Ward No-6
Dist. Keonjhar, Odisha - 756035
CIN U51599WB5195SPC023037

T : +91 94370 09815, 94370 09820, 94370 75269
E : barw@mitrask.com
W : www.mitrask.com

Ref. No.BBL/ENV/1733

Name of Client : TATA Steel Ltd.
Address : FAPIota Plant
Location : Near Gate No-2



AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/11/2016

Sl. No.	Date of Monitoring	Concentration of Pollutants											
		PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	NH ₃ (µg/m ³)	O ₃ (µg/m ³)	CO (µg/m ³)	Pb (µg/m ³)	Ni (µg/m ³)	As (µg/m ³)	Benzene (µg/m ³)	Benzo(a)pyrene (µg/m ³)
1	03/04/10/2016	72	38	7.5	27.5	11.2	22.5	0.24	0.02	6.7	<1.0	2.88	<0.4
2	06/07/10/2016	54	28	5.8	21.1	<10.0	<19.62	0.21	<0.02	<4.0	<1.0	<2.08	<0.4
3	10/11/10/2016	64	35	6.5	28.5	15.5	<19.62	0.26	0.03	8.7	1.7	<2.08	<0.4
4	13/14/10/2016	76	41	6.6	26.6	12.2	<19.62	0.28	<0.02	6.9	<1.0	<2.08	<0.4
5	17/18/10/2016	68	37	7.5	23.2	<10.0	21.6	0.25	0.02	5.8	1.3	<2.08	<0.4
6	20/21/10/2016	72	39	6.1	24.4	10.6	<19.62	0.24	<0.02	5.6	<1.0	<2.08	<0.4
7	24/25/10/2016	66	35	6.2	22.6	10.8	<19.62	0.26	<0.02	<4.0	<1.0	<2.08	<0.4
8	27/28/10/2016	63	33	5.9	23.6	12.6	20.6	0.24	<0.02	5.1	<1.0	<2.08	<0.4
Avg. Monthly		65.9	35.8	6.5	24.7	11.6	20.4	0.25	0.02	5.9	1.1	2.18	0.4
Limit as per CPCB notification, New Delhi 18th Nov, 2009, for Ambient air quality		100	60	80	80	400	180	2	1	20	6	5	1
Sampling and Analysis done according to		IS 5182: Part 23/2006 (Reaff. 2012)	Lab Sop No. IS 5182: Part based on USEPA CFR 40, Part 50 Appendix L, 2016	TPM/MSK/E/5/CB 2.2001 (Reaff.2012)	IS 5182 : Part 2.2001 (Reaff.2012)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-401)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)	IS 5182 : Part 6:2006 (Reaff.2014)	IS 5182 : Part 10:1999 (Reaff.2014)	EPA-103.2 EPA-103.2-4/1/Based on APHA 22nd Edition 2012, 3114 C	Lab Sop No.TPM/MSK/E/ 11J:2006 Reaff.2012	IS 5182(Part-12)2004 Reaff. 2014	

Checked by:-

For Mitra S. K. Private Limited

Authorised Signatory

T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2285 0007 F: 91 33 2285 0008 E: info@mitrask.com W: www.mitrask.com

H. O.: Shrechi Centre (5th Floor), 74B, Adyanya Jagadish Chandra Bose Road, Kolkata – 700 016, West Bengal, India



Mitra S. K. Private Limited

A/P/O : BARBIL Ward No-5
Dist : Keonjhar, Odisha - 750035
CIN : U51599WB1996PCC023037

T : +91 9437009815 9437008620 9437075269
E : barbil@mitsask.com
W : www.mitsask.com

Ref. No.BBL/ENV/1731



AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/11/2016

Name of Client : TATA Steel Ltd.
Address : FAP Joda Plant
Location : Near Main Gate

Sl No.	Date of Monitoring	Concentration of Pollutants											
		PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	Ni (ng/m^3)	As (ng/m^3)	Benzene (ng/m^3)	Benz(a)pyrene (ng/m^3)
1	03/04/10/2016	61	32	6.2	23.5	<10.0	<19.62	0.24	0.02	8.6	<1.0	3.22	<0.4
2	06/07/10/2016	42	23	5.2	20.4	<10.0	<19.62	0.20	0.02	<4.0	<1.0	<2.08	<0.4
3	10/11/10/2016	54	30	5.5	21.2	12.5	23.5	0.23	<0.02	7.7	1.6	<2.08	<0.4
4	13/14/10/2016	58	32	6.9	24.5	13.2	<19.62	0.24	<0.02	5.7	<1.0	<2.08	<0.4
5	17/18/10/2016	68	36	7.5	20.1	13.1	<19.62	0.26	<0.02	6.2	<1.0	<2.08	<0.4
6	20/21/10/2016	64	34	6.8	24.1	<10.0	<19.62	0.23	<0.02	5.8	<1.0	<2.08	<0.4
7	24/25/10/2016	59	31	6.2	22.7	<10.0	<19.62	0.20	<0.02	4.5	<1.0	<2.08	<0.4
8	27/28/10/2016	56	29	6.5	23.9	<10.0	<19.62	0.21	<0.02	6.6	<1.0	<2.08	<0.4
	Avg. Monthly	57.8	30.9	6.4	22.6	11.1	20.11	0.23	0.02	6.1	1.1	2.22	0.4
	Limit as per CPCB notification, New Delhi, 18th Nov, 2009, for Ambient air quality	100	60	80	400	180	2	1	20	6	5	1	
	Sampling and Analysis done according to	IS 15182: Part 23:2006 (Reaffl. 2012)	Lab Sap No. IS 15182 : Part 40, Part 50 Appendix L, 2016	TPM/MSK/E/5/CB based on USEPA CFR (Reaffl.2012)	IS 15182 : Part 6:2006 (Reaffl.2012)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-401)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)	IS 15182 : Part 10:1999 (Reaffl.2014)	No.TPM/MSK/E/4/L Based on APHA 22nd Edition 2012, 3114 C	Lab Sap No. IS 5182/Part-11):2006 (Reaffl.2012)	IS 5182(Part-12):2004 Reaffl.2012	IS 5182(Part-12):2004 Reaffl.2014	

Checked by:-

For Mitra S. K. Private Limited

T: 91 33 22172249 / 4014 30001 2285 0006 / 2285 0007 F: 91 33 2265 0008 E:info@mitsask.com W: www.mitsask.com

H. O.: Shashi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India



Mitra S. K. Private Limited

Autp.O.: BARBI Ward No.8
Dist: Keonjhar, Odisha, 759035
CIN: U51599WB1996PTC025037

T : +91 943109815, 943109820, 9437075269
E : nabarali@mitrask.com
W : www.mitrask.com

Ref. No.BBL/ENV/1732

Name of Client : TATA Steel Ltd.
Address : EAPI Jota Plant
Location : Ore Stack Yard Area [Near Well Pump]

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/10/2016



Sl. No.	Date of Monitoring	Concentration of Pollutants											
		PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	NH ₃ (µg/m ³)	O ₃ (µg/m ³)	CO (µg/m ³)	Pb (µg/m ³)	Ni (µg/m ³)	As (µg/m ³)	Benzene (µg/m ³)	Benz(a)pyrene (ng/m ³)
1	03/04/10/2016	81	44	7.2	26.6	13.3	23.5	0.25	0.03	7.0	<1.0	<2.08	<0.4
2	06/07/10/2016	52	26	5.5	19.8	11	<19.62	0.15	<0.02	<4.0	<1.0	<2.08	<0.4
3	10/11/10/2016	61	33	5.6	18.4	10.7	25.3	0.22	<0.02	<4.0	<1.0	<2.08	<0.4
4	13/14/10/2016	66	34	6.2	23.2	10.5	<19.62	0.25	<0.02	5.7	<1.0	<2.08	<0.4
5	17/18/10/2016	79	42	7.5	22.8	12.2	24.1	0.29	0.04	4.8	<1.0	<2.08	<0.4
6	20/21/10/2016	74	39	6.8	21.6	12.1	<19.62	0.3	0.02	5.7	<1.0	<2.08	<0.4
7	24/25/10/2016	69	36	6.7	25.7	11.2	<19.62	0.28	<0.02	6.3	<1.0	<2.08	<0.4
8	27/28/10/2016	65	35	7.4	26.5	17.5	23.5	0.33	0.04	8.6	<1.0	<2.08	<0.4
	Avg. Monthly	68.4	36.1	6.6	23.1	12.3	21.9	0.26	0.03	5.8	1.0	3.02	<0.4
Limit as per CGB notification, New Delhi, 18th Nov, 2009, for Ambient air quality													
	100	60	80	400	180	2	1	20	6	5	1		
Sampling and Analysis done according to Reaff. 2012													
	IS 5182: Part 23:2006 (Reaff. 2012)	Lab Sup No. Appendix L, 2016	IS 5182: Part 2.2:2001 (Reaff.2012)	IS 5182: Part 6:2006 (Reaff.2012)	Method of Air sampling 3rd Edn. By James P. Lodge (Method-401)	Method of Air sampling 3rd Edn. By James P. Lodge (Method-411)	IS 5182 : Part 10.1:1999 (Reaff.2014)	IS 5182 : Part 10.1:1999 (Reaff.2014)	EPA-103.2 - EPA-103.2 - EPA-103.2 - EPA-103.2 -	Lab Sup No.TPM/MSK/E/ 4/I Based on APHA 22nd Edition 2012, 3114 C	IS 5182(Part-11)2006 Real(2012 Reaff. 2014		

Checked by:-



Mitra S. K. Private Limited

AIFP-O-BARBIL Ward No.5
Dist. Keonjhar, Odisha -758035
CIN: U511959WE1995PTC029037

T +91 94370 09811, 94370 09820, 94370 75269
E batibali@mitrask.com
W www.mitrask.com

Ref. No.BBL/ENV/1734

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/11/2016



TESTING • INSPECTION

Name of Client : TATA Steel Ltd.
Address : FAB Joda Plant
Location : Near 132 KV

Sl. No.	Date of Monitoring	Concentration of Pollutants											
		PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO _x (µg/m ³)	NH ₃ (µg/m ³)	O ₃ (µg/m ³)	Pb (µg/m ³)	Ni (µg/m ³)	As (ng/m ³)	Benzene (ng/m ³)	Benz(a)pyrene (ng/m ³)	
1	03/04/10/2016	63	32	6.2	23.6	10.6	<19.62	0.23	<0.02	5.5	<1.0	<2.08	<0.4
2	06/07/10/2016	52	28	4.2	18.3	11.5	<19.62	0.19	<0.02	<4.0	<1.0	<2.08	<0.4
3	10/11/10/2016	57	29	5.9	22.7	<0.0	<19.62	0.24	<0.02	<4.0	<1.0	<2.08	<0.4
4	13/14/10/2016	63	32	6.2	23.6	10.6	<19.62	0.26	<0.02	5.5	<1.0	<2.08	<0.4
5	17/18/10/2016	76	37	7.7	22.3	<0.0	20.7	0.29	<0.02	5.6	<1.0	<2.08	<0.4
6	20/21/10/2016	66	31	6.9	24.2	11.6	21.6	0.24	<0.02	4.8	<1.0	<2.08	<0.4
7	24/25/10/2016	73	37	4.5	15.6	12.7	<19.62	0.26	<0.02	4.8	<1.0	<2.08	<0.4
8	27/28/10/2016	67	34	4.9	18.7	15.5	<19.62	0.23	<0.02	5.7	<1.0	<2.08	<0.4
	Avg. Monthly	64.3	32.3	5.9	21.5	11.6	20.00	0.24	0.02	5.0	1.0	2.08	<0.4
	Limit as per CPCB notification, New Delhi, 18th Nov, 2009, for Ambient air quality	100	60	80	400	180	2	1	20	6	5	1	
	Sampling and Analysis done according to	IS 5182, Part 23/2:2006 (Reaff. 2012)	Lab Sup No. IS 5182/Part 6:2006 (Reaff.2012)	TPM/MSK/E/5/CB based on USEPA CFR 40, Part 50 Appendix L, 2016	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-401)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)	IS 5182: Part 10:1999 (Reaff.2014)	EPA 403.2 (NDIR)	Lab Sup No. TPM/MSK/E/4/I Based on APHA 22nd Edition 2012, 3114-C	IS 5182(Part-11):2006 (Reaff.2012)	IS 5182(Part-12):2004 (Reaff. 2014)		

Checked by:-

For Mitra S. K. Private Limited

Authorised Signatory

T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com

H. O.: Shrachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata – 700 016, West Bengal, India



Mitra S. K. Private Limited



TESTING • INSPECTION
Mitra S. K. Private Limited

APG O. BARBIL Ward No.6
Dist: Keonjhar, Odisha - 756035
CIN U61909WB1966PTC022937
T : +91 94370 05815, 94370 05620, 94370 75269
E : barbil@mitrask.com.in
W : www.mitrask.com

Ref.No.BBL/ENV/1785

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/12/2016

Name of Client :		TATA Steel Ltd. FAT Joda Plant Near Main Gate											
Address :		Concentration of Pollutants											
Sl. No.	Date of Monitoring	PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	Ni (ng/m^3)	As (ng/m^3)	Benzene (ng/m^3)	Benz(a)pyrene (ng/m^3)
1	01/12/11/2016	53	28	5.5	19.8	<10.0	<19.62	0.17	<0.02	7.8	<1.0	<2.08	<0.4
2	04/05/11/2016	59	33	5.8	22.9	<10.0	<19.62	0.19	<0.02	<4.0	<1.0	<2.08	<0.4
3	07/08/11/2016	57	32	6.5	22.3	<10.0	<19.62	0.20	<0.02	6.6	<1.0	<2.08	<0.4
4	10/11/11/2016	61	33	6.8	24.8	<10.0	<19.62	0.23	<0.02	8.9	<1.0	<2.08	<0.4
5	14/15/11/2016	65	36	7.3	23.5	<10.0	<19.62	0.21	<0.02	4.0	<1.0	<2.08	<0.4
6	17/18/11/2016	60	33	6.5	22.3	<10.0	<19.62	0.18	<0.02	5.6	<1.0	<2.08	<0.4
7	21/22/11/2016	56	30	6.3	20.6	<10.0	<19.62	0.22	<0.02	<4.0	<1.0	<2.08	<0.4
8	24/25/11/2016	62	34	7.1	23.8	<10.0	<19.62	0.18	<0.02	<4.0	<1.0	<2.08	<0.4
9	28/29/11/2016	55	29	7.7	21.3	<10.0	<19.62	0.20	0.0	5.4	1.0	2.08	0.4
Avg. Monthly		58.7	32.0	6.6	22.4	10.0	19.62	0.20	1	20	6	5	1
Limit as per CPCB notification, New Delhi, 18th Nov, 2009, for Ambient air quality		100	60	80	80	400	180	2	1	20	6	5	1
Sampling and Analysis done according to		IS 5182: Part 23:2006 (Reaff. 2012)	Lab Sop No. TPM/MSK/E/5/CB 2.2:001 (Reaff.2012)	IS 5182: Part 6:2006 (Reaff.2012)	Method of Air sampling 3rd Edn. By James P. Lodge (Method-401)	Method of Air sampling 3rd Edn. By James P. Lodge (Method-411)	IS 5182: Part 10:1999 (Reaff.2014)	ERFA -103.2 (NDIR)	EPA-103.2 - June,1999 (NDIR)	No.TPM/MSK/E/ 4/L Based on APHA 22nd Edition 2012, 3114 C	IS:5182(Part-11):2006 Reaff.2012	IS:5182(Part-12):2004 Reaff. 2014	

Checked by:-



For Mitra S. K. Private Limited
Authorised Signatory

T-91 33 22172249/ 4014 3000/ 2265 006/ 2265 0007 F- 91 33 2265 0008 E:info@mitrask.com W: www.mitrask.com
H. O.: Shachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India

Mitra S. K. Private Limited



A/P.O.:BARBIL Ward No.6
Dist.: Keonjhar, Odisha, 759035
CIN: U51909WB1986PTC023607
T : +91 9437009815, 9437009820, 9437075269
E : barbil@mitrask.com.in
W : www.mitrask.com

Ref. No.BBL/ENV/1786

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/12/2016

Name of Client : TATA Steel Ltd.
Address : FAP Ioda Plant
Location : Ore Stack Yard Area (Near Well Pump)

Sl. No.	Date of Monitoring	Concentration of Pollutants											
		PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	Ni (ng/m^3)	As (ng/m^3)	Benzene ($\mu\text{g}/\text{m}^3$)	Benzol(a)pyrene (ng/m^3)
1	01/02/11/2016	72	39	6.5	25.9	10.2	<19.62	0.24	<0.02	6.9	<1.0	<2.08	<0.4
2	04/05/11/2016	66	33	6.8	21.6	11.6	<19.62	0.19	<0.02	<4.0	<1.0	<2.08	<0.4
3	07/08/11/2016	70	41	7.1	23.9	10.3	<19.62	0.26	<0.02	6.3	<1.0	<2.08	<0.4
4	10/11/11/2016	68	35	6.6	24.8	13.6	<19.62	0.25	<0.02	6.3	<1.0	<2.08	<0.4
5	14/15/11/2016	63	32	6.9	21.7	10.9	<19.62	0.23	<0.02	<4.0	<1.0	<2.08	<0.4
6	17/18/11/2016	68	34	6.5	22.7	14.5	<19.62	0.24	<0.02	8.9	<1.0	<2.08	<0.4
7	21/22/11/2016	75	40	7.1	25.2	12.6	<19.62	0.29	<0.02	4.0	<1.0	<2.08	<0.4
8	24/25/11/2016	63	33	6.3	20.7	11.2	<19.62	0.24	<0.02	7.4	<1.0	<2.08	<0.4
9	28/29/11/2016	78	42	7.2	25.9	16.5	<19.62	0.23	<0.02	<4.0	<1.0	<2.08	<0.4
	Avg. Monthly	69.2	36.6	6.8	23.6	12.4	19.62	0.24	0.02	5.5	1.0	2.08	0.4
	Limit as per CPCB notification, New Delhi, 18th Nov. 2009, for Ambient air quality	100	60	80	400	180	2	1	20	6	5	1	
	Sampling and Analysis done according to	IS 5182: Part 2:2006 (Reaff. 2012)	IS 5182: Part 2:2006 (Reaff. 2012)	Lab Sup No. IS 5182: Part 6.2:2006 (Reaff. 2012)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-401)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)	IS 5182: Part 10:1999 (Reaff.2014)	EPA -103.2 (NDIR)	EPA-103.2 - APHA 22nd Edition 2012, 3.114-C	Lab Sup No.TPM/MSK/E 4/l Based on IS:5182(Part-11):2006 Reaff.2012	IS:5182(Part-12):2004 Reaff. 2014		

Checked by:-

T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E:info@mitrask.com W: www.mitrask.com
H. O.: Shradha Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata – 700 016, West Bengal, India



For Mitra S. K. Private Limited
Authorised Signatory

Mitra S. K. Private Limited



TESTING • INSPECTION

At P.O.-BARBIL, Ward No-5
Dist. Keonjhar, Odisha - 756035
CIN: U51902WBH2013S6PUC023037
T : +91 94370 09815, 94370 09820, 94370 75269
E : bat.bil@mitrask.com.in
W : www.mitrask.com

Ref. No.BBL/ENV/7/187

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/12/2016

Name of Client :
TATA Steel Ltd.
FAB Joda Plant
Address : Near Gate No-2

Sl. No.	Date of Monitoring	Concentration of Pollutants											
		PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Pb (ng/m^3)	Ni (ng/m^3)	As (ng/m^3)	Benzene (ng/m^3)	
1	01/02/11/2016	65	35	6.8	23.1	12.6	<19.62	0.28	<0.02	6.9	<1.0	<2.08	<0.4
2	04/05/11/2016	63	33	6.3	22.9	<10.0	<19.62	0.23	<0.02	<4.0	<1.0	<2.08	<0.4
3	07/08/11/2016	71	39	6.9	28.7	14.9	<19.62	0.29	<0.02	7.7	<1.0	<2.08	<0.4
4	10/11/11/2016	68	37	6.8	22.6	<10.0	<19.62	0.28	<0.02	5.9	<1.0	<2.08	<0.4
5	14/15/11/2016	67	36	6.1	23.9	<10.0	<19.62	0.31	<0.02	<4.0	<1.0	<2.08	<0.4
6	17/18/11/2016	61	34	6.1	23.9	11.7	<19.62	0.28	<0.02	6.3	<1.0	<2.08	<0.4
7	21/22/11/2016	69	39	6.8	23.8	<10.0	<19.62	0.19	<0.02	<4.0	<1.0	<2.08	<0.4
8	24/25/11/2016	72	40	7.4	25.7	13.6	<19.62	0.29	<0.02	6.8	<1.0	<2.08	<0.4
9	28/29/11/2016	74	41	7.7	29.6	<10.0	<19.62	0.26	<0.02	<4.0	<1.0	<2.08	<0.4
	Avg. Monthly	67.8	37.1	6.8	24.9	11.4	19.62	0.27	0.02	5.5	1.0	2.08	0.4
	Limit as per CPCB notification, New Delhi, 18th Nov, 2009, for Ambient air quality	100	60	80	80	400	180	2	1	20	6	5	1
	Sampling and Analysis done according to	IS 5182: Part 23:2006 (Reaff. 2012)	Lab Sop No. IS 5182: Part 2:2001 (Reaff.2012)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-401)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)	IS 5182: Part 10-1999 (Reaff.2014)	EPA-103.2 (NDIR)	No.TPM/MSK/E/4/J Based on APTA 22nd Edition 2012, 3114 C	Lab Sop No. IS:5182(Part-11)2006 Reaff.2012	IS:5182(Part-12)2004 Reaff.2014			

For Mitra S. K. Private Limited

Checked by:-



Authorised Signatory

Mitra S. K. Private Limited



Ref. No.BBL/ENV/1788
 AIP.O. BARBIL Ward No.6
 Dist: Keonjhar, Odisha - 756035
 CIN: U51909WB1956PTC025037
 T : +91 94370 09615, 94370 09620, 94370 75269
 E : barbil@mitrask.com.in
 W : www.mitrask.com

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/12/2016

Name of Client : TATA Steel Ltd.
 Address : FAP Joda Plant
 Location : Near 332 KV

Sl. No.	Date of Monitoring	Concentration of Pollutants											
		PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	Ni (ng/m^3)	As (ng/m^3)	Benzene ($\mu\text{g}/\text{m}^3$)	Benz(a)pyrene ($\mu\text{g}/\text{m}^3$)
1	01/02/11/2016	59	28	5.5	19.9	13.7	<19.62	0.18	<0.02	7.6	<1.0	<2.08	<0.4
2	04/05/11/2016	60	29	6.5	20.3	<10.0	<19.62	0.25	<0.02	<4.0	<1.0	<2.08	<0.4
3	07/08/11/2016	63	30	6.8	21.9	<10.0	<19.62	0.16	<0.02	<4.0	<1.0	<2.08	<0.4
4	10/11/11/2016	61	35	5.9	22.7	14.6	<19.62	0.22	<0.02	5.9	<1.0	<2.08	<0.4
5	14/15/11/2016	65	33	6.3	24.3	<10.0	<19.62	0.19	<0.02	6.3	<1.0	<2.08	<0.4
6	17/18/11/2016	70	37	7.1	23.7	16.9	<19.62	0.28	<0.02	<4.0	<1.0	<2.08	<0.4
7	21/22/11/2016	68	34	6.8	22.7	<10.0	<19.62	0.29	<0.02	4.8	<1.0	<2.08	<0.4
8	24/25/11/2016	75	39	7.6	25.9	12.7	<19.62	0.31	<0.02	<4.0	<1.0	<2.08	<0.4
9	28/29/11/2016	71	36	7.2	23.6	<10.0	<19.62	0.27	<0.02	<4.0	<1.0	<2.08	<0.4
	Avg. Monthly	65.8	33.4	6.6	22.8	11.9	19.62	0.24	0.02	5.0	1.0	2.08	0.4
Limit as per CPCB notification, New Delhi, 18th Nov, 2009, for Ambient air quality		100	60	80	80	400	180	2	1	20	6	5	1
Sampling and Analysis done according to		IS 5182:Part 23:2006 (Reaff. 2012)	Lab Sop No. IS 5182 : Part 2:2001 (Reaff.2012)	TPM/MSK/E/5/CB based on USEPA CFR 40, Part 50 Appendix L, 2016	IS 5182 : Part 6:2006 (Reaff.2012)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)	IS 5182 : Part 10 ; 1999 (Reaff.2014)	EPA-103.2 June,1999	EPA-103.2 - 4/L Based on APHA 22nd Edition 2012, 3114.C	No.TPM/MSK/E/4/L Based on APHA 22nd Edition 2012, 3114.C	IS:5182(Part-11);2006 Reaff.2012	IS:5182(Part-12);2004 Reaff. 2014

For Mitra S. K. Private Limited

Checked by:-



Authorised Signatory

Mitra S. K. Private Limited



TESTING • INSPECTION

AMP-O.-BARBIL Ward No-6
Dist:-Koraput, Odisha - 756035
CIN: U51959WB1996PLTC023037
T : +91 94370 09815, 94370 09820, 94370 75269
E : barbil@mitrask.com.in
W : www.mitrask.com

Ref. No.BBL/ENV/1831

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/01/2017

Name of Client : TATA Steel Ltd.
Address : FAP Joda Plant
Location : Near Main Gate

Sl. No.	Date of Monitoring	Concentration of Pollutants																	
		PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	NH ₃ (µg/m ³)	O ₃ (µg/m ³)	CO (mg/m ³)	Pb (µg/m ³)	Ni (ng/m ³)	As (ng/m ³)	Benzene (ng/m ³)	Benz(a)pyrene (ng/m ³)						
1	01/02/12/2016	61	32	7.0	22.2	<10.0	<19.62	0.21	<0.02	5.8	<1.0	<2.08	<0.4						
2	05/06/12/2016	66	36	7.3	23.8	10.6	<19.62	0.22	<0.02	6.6	<1.0	<2.08	<0.4						
3	08/09/12/2016	56	30	6.6	22.5	<10.0	<19.62	0.19	<0.02	<4.0	<1.0	<2.08	<0.4						
4	12/13/12/2016	64	35	7.2	23.4	<10.0	<19.62	0.23	<0.02	5.4	<1.0	<2.08	<0.4						
5	15/16/12/2016	59	32	7.3	23.5	<10.0	<19.62	0.24	<0.02	<4.0	<1.0	<2.08	<0.4						
6	19/20/12/2016	65	35	7.4	23.7	10.4	<19.62	0.22	<0.02	6.4	<1.0	<2.08	<0.4						
7	22/23/12/2016	60	33	6.8	21.6	<10.0	<19.62	0.20	<0.02	4.8	<1.0	<2.08	<0.4						
8	26/27/12/2016	67	37	7.8	24.8	10.9	<19.62	0.25	<0.02	7.4	<1.0	<2.08	<0.4						
9	29/30/12/2016	54	29	6.4	19.8	<10.0	<19.62	0.19	<0.02	<4.0	<1.0	<2.08	<0.4						
	Avg. Monthly	61.3	33.2	7.1	22.8	10.2	19.62	0.22	0.02	5.3	1.0	2.08	0.4						
Limit as per CPCB notification, New Delhi 18th Nov, 2009, for Ambient air quality																			
IS 5182: Part 2:2006 based on USEPA CCR (Reaff. 2012)											Lab Sop No. IS 5182 : Part 6:2006 Edn. By James P. Lodge (Method-411)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)	IS 5182 : Part 6:1999 Edn. By James P. Lodge (Method-411)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)	IS 5182 : Part 10:1999 Edn. By James P. Lodge (Method-411)	IS 5182 : Part 10:1999 Edn. By James P. Lodge (Method-411)	No.TPMSK/E/4/L Based on APHA 22nd Edition 2012, 314.C	IS 5182(Part-11)2006 Reaff.2012	IS 5182(Part-12)2004 Reaff. 2014

For Mitra S. K. Private Limited

Checked by:-



T: 91 33 22172249 / 4014 3000 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com
H.O.: Shrech Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India

Mitra S. K. Private Limited



ADP O. BARBIL Ward No.6
Dist. Krishnanagar, Nadia, 756035
CIN: U51999WB1966PTC023037
T : +91 9413700985, 9413700982, 94370 75269
E : barbil@mitrask.com
W : www.mitrask.com

Ref. No.BBL/ENV/1/1832

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/01/2017

Name of Client :
Address :
Location :

TATA Steel Ltd.
FAP Soda Plant
Ore Stack Yard Area (Near Well Pump)

Sl. No.	Date of Monitoring	Concentration of Pollutants											
		PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	Ni ($\mu\text{g}/\text{m}^3$)	As ($\mu\text{g}/\text{m}^3$)	Benzene ($\mu\text{g}/\text{m}^3$)	Benz(a)pyrene ($\mu\text{g}/\text{m}^3$)
1	01/02/12/2016	63	34	6.6	22.5	<10.0	<19.62	0.22	<0.02	<4.0	<1.0	<2.08	<0.4
2	05/06/12/2016	74	41	7.5	25.2	12.2	<19.62	0.26	<0.02	6.6	<1.0	<2.08	<0.4
3	08/09/12/2016	69	37	6.8	23.6	11.4	<19.62	0.23	<0.02	<4.0	<1.0	<2.08	<0.4
4	12/13/12/2016	59	32	6.4	20.2	<10.0	<19.62	0.20	<0.02	<4.0	<1.0	<2.08	<0.4
5	15/16/12/2016	71	38	7.0	24.3	10.8	<19.62	0.24	<0.02	<4.0	<1.0	<2.08	<0.4
6	19/20/12/2016	79	43	7.6	24.8	13.2	<19.62	0.27	<0.02	5.1	<1.0	<2.08	<0.4
7	22/23/12/2016	68	36	6.7	25.2	11.8	<19.62	0.25	<0.02	<4.0	<1.0	2.08	<0.4
8	26/27/12/2016	72	39	7.2	24.8	10.4	<19.62	0.26	<0.02	<4.0	<1.0	<2.08	<0.4
9	29/30/12/2016	81	44	7.8	26.3	14.2	<19.62	0.28	<0.02	6.3	<1.0	<2.08	<0.4
	Avg. Monthly	70.7	38.2	7.1	24.1	11.6	19.62	0.25	0.02	4.6	1.0	2.08	0.4
Limit as per CPCB notification, New Delhi, 18th Nov, 2009, for Ambient air quality													
IS 5182: Part 2:2001 based on USEPA CFR (Reaff.2012)													
Sampling and Analysis done according to Appendix L, 2016													
Method of Air sampling, 3rd Edn. By James P. Lodge (Method-401)													
Method of Air sampling, 3rd Edn. By James P. Lodge (Method-401)													
Lab Sop No. IS 5182: Part 6:2006 (Reaff.2012) (Method-401)													
No.TPM/MSK/E/5/CE 2:2001 (Reaff.2012)													
IS 5182: Part 4/L Bassed on NDIR (NDIR)													
IS 5182: Part 11):2006 (Reaff.2012)													
EPA-103.2 - EPA-103.2 - APHA 22nd Edition 2012, 3114.C													
IS 5182(Part 12):2004 Reaff.2014													
IS 5182(Part 12):2004 Reaff.2014													

For Mitra S. K. Private Limited

Checked by:-

Authorised Signatory

T-91 33 2217249 / 4014 3000 / 2265 0008 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com
H. O.: Shriach Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata – 700 016, West Bengal, India

Mitra S. K. Private Limited



TESTING • INSPECTION

AIR/O. BARBIL Ward No.5

Disk, New Market, Cuttack - 756035

CIN: U51959WB1956PLC101223034/

T : +91 94370 08615, 94-370 08820, 94370 75269

E : barbil@mitrask.com

W : www.mitrask.com

Ref. No BBL/ENV/1833

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/01/2017

Name of Client : TATA Steel Ltd.
Address : TATA Steel Ltd.
Near Gate No-2
Location :

Sl. No.	Date of Monitoring	Concentration of Pollutants											
		PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	NI (ng/m^3)	As (ng/m^3)	Benzene ($\mu\text{g}/\text{m}^3$)	Benz(a)pyrene (ng/m^3)
1	01/02/12/2016	75	42	7.2	29.5	<10.0	<19.62	0.31	<0.02	5.7	<1.0	<2.08	<0.4
2	05/06/12/2016	68	36	6.5	27.3	<10.0	<19.62	0.27	<0.02	<4.0	<1.0	<2.08	<0.4
3	08/09/12/2016	73	40	7.6	28.4	11.7	<19.62	0.29	<0.02	6.3	<1.0	<2.08	<0.4
4	12/13/12/2016	64	35	6.3	25.6	<10.0	<19.62	0.26	<0.02	<4.0	<1.0	<2.08	<0.4
5	15/16/12/2016	69	37	6.9	28.1	<10.0	<19.62	0.28	<0.02	<4.0	<1.0	<2.08	<0.4
6	19/20/12/2016	71	39	6.7	26.9	13.9	<19.62	0.31	<0.02	6.6	<1.0	<2.08	<0.4
7	22/23/12/2016	66	36	6.6	24.5	<10.0	<19.62	0.24	<0.02	<4.0	<1.0	<2.08	<0.4
8	26/27/12/2016	62	34	7.3	21.6	12.5	<19.62	0.23	<0.02	<4.0	<1.0	<2.08	<0.4
9	29/30/12/2016	72	39	7.6	26.7	<10.0	<19.62	0.31	<0.02	7.2	<1.0	<2.08	<0.4
	Avg. Monthly	68.9	37.6	7.0	26.5	10.9	19.62	0.28	0.02	6.5	1.0	2.08	0.4
Limit as per CPCB notification, New Delhi, 18th Nov, 2009, for Ambient air quality													
	100	60	80	400	180	2	1	20	6	5	1		
Sampling and Analysis done according to													
	IS 5182: Part 23/2006 (Reaff. 2012)	Lab Sop No. 40, Part 50 Appendix L, 2016	IS 5182 : Part 6/2006 (Reaff.2012)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-401)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)	IS 5182: Part 10/1999 (Reaff.2014)	IS 5182: Part 10/1999 (NDIR)	EPA -103.2 - EPA-103.2 - June,1999	No.TPM/MSK/E/ 4/L,Based on APHA 22nd Edition 2012, 3114 C	Lab Sop No. TPM/MSK/E/ 11/2006 (Part-11)2006 Reaff.2012	IS 5182(Part-12)2004 Reaff. 2014		

Checked by:-



For Mitra S. K. Private Limited

T. 91 33 22172249 / 4014 3000 / 2265 0006/ 0007 F: 91 33 225 0008 E: info@mitrask.com W: www.mitrask.com
H. O.: Shachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India

Mitra S. K. Private Limited



TESTING • INSPECTION

Attn: O. BARBIL Ward No-65
Dist. Kendrapara, Odisha - 756005
CIN: U51515OR00119569/141223031/
T : +91 94370 09615, 94370 09620, 94370 76269
E : barbil@mitrask.com.in
W : www.mitrask.com

Ref. No.BBL/ENV/14834

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/01/2017

Sl. No.	Date of Monitoring	Concentration of Pollutants											
		PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO _x ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	Ni ($\mu\text{g}/\text{m}^3$)	As (ng/m^3)	Benzene ($\mu\text{g}/\text{m}^3$)	Benz(a) pyrene (ng/m^3)
1	01/01/12/2016	73	40	7.9	26.3	13.9	<19.62	0.33	<0.02	8.2	<1.0	<2.08	<0.4
2	05/06/12/2016	66	36	6.6	21.5	<10.0	<19.62	0.29	<0.02	<4.0	<1.0	<2.08	<0.4
3	08/09/12/2016	61	31	6.3	19.7	<10.0	<19.62	0.25	<0.02	<4.0	<1.0	<2.08	<0.4
4	12/13/12/2016	69	38	6.9	25.4	<10.0	<19.62	0.30	<0.02	7.5	<1.0	<2.08	<0.4
5	15/16/12/2016	71	39	7.1	23.8	<10.0	<19.62	0.31	<0.02	7.9	<1.0	<2.08	<0.4
6	19/20/12/2016	65	36	6.5	22.8	15.6	<19.62	0.26	<0.02	<4.0	<1.0	<2.08	<0.4
7	22/23/12/2016	62	32	6.4	20.6	<10.0	<19.62	0.19	<0.02	8.2	<1.0	<2.08	<0.4
8	26/27/12/2016	67	37	7.1	26.7	14.5	<19.62	0.28	<0.02	<4.0	<1.0	<2.08	<0.4
9	29/30/12/2016	63	33	6.8	24.5	<10.0	<19.62	0.16	<0.02	5.5	<1.0	<2.08	<0.4
Avg Monthy		66.3	35.8	6.8	23.5	11.6	19.62	0.26	0.02	5.9	1.0	2.08	0.4
Limit as per CPCB notification, New Delhi, 18th Nov. 2009, for Ambient air quality		100	60	80	400	180	2	1	20	6	5	1	
Sampling and Analysis done according to IS 5182: Part 2:2006 (Reaff.2012)		IS 5182: Part 2:2006 (Reaff.2012)	TPM/MSK/E/5/CB based on USEPA CFR Appendix L, 2016	Lab Sop No. IS 5182 : Part 6-2006 (Reaff.2012)	IS 5182 : Part 6-2006 (Reaff.2012)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)	IS 5182 : Part 10-1999 Edn. By James P. Lodge (Method-411)	EPA-403.2 EPA-403.2 - 4/L Based on APHA 22nd Edition 2012, 3114-C	IS 5182(Part-11)2006 Reaff.2012	IS 5182(Part-12)2004 Reaff. 2014		

For Mitra S. K. Private Limited

Checked by:-



Authorised Signatory

Mitra S. K. Private Limited



At&P.O.: BARBIL Ward No.-5
Dist.: Keonjhar Odisha - 758035
CIN: U51950WBH2006PTC023037

T :

9437009815, 9437009820, 9437075269

E :

barbil@mitrask.com

W :

www.mitrask.com

Ref. No.BBL/ENV/1918

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/02/2017

Ref. No.BBL/ENV/1918

Name of Client : TATA Steel Ltd.
Address : FAP Ioda Plant
Location : Near Main Gate

Sl. No.	Date of Monitoring	Concentration of Pollutants											
		PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	Ni (ng/m^3)	As (ng/m^3)	Benzene ($\mu\text{g}/\text{m}^3$)	Benzof(a)pyrene (ng/m^3)
1	02/03/01/2017	55	30	6.4	21.6	10.2	<19.62	0.22	<0.02	6.3	<1.0	<2.08	<0.4
2	05/06/01/2017	68	37	7.5	24.6	<10.0	<19.62	0.25	<0.02	<4.0	<1.0	<2.08	<0.4
3	09/10/01/2017	60	33	6.8	23.7	<10.0	<19.62	0.21	<0.02	<4.0	<1.0	<2.08	<0.4
4	12/13/01/2017	58	32	6.6	22.7	<10.0	<19.62	0.19	<0.02	5.9	<1.0	<2.08	<0.4
5	16/17/01/2017	63	34	7.7	23.4	10.6	<19.62	0.23	<0.02	<4.0	<1.0	<2.08	<0.4
6	19/20/01/2017	71	39	7.9	25.6	<10.0	<19.62	0.29	<0.02	<4.0	<1.0	<2.08	<0.4
7	23/24/01/2017	67	36	7.5	23.1	<10.0	<19.62	0.26	<0.02	4.8	<1.0	<2.08	<0.4
8	26/27/01/2017	64	35	7.1	24.5	<10.0	<19.62	0.24	<0.02	<4.0	<1.0	<2.08	<0.4
9	30/31/01/2017	59	32	6.9	22.8	10.5	<19.62	0.20	<0.02	5.2	<1.0	<2.08	<0.4
Avg-Monthly		62.8	34.2	7.2	23.6	10.14	19.62	0.2	0.02	4.7	1.0	2.08	0.4
Limit as per CPCB notification, New Delhi, 18th Nov, 2009, for Ambient air quality		100	60	80	400	180	2	1	20	6	5	1	
Sampling and Analysis done according to		IS 5182: Part IS 5182: Part IS 5182: Part IS 5182 : Part Lab Sop No. IS 5182: Part IS 5182 : Part Lab Sop No. IS 5182(Part-11);2006 TPM/MSK/E/5/CB based on USEPA 2.1;2001 6.2;2006 (Reaffl;2012) Edn. By James Edn. By James Edn. By James IS 5182(Part-12);2004 CFR 40, Part 50 Appendix I,, 2016 (Reaffl;2012) Edn. By James Edn. By James Edn. By James EPA-103.2 EPA-103.2 - 4/L Based on P. Lodge (Method-401) (NDIR) (Reaffl;2014) June,1999 June,1999 June,1999 APHA 22nd Edition 2012, Reaffl;2014 3114-C											

For Mitra S. K. Private Limited

Checked by:-

T : 91 33 22172249 / 4014 3000 / 2265 0007 F: 91 33 2265 0008 E:info@mitrask.com W: www.mitrask.com
H. O.: Shrikrishi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India



Authorised Signatory

Mitra S. K. Private Limited

TESTING • INSPECTION

AMP.O.:BARBIL Ward No:6
Dist.-Koraput, Odisha -758035
CIN: U51909OR01996PTC023037

T : +91 9437009815, 9437008620, 9437075269
E : barbil@mritrask.com.in
W : www.mritrask.com

Ref. No.BBL/ENV/1919

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/02/2017

Name of Client :		TATA Steel Ltd.											
Address :		FAP Jota Plant Ore Stack Yard Area (Near Well Pump)											
Location :		Concentration of Pollutants											
Sl. No.	Date of Monitoring	PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	Ni (ng/m^3)	As (ng/m^3)	Benzene	Benz(a)pyrene (ng/m^3)
1	02/03/01/2017	59	33	6.4	23.4	<10.0	<19.62	0.21	<0.02	<4.0	<1.0	<2.08	<0.4
2	05/06/01/2017	70	39	7.2	24.9	10.4	<19.62	0.27	<0.02	<4.0	<1.0	<2.08	<0.4
3	09/10/01/2017	63	36	6.9	23.1	<10.0	<19.62	0.25	<0.02	6.4	<1.0	<2.08	<0.4
4	12/13/01/2017	68	38	7.1	24.5	10.9	<19.62	0.23	<0.02	<4.0	<1.0	<2.08	<0.4
5	16/17/01/2017	73	40	7.5	26.7	<10.0	<19.62	0.28	<0.02	<4.0	<1.0	<2.08	<0.4
6	19/20/01/2017	67	37	7.0	24.1	<10.0	<19.62	0.27	<0.02	<4.0	<1.0	<2.08	<0.4
7	23/24/01/2017	75	41	7.8	26.8	11.6	<19.62	0.29	<0.02	6.1	<1.0	<2.08	<0.4
8	26/27/01/2017	80	44	8.0	27.3	<10.0	<19.62	0.31	<0.02	<4.0	<1.0	<2.08	<0.4
9	30/31/01/2017	69	38	7.3	25.2	11.7	<19.62	0.26	<0.02	5.9	<1.0	<2.08	<0.4
Avg. Monthly		69.3	38.4	7.2	25.1	10.5	19.62	0.26	0.02	4.7	1.0	2.08	0.4
Limit as per CPCB notification, New Delhi, 8th Nov. 2009, for Ambient air quality		100	60	80	400	180	2	1	20	6	5	1	
Sampling and Analysis done according to		IS 5182: Part 23/2006 (Reaff. 2012)	Lab Sop No. IS 5182: Part 2:2001 (Reaff. 2012)	Method of Air Sampling, 3rd Edn. By James P. Lodge (Method-401)	Method of Air Sampling, 3rd Edn. By James P. Lodge (Method-411)	IS 5182: Part 10:1999 (Reaff. 2014)	IS 5182: Part 10:1999 (NDIR)	EPA 103.2 June,1999 (NDIR)	No.TPM/MSK/E/ 4/L Bassed on EPA 103.2 - EPA 22nd Edition 2012, 3114-C	Lab Sop No.TPM/MSK/E/ 4/L Bassed on EPA 103.2 - EPA 22nd Edition 2012, 3114-C	IS:5182(Part-1):2006 Reaff.2012	IS:5182(Part-1):2006 Reaff.2012	

For Mitra S. K. Private Limited

Checked by:-

T. 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F. 91 33 2265 0008 E.info@mritrask.com W. www.mritrask.com
H. O.: Shrami Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata – 700 016, West Bengal, India



Authorised Signatory



Mitra S. K. Private Limited



A.U.P.O.: BARBIL Ward No-6

DIST.: Kharaihar, Ostisha - 758035

C.I.N. U51909WB1995PLC023037

T : +91 94370 09815, 94370 09820, 94370 75269

E : barbill@mritrask.com.in

W : www.mritrask.com

Ref. No.BBL/ENV/1920

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/02/2017

Name of Client : TATA Steel Ltd.
Address : FAP Joda Plant
Location : Near Gate No-2

Concentration of Pollutants									
Sl. No.	Date of Monitoring	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	NH ₃ (µg/m ³)	O ₃ (µg/m ³)	CO (mg/m ³)	Pb (µg/m ³)
									Ni (ng/m ³)
1	02/03/01/2017	52	32	6.3	27.6	11.7	<19.62	0.18	<0.02
2	05/06/01/2017	70	39	7.1	29.7	<10.0	<19.62	0.23	<0.02
3	09/10/01/2017	69	35	6.5	30.6	<10.0	<19.62	0.33	<0.02
4	12/13/01/2017	74	40	7.9	33.1	12.6	<19.62	0.37	<0.02
5	16/17/01/2017	65	32	7.1	28.7	<10.0	<19.62	0.31	<0.02
6	19/20/01/2017	75	41	8.1	34.8	<10.0	<19.62	0.39	<0.02
7	23/24/01/2017	68	37	7.4	26.7	11.9	<19.62	0.29	<0.02
8	26/27/01/2017	71	39	6.4	29.8	<10.0	<19.62	0.36	<0.02
9	30/31/01/2017	63	33	7.5	27.5	10.6	<19.62	0.35	<0.02
	Avg. Monthly	67.4	36.4	7.1	29.8	10.8	19.62	0.31	0.02
	Limit as per CPCB notification, New Delhi, 18th Nov, 2009, for Ambient air quality	100	60	80	400	180	2	1	20
									6
									5
									1

Sampling and Analysis done according to

IS 5182: Part 2:2006 (Reaffl.2012)

Appendix L, 2016

Lab Sop No. IS 5182 : Part 2:2001 (Reaffl.2012)

TPM/MSK/E/5/CB based on USEPA CFR 40, Part 50

IS 5182: Part 6:2006 (Reaffl.2012)

Edn. By James P. Lodge (Method-401)

Edn. By James P. Lodge (Method-411)

Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)

Method of Air sampling, 3rd Edn. By James P. Lodge (NDIR)

IS 5182: Part 10:1999 (Reaffl.2014)

EPA-103.2 - June,1999 (NDIR)

EPA-103.2 - June,1999 (APHA 22nd Edition 2012, 3114 C)

Lab Sop No. IS 5182(Part-11):2006 (Reaffl.2012)

No.TPM/MSK/E/4/L Based on APHA 22nd Edition 2012, 3114 C

IS 5182(Part-12):2004 (Reaffl. 2014)

Checked by:-

T: 91 33 22172249 / 40143000 / 2265 0007 F: 91 33 2265 0008 E:info@mritrask.com W: www.mritrask.com H. O.: Shashi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata – 700 016, West Bengal, India



Authorised Signatory

Mitra S. K. Private Limited



A/P O - BARBIL Ward No-6

Dist: Keonjhar Odisha - 756035

CIN: U65199WB1965PTC023037

T : +91 94370 08815, 94370 08820, 94370 76269

E : batbil@mitrask.com.in
W: www.mitrask.com

Ref. No.BBL/ENV/1921

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/02/2017

Ref. No.BBL/ENV/1921

Name of Client : TATA Steel Ltd.
Address : FAP Joda Plant
Location : Near 132 KV

Sl. No.	Date of Monitoring	Concentration of Pollutants											
		PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	Ni (ng/m^3)	As (ng/m^3)	Benzene ($\mu\text{g}/\text{m}^3$)	Benzo(a) pyrene (ng/m^3)
1	02/03/01/2017	50	28	6.1	23.5	<10.0	<19.62	0.21	<0.02	5.1	<1.0	<2.08	<0.4
2	05/06/01/2017	61	34	6.7	25.6	12.1	<19.62	0.28	<0.02	<4.0	<1.0	<2.08	<0.4
3	09/10/01/2017	69	39	6.9	26.7	<10.0	<19.62	0.26	<0.02	6.3	<1.0	<2.08	<0.4
4	12/13/01/2017	72	41	7.3	27.9	11.7	<19.62	0.28	<0.02	6.3	<1.0	<2.08	<0.4
5	16/17/01/2017	63	35	6.5	24.8	<10.0	<19.62	0.24	<0.02	<4.0	<1.0	<2.08	<0.4
6	19/20/01/2017	66	37	6.2	25.9	<10.0	<19.62	0.23	<0.02	4.9	<1.0	<2.08	<0.4
7	23/24/01/2017	74	42	7.5	29.7	10.9	<19.62	0.31	<0.02	4.9	<1.0	<2.08	<0.4
8	26/27/01/2017	70	40	7.1	26.8	<10.0	<19.62	0.26	<0.02	<4.0	<1.0	<2.08	<0.4
9	30/31/01/2017	62	35	6.3	24.1	10.9	<19.62	0.29	<0.02	5.3	<1.0	<2.08	<0.4
	Avg. Monthly	65.2	36.8	6.7	26.1	10.6	19.62	0.26	0.02	4.6	1.0	2.08	0.4
Limit as per CPCB notification, New Delhi 18th Nov, 2009, for Ambient air quality		100	60	80	400	180	2	1	20	6	5	1	
Sampling and Analysis done according to		IS 5182: Part 23/2006 (Reaff. 2012)	Lab Sop No. IS 5182: Part 2.2/2001 (Reaff.2012)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-401)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)	IS 5182: Part 10:1999 (Reaff.2014)	IS 5182: Part 10:1999 (NDIR)	EPA-103.2 (NDIR)	EPA-103.2 (NDIR)	No.TPM/MSK/E/4/L/Based on APHA 22nd Edition 2012, 3114 C	IS:5182(Part-11);2006 Reaff;2014		

For Mitra S. K. Private Limited

Checked by:-



T-91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0006 E:info@mitrask.com W: www.mitrask.com
H. O.: Shachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata – 700 016, West Bengal, India

Authorised Signatory

Mitra S. K. Private Limited



AstP.O.-BARBIL Ward No-6

Dist. Keonjhar, Odisha - 756035

CIN: U51190ORW2019GNCOP23037

T : +91 94370 09815, 94370 05820, 94370 75259

E : barbil@mitrask.com.in

W : www.mitrask.com

Ref. No.BBL/ENV/1968

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/03/2017

Name of Client :
TATA Steel Ltd.
Address : FAP Joda Plant
Location : Near Main Gate

Sl. No.	Date of Monitoring	Concentration of Pollutants											
		PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	Ni ($\mu\text{g}/\text{m}^3$)	As ($\mu\text{g}/\text{m}^3$)	Benzene	Benz(a)pyrene (ng/m^3)
1	02/03/2017	62	33	6.8	22.8	11.2	<10.0	0.23	<0.02	<4.0	<1.0	<2.08	<0.4
2	06/03/2017	58	31	6.9	21.2	<10.0	<10.0	0.21	<0.02	<4.0	<1.0	<2.08	<0.4
3	09/03/2017	67	35	6.8	23.4	10.4	<10.0	0.24	<0.02	5.4	<1.0	<2.08	<0.4
4	13/03/2017	70	38	7.5	24.8	10.8	18.6	0.26	<0.02	<4.0	<1.0	<2.08	<0.4
5	16/03/2017	59	32	6.7	22.2	<10.0	<10.0	0.18	<0.02	<4.0	<1.0	<2.08	<0.4
6	20/03/2017	63	34	7.2	23.4	<10.0	<10.0	0.25	<0.02	4.8	<1.0	<2.08	<0.4
7	23/03/2017	56	30	6.4	21.5	<10.0	<10.0	0.18	<0.02	<4.0	<1.0	<2.08	<0.4
8	27/03/2017	61	33	6.8	23.8	<10.0	<10.0	0.23	<0.02	<4.0	<1.0	<2.08	<0.4
Avg. Monthly		62.0	33.3	6.9	22.9	10.3	11.0	0.22	0.02	4.3	1.0	2.08	0.4
Limit as per CPCB notification, New Delhi, 18th Nov, 2009, for Ambient air quality		100	60	80	80	400	180	2	1	20	6	5	1
Sampling and Analysis done according to (Reaff. 2012)		IS 5182: Part 23/2006 (Reaff.2012)	Lab Sop No. IS 5182 : Part 2/2001 (Reaff.2012)	IS 5182 : Part 6/2006 (Reaff.2012)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-401)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)	IS 5182: Part-10/1999 (Reaff.2014)	EPA-103.2 (NDIR)	Lab Sop No. IS:5182 (Part-E/4/L Based on APHA 22nd Edition 2012, Method-411)	IS:5182 (Part-11): 2006 Reaff. 2012	IS:5182 (Part-12): 2004 Reaff. 2014		

Checked by:-

Ananya Datta

T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com
H.O.: Shachi Centre (6th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India



For Mitra S. K. Private Limited
Authorized Signatory

Mitra S. K. Private Limited



TESTING • INSPECTION

A&P.O.: BARBIL Ward No.6
Dist: Keonjhar, Odisha - 756035
CIN: U51902WB1968PTC023037
T : +91 94370 08616, 94370 08620, 94370 75269
E : barbill@mistrask.com
W: www.mistrask.com

Ref. No BBL/ENV/1969

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/03/2017

Name of Client : TATA Steel Ltd.
Address : FAP Joda Plant
Location : Ore Stack Yard Area (Near Well Pump)

Sl. No.	Date of Monitoring	Concentration of Pollutants											
		PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	NI (ng/m^3)	As (ng/m^3)	Benzene (ng/m^3)	Benz(a)pyrene (ng/m^3)
1	02/03/02/2017	63	35	6.3	22.4	<10.0	<10.0	0.23	<0.02	<4.0	<1.0	<2.08	<0.4
2	06/07/02/2017	68	38	7.1	24.3	<10.0	<10.0	0.25	<0.02	<4.0	<1.0	<2.08	<0.4
3	09/10/02/2017	71	40	7.3	24.8	10.5	18.7	0.26	<0.02	5.2	<1.0	<2.08	<0.4
4	13/14/02/2017	66	37	6.6	23.5	<10.0	<10.0	0.24	<0.02	<4.0	<1.0	<2.08	<0.4
5	16/17/02/2017	61	33	6.2	22.6	10.8	<10.0	0.22	<0.02	<4.0	<1.0	<2.08	<0.4
6	20/21/02/2017	78	43	7.5	24.1	<10.0	15.5	0.28	<0.02	<4.0	<1.0	<2.08	<0.4
7	23/24/02/2017	65	36	6.8	23.2	<10.0	<10.0	0.24	<0.02	<4.0	<1.0	<2.08	<0.4
8	27/28/02/2017	73	41	7.2	25.3	<10.0	<10.0	0.27	<0.02	5.8	<1.0	<2.08	<0.4
	Avg. Monthly	68.1	37.9	6.9	23.8	10.2	11.8	0.25	0.0	4.4	1.0	2.08	0.4
Limit as per CPCB notification, New Delhi, 18th Nov, 2009, for Ambient air quality													
	100	60	80	80	400	180	2	1	20	6	5	1	
Sampling and Analysis done according to IS 5182: Part 23:2006 based on USEPA CFR 40, Part 50 (Reaffl.2012) Appendix I, 2016													
		Lab Sop No. IS 5182: Part 23:2001 (Reaffl.2012)	IS 5182 : Part 6:2006 (Reaffl.2012)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-401)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-401)	IS 5182 : Part 6:2006 (Reaffl.2014)	IS 5182 : Part 6:1999 (Reaffl.2014)	EPA -103.2 (NDIR)	EPA-103.2 (NDIR)	No:TPM/MSK/E/4/I Based on APHA 22nd Edition 2012, 314-C	IS5182 (Part-11); 2006 Reaffl. 2012	IS5182 (Part-12); 2004 Reaffl. 2014	



For Mitra S. K. Private Limited
Authorized Signatory

Checked by:-

Ananya Ray

T-91 33 22172249 / 4014 3000 / 2285 0007 F-91 33 2265 0038 E:info@mistrask.com W: www.mistrask.com
H. O.: Shrech Centre (5th Floor), 7/B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India

Mitra S. K. Private Limited



A&P O - BARBIL Ward No-6
Dist. Keonjhar, Odisha - 756035
CIN: U51195ORWB/956979C0230337

T : +91 94370 09815, 94370 09820, 94370 75289

E : barbil@mritask.com.in

W : www.mritask.com

Ref. No.BBL/ENV/1970

TATA Steel Ltd.

Name of Client :

Address :

FAP Joda plant

Location :

Near Gate No-2

Concentration of Pollutants

Sl. No.	Date of Monitoring	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	NH ₃ (µg/m ³)	O ₃ (µg/m ³)	CO (mg/m ³)	Pb (µg/m ³)	Ni (ng/m ³)	As (ng/m ³)	Benzene (µg/m ³)	Benz(a) pyrene (ng/m ³)	
1	02/03/02/2017	64	34	6.6	24.5	<10.0	<10.0	0.25	<0.02	<4.0	<1.0	<2.08	<0.4	
2	06/07/02/2017	69	38	6.8	27.6	<10.0	18.2	0.27	<0.02	4.8	<1.0	<2.08	<0.4	
3	09/10/02/2017	73	41	7.6	32.3	12.3	16.6	0.31	<0.02	<4.0	<1.0	<2.08	<0.4	
4	13/14/02/2017	67	37	6.5	26.8	11.2	<10.0	0.29	<0.02	5.2	<1.0	<2.08	<0.4	
5	16/17/02/2017	63	33	6.1	27.6	<10.0	<10.0	0.26	<0.02	6.2	<1.0	<2.08	<0.4	
6	20/21/02/2017	70	39	7.3	29.6	10.2	15.3	0.32	<0.02	<4.0	<1.0	<2.08	<0.4	
7	23/24/02/2017	68	38	7.1	28.4	<10.0	<10.0	0.30	<0.02	5.8	<1.0	<2.08	<0.4	
8	27/28/02/2017	66	36	6.4	27.2	<10.0	<10.0	0.28	<0.02	<4.0	<1.0	<2.08	<0.4	
Avg. Monthly		67.5	37.0	6.3	28.0	10.5	12.5	0.29	0.02	4.8	1.0	2.08	0.4	
Limit as per CPCB notification, New Delhi, 18th Nov, 2009, for Ambient air quality		100	60	80	80	400	180	2	1	20	6	5	1	
Sampling and Analysis done according to		IS 5182: Part 23/2006 (Reaff. 2012)	Lab Sop No. IS 5182: Part 2/2001 (Reaff.2012)	TPM/MSK/E/5/GB based on USEPA CFR 40, Part 50 Appendix L, 2016	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-401)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)	IS 5182 : Part 10.1/1999 (Reaff.2014)	EPA-103.2 - EPA-103.2 - /E/4/L Based on APHA 22nd Edition 2012, (NDIR)	Lab Sop IS 5182 (Part-10.1/1999)	EPA-103.2 - /E/4/L Based on APHA 22nd Edition 2012, (NDIR)	IS 5182 (Part-11); June,1999 (Reaff.2012)	11J; June,1999 (Reaff.2012)	IS 5182 (Part-12); 11J; June,1999 (Reaff.2012)	2006 Reaff. 2014

For Mitra S. K. Private Limited

Checked by:-

Ananya Ku Ray

T: 91 33 22172249 / 4044 3000 / 2265 0006 / 2265 0007 F: 91 33 2285 0008 E: info@mritask.com W: www.mritask.com
H.O.: Shashi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata – 700 016, West Bengal, India



Authorised Signatory

Mitra S. K. Private Limited



Adr.O : BARBIL Ward No-5
Dist. Keonjhar, Odisha - 756035
CIN: U51999WB1996PTC023037
T : +91 94370 05815, 94370 05620, 94370 75258
E : barbill@mistrask.com.in
W : www.mistrask.com

Ref. No.BBL/ENV/1971

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/03/2017

Name of Client :
Address :
Location :

TATA Steel Ltd.
FAP Joda Plant
Near 132 KV

Sl No.	Date of Monitoring	Concentration of Pollutants											
		PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	Ni (ng/m^3)	As (ng/m^3)	Benzene ($\mu\text{g}/\text{m}^3$)	Benzo(a)pyrene (ng/m^3)
1	02/03/2017	66	36	6.3	23.5	<10.0	12.1	0.25	<0.02	<4.0	<1.0	<2.08	<0.4
2	06/07/2017	70	39	7.2	27.5	10.2	<10.0	0.31	<0.02	5.2	<1.0	<2.08	<0.4
3	09/10/2017	65	35	6.8	26.2	<10.0	10.3	0.24	<0.02	<4.0	<1.0	<2.08	<0.4
4	13/14/2017	61	34	6.0	24.2	<10.0	<10.0	0.26	<0.02	4.8	<1.0	<2.08	<0.4
5	16/17/2017	59	33	5.8	23.6	<10.0	<10.0	0.24	<0.02	5.4	<1.0	<2.08	<0.4
6	20/21/2017	68	36	6.6	25.9	10.7	10.6	0.29	<0.02	<4.0	<1.0	<2.08	<0.4
7	23/24/2017	63	35	6.2	24.8	<10.0	<10.0	0.23	<0.02	<4.0	<1.0	<2.08	<0.4
8	27/28/2017	67	37	6.5	25.4	<10.0	11.4	0.27	<0.02	5.8	<1.0	<2.08	<0.4
Avg. Monthly		64.9	35.6	6.4	25.1	10.1	10.6	0.26	0.02	4.7	1.0	2.08	0.4
Limit as per CPCB notification, New Delhi, 18th Nov, 2009, for Ambient air quality		100	60	80	400	180	2	1	20	6	5	1	
Sampling and Analysis done according to (Reaff. 2012)		IS 5182: Part 2:2006 (Reaff.2012)	Lab Sop No. IS 5182 : Part 2:2006 (Reaff.2012)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-401)	IS 5182 : Part 10:1999 (Reaff.2014)	IS 5182 : Part 10:1999 (Reaff.2014)	EDPA-103.2 - June,1999	EDPA-103.2 - June,1999	Lab Sop No.TPM/MSK/E/5.CB (NDIR)	No.TPM/MSK/E/4/L Based on APHA 22nd Edition 2012,	IS:5182 (Part-11); 2006 Reaff. 2012	IS:5182 (Part-12); 2004 Reaff. 2014	

For Mitra S.K. Private Limited

Checked by:-

Ananya Baru.

T: 91 33 2272491 4014 30001 2265 0006 1 2265 0007 F: 91 33 2265 0006 E: info@mistrask.com W: www.mistrask.com

H. O.: Srirochi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata – 700 016, West Bengal, India



Authorised Signatory

Mitra S. K. Private Limited



Mitra S. K.
 Private Limited
 Air P. O.: BARBIL, Ward No. 5
 Dist: Keonjhar, Odisha - 756035
 CIN: U51909WB1986PTC023037
 T : +91 94370 09815, 94370 09820, 94370 15259
 E : barbil@mitrask.com
 W : www.mitrask.com

Ref. No.BBL/ENV/2024

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/04/2017

Name of Client :
 Address :
 Location :

TATA Steel Ltd.
 FAP Joda Plant
 Near Main Gate

Sl. No.	Date of Monitoring	Concentration of Pollutants											
		PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	As (ng/m^3)	Benzene pyrene (ng/m^3)		
1	02/03/03/2017	73	40	6.5	21.4	<10.0	13.2	0.19	<0.02	<4.0	<1.0	<2.08	<0.4
2	06/07/03/2017	66	36	6.3	19.6	10.2	<10.0	0.18	<0.02	<4.0	<1.0	<2.08	<0.4
3	09/10/03/2017	61	33	5.8	19.4	<10.0	<10.0	0.17	<0.02	<4.0	<1.0	<2.08	<0.4
4	13/14/03/2017	58	31	5.4	18.2	<10.0	<10.0	0.17	<0.02	<4.0	<1.0	<2.08	<0.4
5	16/17/03/2017	72	39	5.9	21.6	11.8	15.3	0.20	<0.02	<4.0	<1.0	<2.08	<0.4
6	20/21/03/2017	47	25	5.2	17.8	<10.0	<10.0	0.17	<0.02	<4.0	<1.0	<2.08	<0.4
7	23/24/03/2017	61	33	5.6	19.5	<10.0	<10.0	0.18	<0.02	<4.0	<1.0	<2.08	<0.4
8	27/28/03/2017	69	38	6.3	20.2	10.8	12.8	0.19	<0.02	<4.0	<1.0	<2.08	<0.4
9	30/31/03/2017	62	34	5.9	19.8	<10.0	<10.0	0.18	<0.02	<4.0	<1.0	<2.08	<0.4
	Avg. Monthly	63.2	34.3	5.9	19.7	10.2	11.3	0.18	0.02	4.0	1.0	2.08	0.4
Limit as per GPCB notification, New Delhi, 18th Nov, 2009, for Ambient air quality											5	1	
Sampling and Analysis done according to IS 5182: Part TPCM/MSKE/5/CB based on USEPA CFR 40, Part 50 (Reaffl.2012) Appendix L, 2016											For Mitra S. K. Private Limited		
Lab Sop No. IS 5182: Part 2 :2001 Edn. By James P. Lodge (Reaffl.2012) Method of Air sampling, 3rd Edn. By James P. Lodge (Method-401)											Authorised Signatory		
Lab Sop No. IS 5182: Part 6 :2006 Edn. By James P. Lodge (Reaffl.2012) Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)											IS:5182 (Part 12); 2006 Reaffl.2012 ;2014		
Lab Sop No. IS 5182: Part 10:1999 Edn. By James P. Lodge (Reaffl.2014) Method of Air sampling, 3rd Edn. By James P. Lodge (NDIR)											IS:5182 (Part 11); 2006 Reaffl.2012 ;2014		

Checked by:-

T: 91 33 22172249 / 4044 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com
 H. O.: Shriachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata – 700 016, West Bengal, India



Mitra S. K. Private Limited



Adr: O: Barbil, Ward No-6
 Dist: Keonjhar, Odisha - 756035
 CIN: U51909WB1946PTC0223037
 T : +91 9437069815, 9437009820, 9437075269
 E : barbil@mitrask.com.in
 W : www.mitrask.com

Ref. No.BBL/ENV/2025

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/04/2017

Name of Client : TATA Steel Ltd.
 Address : FAP Joda Plant
 Location : Ore Stack Yard Area (Near Well Pump)

Sl. No.	Date of Monitoring	Concentration of Pollutants											
		PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	NI (ng/m^3)	As (ng/m^3)	Benzene ($\mu\text{g}/\text{m}^3$)	Benzo(a)pyrene (ng/m^3)
1	02/03/2017	71	40	6.1	20.8	10.2	15.4	0.24	<0.02	<4.0	<1.0	<2.08	<0.4
2	06/07/2017	81	45	7.2	24.2	<10.0	21.2	0.26	<0.02	<4.0	<1.0	<2.08	<0.4
3	09/10/2017	68	38	5.8	19.6	11.2	12.3	0.23	<0.02	<4.0	<1.0	<2.08	<0.4
4	13/14/03/2017	63	35	5.6	18.6	<10.0	<10.0	0.20	<0.02	<4.0	<1.0	<2.08	<0.4
5	16/17/03/2017	77	42	6.4	21.4	10.8	14.5	0.24	<0.02	<4.0	<1.0	<2.08	<0.4
6	20/21/03/2017	51	29	5.4	18.2	<10.0	<10.0	0.19	<0.02	<4.0	<1.0	<2.08	<0.4
7	23/24/03/2017	66	37	5.6	19.6	<10.0	<10.0	0.21	<0.02	<4.0	<1.0	<2.08	<0.4
8	27/28/03/2017	74	41	6.4	21.4	11.8	16.3	0.23	<0.02	<4.0	<1.0	<2.08	<0.4
9	30/31/03/2017	76	42	6.6	23.3	12.2	18.4	0.24	<0.02	<4.0	<1.0	<2.08	<0.4
Avg. Monthly		69.7	38.8	6.1	20.8	10.7	14.2	0.23	0.02	4.0	1.0	2.08	0.4
Limit as per CPCB notification, New Delhi, 18th Nov, 2009, for Ambient air quality		100	60	80	400	180	2	1	20	6	5	1	
Sampling and Analysis done according to		IS 5182: Part 2:2006 (Reaff.2012)	Lab Sop No. IS 5182: Part 2:2001 (Reaff.2012)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-401)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)	IS 5182: Part 6:2006 (Reaff.2012)	10:1999 (Reaff.2014)	EPA -03.2 (EPA-103.2, NDIR)	EPA -03.2 (EPA-103.2, NDIR)	Lab Sop No.TPM/MSK/E/4/I/Based on APHA 22nd Edition 2012, 3114-C	IS:5182 (Part-11); 2006 Reaff, 2012	IS:5182 (Part-12); 2004 Reaff, 2014	

Checked by:-

T: 91 33 22172249 / 4044 3001 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com
 H.O.: Shashi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata – 700 016, West Bengal, India



For Mitra S. K. Private Limited
 Authorised Signatory

Mitra S. K. Private Limited



Auf.O.: BARBIL Ward No-5
 Dist. - Keonjhar, Odisha - 758035
 CIN: U51905WBH956PNC023037
 T : +91 94370 09815, 94370 09820, 94370 75269
 E : barbill@mitrask.com, mitrask.com
 W : www.mitrask.com

Ref. No.BBL/ENV/2026

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/04/2017

Name of Client : TATA Steel Ltd.
 Address : FAP Jota Plant
 Location : Near Gate No-2

Concentration of Pollutants										
Sl. No.	Date of Monitoring	PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	
1	02/03/03/2017	82	45	7.1	25.6	12.8	21.8	0.31	<0.02	
2	06/07/03/2017	77	43	6.6	23.4	10.8	19.2	0.26	<0.02	
3	09/10/03/2017	72	40	6.2	22.1	<10.0	15.2	0.23	<0.02	
4	13/14/03/2017	67	37	5.8	20.3	10.2	<10.0	0.21	<0.02	
5	16/17/03/2017	71	40	6.3	21.8	<10.0	14.2	0.25	<0.02	
6	20/21/03/2017	59	33	5.4	19.8	<10.0	<10.0	0.19	<0.02	
7	23/24/03/2017	68	38	6.1	21.2	<10.0	<10.0	0.21	<0.02	
8	27/28/03/2017	73	41	6.6	22.3	11.4	12.8	0.26	<0.02	
9	30/31/03/2017	69	39	6.2	25.6	<10.0	<10.0	0.22	<4.0	
	Avg. Monthly	70.9	39.6	6.3	22.5	10.6	13.7	0.24	0.02	
	Limit as per CPCB notification, New Delhi, 18th Nov. 2009, for Ambient air quality	100	60	80	80	400	180	2	1	
	Sampling and Analysis done according to	IS 5182: Part 23:2006 (Reaff. 2012)	Lab Sop No. IS 5182: Part 2:2001 (Reaff.2012)	TPM/MSK/E/5/CB based on USEPA CFR 40, Part 50 Appendix I, 2016	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-401)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)	IS 5182: Part 10:1999 (Reaff.2014)	IS 5182: Part EPA-103.2 (NDIR)	Lab Sop No.TPM/MSK /E/4/L-Based on APHA 22nd Edition 2012, 3114 C	IS 5182 (Part-11): 2006 Reaff. 2012

Checked by:-

T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com
 H. O.: Shrachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata – 700 016, West Bengal, India



For Mitra S. K. Private Limited
Authorised Signatory

Mitra S. K. Private Limited



Aut.O.:BARBIL Ward No.6
Dist.: Keonjhar, Odisha, 756035
CIN: U51109WBH956P1C023037
T : +91 94370 98615 94370 09820 94370 75269
E : barbil@mitrask.co.in
W : www.mitrask.com

Ref. No.BBL/ENV/2027

AMBIENT AIR QUALITY MONITORING REPORT

DATE: 02/04/2017

Ref. No.BBL/ENV/2027

Name of Client : TATA Steel Ltd.
Address : FAP Jota Plant
Location : Near 132 KV

Sl. No.	Date of Monitoring	Concentration of Pollutants											
		PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	Ni (ng/m^3)	As (ng/m^3)	Benzene ($\mu\text{g}/\text{m}^3$)	Benz(a)pyrene (ng/m^3)
1	02/03/03/2017	68	38	6.3	21.2	<10.0	<10.0	0.22	<0.02	<4.0	<1.0	<2.08	<0.4
2	06/07/03/2017	72	40	6.7	22.4	10.8	15.4	0.23	<0.02	<4.0	<1.0	<2.08	<0.4
3	09/10/03/2017	77	42	7.2	25.3	10.4	12.8	0.25	<0.02	<4.0	<1.0	<2.08	<0.4
4	13/14/03/2017	58	32	5.8	19.8	<10.0	<10.0	0.20	<0.02	4.2	<1.0	<2.08	<0.4
5	16/17/03/2017	64	35	6.1	21.2	<10.0	<10.0	0.22	<0.02	<4.0	<1.0	<2.08	<0.4
6	20/21/03/2017	49	28	5.2	19.6	<10.0	<10.0	0.19	<0.02	<4.0	<1.0	<2.08	<0.4
7	23/24/03/2017	58	33	5.6	20.4	<10.0	<10.0	0.21	<0.02	<4.0	<1.0	<2.08	<0.4
8	27/28/03/2017	67	37	6.2	21.6	<10.0	<10.0	0.22	<0.02	<4.0	<1.0	<2.08	<0.4
9	30/31/03/2017	74	40	6.6	23.5	11.2	14.2	0.24	<0.02	4.6	<1.0	<2.08	<0.4
	Avg. Monthly	65.2	36.1	6.2	21.7	10.3	11.4	0.22	0.0	4.1	1.0	2.1	0.4
Limit as per CPCB notification, New Delhi, 18th Nov. 2009, for Ambient air quality		100	60	80	80	400	180	2	1	20	6	5	1
Sampling and Analysis done according to		IS 5182: Part 23:2006 (Reaff. 2012)	Lab Sop No. IS 5182: Part 2:2001 based on USEPA CFR 40, Part 50 Appendix L, 2016	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-401)	Method of Air sampling, 3rd Edn. By James P. Lodge (Method-411)	IS 5182: Part 6:2006 (Reaff.2012)	IS 5182: Part 6:2006 (Reaff.2012)	IS 5182: Part 10:1999 (Reaff.2014)	EPA -IO3.2 - (NDIR)	EPA -IO3.2 - (NDIR)	No.TPM/MSK/ E/4/L Based on APHA 22nd Edition 2012, 3114 C	IS:5182 (Part-11):2006 Reaff. 2012	(Part-12): 2004 Reaff. 2014

For Mitra S.K. Private Limited

Authorised Signatory

Checked by:-



Annexure- II

Stack Emission Monitoring Report from 01-10-2016 To 31-03-2017

Mitra S. K. Private Limited

At/P.O.:BARBIL Ward No-6
Dist.: Keonjhar, Odisha - 758035
CIN: U51909WB1956PTC023037



T : +91 94370 09815, 94370 09820, 94370 75269
E : barbil@mitrask.co.in
W : www.mitrask.com

Ref. No. BBL/ENV/1746

DATE:02/11/2016

ANALYSIS REPORT OF FLUE GAS

Ferro Alloys Plant - Joda. Tata Steel Ltd

Name of the industry:

Date of Monitoring : 27.10.2016


Date of Analysis : 29.10.2016

Stack Connected

Reduction Arc Furnace – I & II

Sl.No.	Parameters	Method of Testing	Furnace - I	Furnace - II
1.	Temperature of emission (°C)	USEPA Part 2 - 25/09/1996	64	82
2.	Velocity of gas (m/sec.)	USEPA Part 2 - 25/09/1996	12.59	14.84
3.	Concentration of Sulphur dioxide (mg/Nm ³)	USEPA Part 6 - 25/09/1996	104.2	146.2
4.	Concentration of Nitrogen dioxide (mg/Nm ³)	USEPA Part 7 , Issue dt. 12/03/1996	78.4	103.5
5.	Concentration of particulate Matters (mg/Nm ³)	USEPA Part 5 - 16/08/1996	32	37

Checked by: *(Signature)*



H. O.: Shrachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata – 700 016, West Bengal, India
T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E:info@mitrask.com W: www.mitrask.com

Mitra S. K. Private Limited

At/P.O.: BARBIL Ward No-6
Dist.: Keonjhar, Odisha - 758035
CIN: U51909WB1956PTC023037

T : +91 94370 09815, 94370 09820, 94370 75269
E : barbil@mitrask.co.in
W : www.mitrask.com



Ref. No. BBL/ENV/1839

DATE: 02/01/2017

ANALYSIS REPORT OF FLUE GAS

Name of the industry:	Ferro Alloys Plant - Joda. Tata Steel Ltd			
Date of Monitoring :	28.12.2016			
Date of Analysis :	30.12.2016			
Stack Connected	Reduction Arc Furnace - I & II			
Sl.No.	Parameters	Method of Testing	Furnace - I	Furnace - II
1.	Temperature of emission (°C)	USEPA Part 2 - 25/09/1996	63	74
2.	Velocity of gas (m/sec.)	USEPA Part 2 - 25/09/1996	12.69	13.68
3.	Concentration of Sulphur dioxide (mg/Nm³)	USEPA Part 6 - 25/09/1996	102.4	118.2
4.	Concentration of Nitrogen dioxide (mg/Nm³)	USEPA Part 7, Issue dt. 12/03/1996	73.1	82.5
5.	Concentration of particulate Matters (mg/Nm³)	USEPA Part 5 - 16/08/1996	28	35

Checked by :

For Mitra S.K. Private Limited

Authorised Signatory



Mitra S. K. Private Limited

At/P.O.:BARBIL Ward No-6
Dist.: Keonjhar, Odisha - 758035
CIN: U51909WB1956PTC023037
T : +91 94370 09815, 94370 09820, 94370 75269
E : barbil@mitrask.co.in
W : www.mitrask.com



Ref. No. BBL/ENV/1792

DATE:02/12/2016

ANALYSIS REPORT OF FLUE GAS

Name of the industry:	Ferro Alloys Plant - Joda. Tata Steel Ltd			
Date of Monitoring :	29.11.2016			
Date of Analysis :	01.12.2016			
Stack Connected	Reduction Arc Furnace - I & II			
Sl.No.	Parameters	Method of Testing	Furnace - I	Furnace - II
1.	Temperature of emission ($^{\circ}$ C)	USEPA Part 2 - 25/09/1996	62	80
2.	Velocity of gas (m/sec.)	USEPA Part 2 - 25/09/1996	10.35	13.29
3.	Concentration of Sulphur dioxide (mg/Nm ³)	USEPA Part 6 - 25/09/1996	107.3	149.6
4.	Concentration of Nitrogen dioxide (mg/Nm ³)	USEPA Part 7 , Issue dt. 12/03/1996	81.6	105.6
5.	Concentration of particulate Matters (mg/Nm ³)	USEPA Part 5 - 16/08/1996	35	41

Checked by:

For Mitra S.K. Private Limited

Authorised Signatory



Mitra S. K. Private Limited

At/P.O.: BARBIL Ward No-6
Dist.: Keonjhar, Odisha - 758035
CIN: U51909WB1956PTC023037

T : +91 94370 09815, 94370 09820, 94370 75269
E : barbil@mitrask.co.in
W : www.mitrask.com



Ref. No. BBL/ENV/1839

DATE: 02/01/2017

ANALYSIS REPORT OF FLUE GAS

Name of the industry:	Ferro Alloys Plant – Joda. Tata Steel Ltd			
Date of Monitoring :	28.12.2016			
Date of Analysis :	30.12.2016			
Stack Connected	Reduction Arc Furnace – I & II			
Sl.No.	Parameters	Method of Testing	Furnace - I	Furnace - II
1.	Temperature of emission (°C)	USEPA Part 2 - 25/09/1996	63	74
2.	Velocity of gas (m/sec.)	USEPA Part 2 - 25/09/1996	12.69	13.68
3.	Concentration of Sulphur dioxide (mg/Nm³)	USEPA Part 6 - 25/09/1996	102.4	118.2
4.	Concentration of Nitrogen dioxide (mg/Nm³)	USEPA Part 7, Issue dt. 12/03/1996	73.1	82.5
5.	Concentration of particulate Matters (mg/Nm³)	USEPA Part 5 - 16/08/1996	28	35

Checked by :

For Mitra S.K. Private Limited

Authorised Signatory



Mitra S. K. Private Limited

At/P.O.:BARBIL Ward No-6
Dist: Keonjhar, Odisha - 758035
CIN: U51909WB1956PTC023037

T : +91 94370 09815, 94370 09820, 94370 75269
E : barbil@mitrask.co.in
W : www.mitrask.com



DATE:02/02/2017

Ref. No. BBL/ENV/1930

ANALYSIS REPORT OF FLUE GAS

Name of the industry:	Ferro Alloys Plant - Joda, Tata Steel Ltd			
Date of Monitoring :	27.01.2017			
Date of Analysis :	29.01.2017			
Stack Connected	Reduction Arc Furnace - I & II			
Sl.No.	Parameters	Method of Testing	Furnace - I	Furnace - II
1.	Temperature of emission (°C)	USEPA Part 2 - 25/09/1996	63	67
2.	Velocity of gas (m/sec.)	USEPA Part 2 - 25/09/1996	12.43	13.42
3.	Concentration of Sulphur dioxide (mg/Nm³)	USEPA Part 6 - 25/09/1996	108.2	123.5
4.	Concentration of Nitrogen dioxide (mg/Nm³)	USEPA Part 7 , Issue dt. 12/03/1996	76.4	84.3
5.	Concentration of particulate Matters (mg/Nm³)	USEPA Part 5 - 16/08/1996	26	31

Checked by :

For Mitra S.K. Private Limited

Authorised Signatory



Mitra S. K. Private Limited

At/P.O.: BARBIL Ward No-6
Dist.: Keonjhar, Odisha - 758035
CIN: U51909WB1956PTC023037

T : +91 94370 09815, 94370 09820, 94370 75269
E : barbil@mitrask.co.in
W : www.mitrask.com



Ref. No. BBL/ENV/1975

DATE: 02/03/2017

ANALYSIS REPORT OF FLUE GAS

Name of the industry:	Ferro Alloys Plant – Joda. Tata Steel Ltd			
Date of Monitoring :	22.02.2017			
Date of Analysis :	24.02.2017			
Stack Connected	Reduction Arc Furnace - I & II			
Sl.No.	Parameters	Method of Testing	Furnace - I	Furnace - II
1.	Temperature of emission (°C)	USEPA Part 2 - 25/09/1996	66	70
2.	Velocity of gas (m/sec.)	USEPA Part 2 - 25/09/1996	12.21	13.23
3.	Concentration of Sulphur dioxide (mg/Nm³)	USEPA Part 6 - 25/09/1996	134.3	127.4
4.	Concentration of Nitrogen dioxide (mg/Nm³)	USEPA Part 7 , Issue dt. 12/03/1996	78.2	74.8
5.	Concentration of particulate Matters (mg/Nm³)	USEPA Part 5 - 16/08/1996	29	32

Checked by :

Ananta K. Rath

For Mitra S.K. Private Limited

Authorised Signatory



Mitra S. K. Private Limited

At/P.O.:BARBIL Ward No-6
Dist.: Keonjhar, Odisha - 758035
CIN: U51909WB1956PTC023037

T : +91 94370 09815, 94370 09820, 94370 75269
E : barbi@mitrask.co.in
W : www.mitrask.com



Ref. No. BBL/ENV/2031

DATE:02/04/2017

ANALYSIS REPORT OF FLUE GAS

Name of the industry:	Ferro Alloys Plant – Joda. Tata Steel Ltd			
Date of Monitoring :	01.03.2017			
Date of Analysis :	04.03.2017			
Stack Connected	Reduction Arc Furnace – I & II			
Sl.No.	Parameters	Method of Testing	Furnace - I	Furnace - II
1.	Temperature of emission (°C)	USEPA Part 2 - 25/09/1996	67	70
2.	Velocity of gas (m/sec.)	USEPA Part 2 - 25/09/1996	14.04	12.70
3.	Concentration of Sulphur dioxide (mg/Nm ³)	USEPA Part 6 - 25/09/1996	152.4	136.2
4.	Concentration of Nitrogen dioxide (mg/Nm ³)	USEPA Part 7 , Issue dt. 12/03/1996	123.5	94.3
5.	Concentration of particulate Matters (mg/Nm ³)	USEPA Part 5 - 16/08/1996	23	35

Checked by :

For Mitra S.K. Private Limited

Authorised Signatory



Annexure-III



Mobile High Velocity Water Sprinkler cum Mist Canon



Dry Fogging System for Fugitive dust suppression

Annexure-IV

Fume Extraction System



Fume Extraction System For existing Plant

Annexure - V



Sewage Treatment Plant Installed at FAP, Joda

Annexure – VI
Ground water Analysis Report

Mitra S. K. Private Limited

A/P.O.-BARBIL Ward No.6
Dist: Keonjhar, Odisha - 758036
CIN: U51909WB1956PTC023037

T : +91 943709815, 943709820, 9437075269
E : barbil@mitrask.com.in
W : www.mitrask.com



Ref. No.BBL/ENV/1740

DATE: 02/11/2016

CERTIFICATE OF ANALYSIS

This is to certify that a sample of "Ground Water Level Monitoring" reading taken by our representative at M/s. FAP Joda Plant; P.O: Joda, Dist: Keonjhar, Odisha, in the Presence of a representative of and on account of M/s.Tata Steel Ltd.,has been analysed with the following results:-

Date of Monitoring	Location	Water Level (Below Ground level, in mtrs)
24.10.2016	Bore Well at Canteen	10.5
24.10.2016	Bore Well at Furnace	9.4

Checked by:-

For Mitra S. K. Private Limited

Authorised Signatory

H. O.: Shrachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata – 700 016, West Bengal, India
T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E:info@mitrask.com W: www.mitrask.com



Mitra S. K. Private Limited

AMP.O. BARBIL Ward No-6
Dist: Keonjhar, Odisha - 756205
CIN: U61909WBH1966PTC0023037

T : +91 94370 08616, 94370 09820, 94370 75269
E : barbil@mitrask.com.in
W : www.mitrask.com

Ref. No.BBL/ENV/1739



TESTING • INSPECTION

DATE: 02/11/2016

CERTIFICATE OF ANALYSIS

This is to certify that a sample of "Ground Water" drawn by our representative on 10/10/2016 at M/s. FAP Joda Plant ; P.O: Joda, Dist: Keonjhar, Odisha in the Presence of a representative of and on account of M/s. Tata Steel Ltd., has been analyzed with the following results:-

MICROBIOLOGICAL ANALYSIS OF WATER AS PER IS: 10500 - 1991

Sl No.	Test Parameters	Norms as per IS:10500-1991		Results
1	Total Coliform Organism MPN/100ml	10 [MAX]		5
2	Faecal Coliforms	Absent		Absent
3	E. Coli	Absent		Absent

CHEMICAL ANALYSIS OF WATER AS PER IS: 10500 - 1991

Sl No.	Test Parameters	Norms as per IS: 10500-1991		Results
		Desirable Limit	Permissible Limit	
1	Colour (Hazen Unit)	5	25	<1.0
2	Odour	Unobjectionable	--	Unobjectionable
3	Taste	Agreeable	--	Agreeable
4	Turbidity in NTU	5	10	<1.0
5	pH value (26°C)	6.5 - 8.5	No Relaxation	7.17
6	Total Hardness(as CaCO ₃) in mg/l	300	600	64.0
7	Iron (as Fe) in mg/l	0.3	1	<0.05
8	Chloride (as Cl) in mg/l	250	1000	13.6
9	Fluoride (as F) in mg/l	1	1.5	<0.1
10	Residual Free Chlorine in mg/l	0.2(Min.)	---	<0.1
11	Total Dissolved Solids in mg/l	500	2000	110
12	Calcium (as Ca) in mg/l	75	200	20.8
13	Magnesium (as Mg) in mg/l	30	100	2.88
14	Copper (as Cu) in mg/l	0.05	1.5	<0.02
15	Manganese (as Mn) in mg/l	0.1	0.3	<0.02
16	Sulphate (as SO ₄) in mg/l	200	400	<1.0
17	Nitrate (as NO ₃) in mg/l	45	100	<0.4
18	Phenolic Compounds (as C ₆ H ₅ OH) in mg/l	0.001	0.002	<0.001
19	Mercury (as Hg) in mg/l	0.001	No Relaxation	<0.001
20	Cadmium (as Cd) in mg/l	0.01	No Relaxation	<0.001
21	Selenium (as Se) in mg/l	0.01	No Relaxation	<0.005
22	Arsenic (as As) in mg/l	0.05	No Relaxation	<0.01
23	Cyanide (as CN) in mg/l	0.05	No Relaxation	<0.005
24	Lead (as Pb) in mg/l	0.05	No Relaxation	<0.001
25	Zinc (as Zn) in mg/l	5	15	0.28
26	Anionic Detergents (as MBAS) in mg/l	0.2	1	<0.02
27	Chromium (as Cr ⁶⁺) in mg/l	0.1	No Relaxation	<0.01
28	Mineral Oil mg/l	---	---	<0.01
29	Alkalinity (as CaCO ₃) in mg/l	200	600	20.4
30	Aluminium (as Al) in mg/l	0.03	0.2	<0.01
31	Boron (as B) in mg/l	1	5	<0.5
32	PAH mg/l	---	---	<0.0001
33	Pesticide mg/l	---	---	<0.00001

SAMPLING LOCATION :- Bore well at Furnace

For Mitra S. K. Private Limited

Checked by:

H. O.: Elanchi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India
T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E:info@mitrask.com W: www.mitrask.com

Authorised Signatory



Mitra S. K. Private Limited

APPD: BARBIL Ward No.6
Dist: Keonjhar, Odisha - 758035
CRIN: U5130354ABT1256PTC023637

T: +91 94370 09815, 94370 09820, 94370 75269
E: info@mitrask.com.in
W: www.mitrask.com

Ref. No.BBL/ENV/1738



DATE: 02/11/2016

CERTIFICATE OF ANALYSIS

This is to certify that a sample of "Ground Water" drawn by our representative on 10/10/2016 at M/s. FAP Joda Plant ; P.O: Joda, Dist: Keonjhar, Odisha in the Presence of a representative of and on account of M/s. Tata Steel Ltd., has been analyzed with the following results:-

MICROBIOLOGICAL ANALYSIS OF WATER AS PER IS: 10500 - 1991

Sl No.	Test Parameters	Norms as per IS: 10500-1991	Results
1	Total Coliform Organism MPN/100ml	10 (MAX)	<2.0
2	Faecal Coliforms	Absent	Absent
3	E. coli	Absent	Absent

CHEMICAL ANALYSIS OF WATER AS PER IS: 10500 - 1991

Sl No.	Test Parameters	Norms as per IS: 10500-1991		Results
		Desirable Limit	Permissible Limit	
1	Colour (Hazen Unit)	5	25	<1.0
2	Odour	Unobjectionable	--	Unobjectionable
3	Turbidity in NTU	5	10	<1.0
4	pH value (26°C)	6.5 - 8.5	No Relaxation	7.35
5	Total Hardness (as CaCO ₃) in mg/l	300	600	<0.05
6	Iron (as Fe) in mg/l	0.3	1	<0.05
7	Chloride (as Cl) in mg/l	250	1000	7.76
8	Fluoride (as F) in mg/l	1	1.5	<0.1
9	Residual Free Chlorine in mg/l	0.2(Min.)	--	<0.1
10	Total Dissolved Solids in mg/l	500	2000	100
11	Calcium (as Ca) in mg/l	75	200	17.6
12	Magnesium (as Mg) in mg/l	30	100	2.88
13	Copper (as Cu) in mg/l	0.05	1.5	<0.02
14	Manganese (as Mn) in mg/l	0.1	0.3	<0.02
15	Sulphate (as SO ₄) in mg/l	200	400	<1.0
16	Nitrate (as NO ₃) in mg/l	45	100	<0.4
17	Phenolic Compounds (as C ₆ H ₅ OH) in mg/l	0.001	0.002	<0.001
18	Mercury (as Hg) in mg/l	0.001	No Relaxation	<0.001
19	Cadmium (as Cd) in mg/l	0.01	No Relaxation	<0.005
20	Selenium (as Se) in mg/l	0.01	No Relaxation	<0.01
21	Arsenic (as As) in mg/l	0.05	No Relaxation	<0.01
22	Cyanide (as CN) in mg/l	0.05	No Relaxation	<0.005
23	Lead (as Pb) in mg/l	0.05	No Relaxation	<0.02
24	Zinc (as Zn) in mg/l	5	15	<0.02
25	Anionic Detergents (as MBAS) in mg/l	0.2	1	<0.02
26	Chromium (as Cr ⁶⁺) in mg/l	0.1	No Relaxation	<0.01
27	Mineral Oil mg/l	--	--	<0.01
28	Alkalinity (as CaCO ₃) in mg/l	200	600	24.48
29	Aluminium (as Al) in mg/l	0.03	0.2	<0.01
30	Boron (as B) in mg/l	1	5	<0.5
31	PAH mg/l	--	--	<0.0001
32	Pesticide mg/l	--	--	<0.00001

SAMPLING LOCATION :- Bore well at Canteen

For Mitra S. K. Private Limited

Checked by:

H. O. Shirchi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India
T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E:info@mitrask.com W: www.mitrask.com

Authorised Signatory



Mitra S. K. Private Limited

A/P O : BARBIL Ward No-6
Dist. Keonjhar, Odisha - 758035
CIN: U51909WB1956PTC023037

T : +91 94370 09815, 94370 09820, 94370 75269
F : barbil@mitrask.com.in
W : www.mitrask.com



DATE: 02/02/2017

Ref. No.BBL/ENV/1927

CERTIFICATE OF ANALYSIS

This is to certify that a sample of "Ground Water Level Monitoring" reading taken by our representative at M/s. FAP Joda Plant; P.O: Joda, Dist: Keonjhar, Odisha, in the Presence of a representative of and on account of M/s.Tata Steel Ltd.,has been analysed with the following results:-

Date of Monitoring	Location	Water Level (Below Ground level, in mtrs)
11.01.2017	Bore Well at Canteen	11.1
11.01.2017	Bore Well at Furnace	9.6

Checked by:-

For Mitra S. K. Private Limited

Authorised Signatory

H. O.: Shrachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata – 700 016, West Bengal, India
T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E:info@mitrask.com W: www.mitrask.com



Mitra S. K. Private Limited

At/P.O.: BARBIL Ward No-6
Dist: Keonjhar, Odisha - 759035
CIN: U61909WB1956PTC023037

T : +91 94370 09815, 94370 09820, 94370 75269
E : barbil@mitrask.co.in
W : www.mitrask.com



DATE: 02/02/2017

Ref. No.BBL/ENV/1926

CERTIFICATE OF ANALYSIS

This is to certify that a sample of "Ground Water" drawn by our representative on 11/01/2017 at M/s. FAP Joda Plant ; P.O: Joda, Dist: Keonjhar, Odisha in the Presence of a representative of and on account of M/s. Tata Steel Ltd, has been analyzed with the following results:-

MICROBIOLOGICAL ANALYSIS OF WATER AS PER IS: 10500 - 1991

Sl No.	Test Parameters	Norms as per IS:10500-1991	Results
1	Total Coliform Organism MPN/100ml	10 (MAX)	4
2	Faecal Coliforms	Absent	Absent
3	E. Coli	Absent	Absent

CHEMICAL ANALYSIS OF WATER AS PER IS: 10500 - 1991

Sl No.	Test Parameters	Norms as per IS: 10500-1991		Results
		Desirable Limit	Permissible Limit	
1	Colour (Hazen Unit)	5	25	<1.0
2	Odour	Unobjectionable	--	Unobjectionable
3	Taste	Agreeable	--	Agreeable
4	Turbidity in NTU	5	10	<1.0
5	pH value (26°C)	6.5 - 8.5	No Relaxation	7.25
6	Total Hardness(as CaCO ₃) in mg/l	300	600	68.0
7	Iron (as Fe) in mg/l	0.3	1	<0.05
8	Chloride (as Cl) in mg/l	250	1000	13.8
9	Fluoride (as F) in mg/l	1	1.5	<0.1
10	Residual Free Chlorine in mg/l	0.2(Min.)	---	<0.1
11	Total Dissolved Solids in mg/l	500	2000	120
12	Calcium (as Ca) in mg/l	75	200	19.2
13	Magnesium (as Mg) in mg/l	30	100	2.96
14	Copper (asCu) in mg/l	0.05	1.5	<0.02
15	Manganese (as Mn) in mg/l	0.1	0.3	<0.02
16	Sulphate (as SO ₄) in mg/l	200	400	<1.0
17	Nitrate (as NO ₃) in mg/l	45	100	<0.4
18	Phenolic Compounds (as C ₆ H ₅ OH) in mg/l	0.001	0.002	<0.001
19	Mercury (as Hg) in mg/l	0.001	No Relaxation	<0.001
20	Cadmium (as Cd) in mg/l	0.01	No Relaxation	<0.001
21	Selenium (as Se) in mg/l	0.01	No Relaxation	<0.005
22	Arsenic (as As) in mg/l	0.05	No Relaxation	<0.01
23	Cyanide (as CN) in mg/l	0.05	No Relaxation	<0.01
24	Lead (as Pb) in mg/l	0.05	No Relaxation	<0.005
25	Zinc (as Zn) in mg/l	5	15	0.3
26	Anionic Detergents (as MBAS) in mg/l	0.2	1	<0.02
27	Chromium (as Cr ⁺⁶) in mg/l	0.1	No Relaxation	<0.01
28	Mineral Oil mg/l	---	---	<0.01
29	Alkalinity (as CaCO ₃) in mg/l	200	600	22.4
30	Aluminium (as Al) in mg/l	0.03	0.2	<0.01
31	Boron (as B) in mg/l	1	5	<0.5
32	PAH mg/l	---	---	<0.0001
33	Pesticide mg/l	---	---	<0.00001

SAMPLING LOCATION :- Bore well at Furnace

For Mitra S. K. Private Limited

Authorised Signatory

Checked by:-

H. O. : Shrachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India
T: 91 33 2217249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E:info@mitrask.com W: www.mitrask.com



Mitra S. K. Private Limited

At/P.O.: BARBIL Ward No.6
Dist.: Keonjhar, Odisha - 758035
CIN: U61909WB1966PTC023037
T : +91 94370 09815, 94370 09820, 94370 76269
E : barbil@mitrask.co.in
W : www.mitrask.com



DATE: 02/02/2017

Ref. No.BBL/ENV/1925

CERTIFICATE OF ANALYSIS

This is to certify that a sample of "Ground Water" drawn by our representative on 11/01/2017 at M/s. FAP Joda Plant ; P.O: Joda, Dist: Keonjhar, Odisha in the Presence of a representative of and on account of M/s. Tata Steel Ltd., has been analyzed with the following results:-

MICROBIOLOGICAL ANALYSIS OF WATER AS PER IS: 10500 - 1991

Sl No.	Test Parameters	Norms as per IS:10500-1991		Results
1	Total Coliform Organism MPN/100ml	10 (MAX)		<2.0
2	Faecal Coliforms	Absent		Absent
3	E. Coli	Absent		Absent

CHEMICAL ANALYSIS OF WATER AS PER IS: 10500 - 1991

Sl No.	Test Parameters	Norms as per IS: 10500-1991		Results
		Desirable Limit	Permissible Limit	
1	Colour (Hazen Unit)	5	25	<1.0
2	Odour	Unobjectionable	--	Unobjectionable
3	Turbidity in NTU	5	10	<1.0
4	pH value (26°C)	6.5 - 8.5	No Relaxation	7.42
5	Total Hardness(as CaCO ₃) in mg/l	300	600	58.0
6	Iron (as Fe) in mg/l	0.3	1	<0.05
7	Chloride (as Cl) in mg/l	250	1000	7.8
8	Fluoride (as F) in mg/l	1	1.5	<0.1
9	Residual Free Chlorine in mg/l	0.2(Min.)	---	<0.1
10	Total Dissolved Solids in mg/l	500	2000	110
11	Calcium (as Ca) in mg/l	75	200	16.8
12	Magnesium (as Mg) in mg/l	30	100	2.92
13	Copper (asCu) in mg/l	0.05	1.5	<0.02
14	Manganese (as Mn) in mg/l	0.1	0.3	<0.02
15	Sulphate (as SO ₄) in mg/l	200	400	<1.0
16	Nitrate (as NO ₃) in mg/l	45	100	<0.4
17	Phenolic Compounds (as C ₆ H ₅ OH) in mg/l	0.001	0.002	<0.001
18	Mercury (as Hg) in mg/l	0.001	No Relaxation	<0.001
19	Cadmium (as Cd) in mg/l	0.01	No Relaxation	<0.001
20	Selenium (as Se) in mg/l	0.01	No Relaxation	<0.005
21	Arsenic (as As) in mg/l	0.05	No Relaxation	<0.01
22	Cyanide (as CN) in mg/l	0.05	No Relaxation	<0.005
23	Lead (as Pb) in mg/l	0.05	No Relaxation	<0.02
24	Zinc (as Zn) in mg/l	5	15	<0.02
25	Anionic Detergents (as MBAS) in mg/l	0.2	1	<0.01
26	Chromium (as Cr ⁶⁺) in mg/l	0.1	No Relaxation	<0.01
27	Mineral Oil mg/l	---	---	<0.01
28	Alkalinity (as CaCO ₃) in mg/l	200	600	26.26
29	Aluminium (as Al) in mg/l	0.03	0.2	<0.01
30	Boron (as B) in mg/l	1	5	<0.5
31	PAH mg/l	---	---	<0.0001
32	Pesticide mg/l	---	---	<0.00001

SAMPLING LOCATION :- Bore well at Canteen

For Mitra S. K. Private Limited

Checked by:

H. S. Shrachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India
T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E:info@mitrask.com W: www.mitrask.com

Authorised Signatory



Annexure - VII
Risk & Disaster Mitigation Plan submission covering Letter

Risk & Disaster Management Plan Submitted to OSCPCB, Bhubaneswar



Ref. No. FAPJ/ 4251 /2016

Dated : 01-02-2016

To
The Chairman
Orissa Pollution Control Board
Paribesh Bhawan
A/118, Nilkantha Nagar
Unit-VIII ,Bhubaneswar - 751012

Sub : Submission of Risk & Disaster Management Plant along with the mitigation measures
for expansion of Ferro Manganese Plant, Joda.

Sir,

It may kindly be aware that with reference to Environment Clearance issued for expansion of Ferro Manganese Plant, Joda, vide F. No. J-11011/03/2012-IA.II (I) dated 5th November, 2015, there is a specific condition mentioned in clause (xi) for submission of Risk & Disaster Management Plan along with the mitigation measures.

As such, we hereby enclose the Risk & Disaster Management Plan along with the mitigation measures for expansion of Ferro Manganese Plant from 0.0504 MTPA to 0.06 MTPA, Silico Manganese Plant of 0.06 MTPA and Manganese Sinter Plant of 0.05 MTPA.
Thanking you,

Yours faithfully,
For TATA STEEL Ltd.

HEAD
FERRO ALLOYS PLANT, JODA

Encl : as above.



TATA STEEL LIMITED

Ferro Alloys Plant, Joda-756034, Dist. Keonjhar, Odisha, India
Tel. : 09238100945, e-mail : headoffice.fapj@tatasteel.com
Registered Office : Bombay House, 24, Horni Mody Street, Fort, Mumbai-400001, India
Tel. 91 22 66658282, Fax 91 22 66657724
Corporate Identity Number L27100MH1907PLC000260, Website : www.tatasteel.com

Risk & Disaster Management Plan Submitted to MOEF, Regional Office, Bhubaneswar



Ref. No. FAPJ/ 4250 /2016

Dated : 01-02-2016

To
The Additional Principal Chief Conservator of Forests(C)
Ministry of Environment & Forests
Regional office (EZ)
A/3, Chandersekharpur,
Bhubaneswar - 751023

Sub : Submission of Risk & Disaster Management Plant along with the mitigation measures
for expansion of Ferro Manganese Plant, Joda.

Sir,

It may kindly be aware that with reference to Environment Clearance issued for expansion of Ferro Manganese Plant, Joda, vide F. No. J-11011/03/2012-IA.II (I) dated 5th November, 2015, there is a specific condition mentioned in clause (xi) for submission of Risk & Disaster Management Plan along with the mitigation measures.

As such, we hereby enclose the Risk & Disaster Management Plan along with the mitigation measures for expansion of Ferro Manganese Plant from 0.0504 MTPA to 0.06 MTPA, Silico Manganese Plant of 0.06 MTPA and Manganese Sinter Plant of 0.05 MTPA.

Thanking you,

Yours faithfully,
For TATA STEEL Ltd.

HEAD
FERRO ALLOYS PLANT, JODA

Encl : as above.



TATA STEEL LIMITED

Ferro Alloys Plant, Joda-758034, Dist. Keonjhar, Odisha, India

Tel. : 09238100945, e-mail : headoffice.fapj@tatasteel.com

Registered Office : Bombay House, 24, Homi Mody Street, Fort, Mumbai-400001, India

Tel. 91 22 66658282, Fax 91 22 66657724

Corporate Identity Number L27100MH1907PLC000260, Website : www.tatasteel.com

Annexure VIII
Noise Monitoring Report from 01-10-2016 to 31-10-2017

Mitra S. K. Private Limited



At/P.O.:BARBIL Ward No-6
 Dist.: Keonjhar, Odisha - 758035
 CIN: U51909WB1956PTC023037

T : +91 94370 09815,94370 09820,94370 75269
 E : barbil@mitrask.co.in
 W : www.mitrask.com

Ref. No.BBL/ENV/1744

Date: 02/11/2016

NOISE LEVEL MONITORING REPORT

This is to certify that a sample of "Noise Level" reading taken by our representative on 24/10/2016 at FAP Joda Plant; P.O: Joda, Dist: Keonjhar, Odisha in the Presence of a representative of and on account of M/s. Tata Steel Ltd., has been analyzed with the following results:-

SL. NO.	Sampling Location	Results dB (A)	
		Maximum	Minimum
1.	In front of Store	62.8	49.7
2.	JCB 40X 1 mtr distance	74.0	62.1
3.	Near Weight Bridge	72.7	51.3
4.	Loader 2 mtr distance	92.3	84.1
5.	Crusher Area	89.7	81.6
6.	Near Back Gate	70.3	41.1
7.	Breaking Yard(During Work)	76.3	52.3
8.	Plot No. 4B	64.4	42.4
9.	Area Furnace Ground Floor	92.2	60.7
10.	Area Furnace Floor	94.3	67.3
11.	Pit Site Area	61.1	52.9
12.	Near Cooling Tower	78.3	62.2
13.	Pump House (Inside)	96.8	88.0
14.	Telphar Floor	79.4	57.4
15.	GCP Floor(1mtr away from blower)	79.3	71.2
16.	ACS Area	76.0	66.3
17.	CMDS Area	81.7	76.6
18.	Office Area	63.2	44.1
19.	Quality Control Analysis Lab	61.3	47.6
20.	Laboratory Crusher Room(During Work)	69.7	63.3
21.	Canteen Kitchen	64.7	42.5
22.	Near Main Gate	69.5	49.5
23.	D.G. Room	76.3	61.7
24	Locomotive During Operation	69.7	60.5
Noise Standard For Auto Mobiles, Equipment's & Work Zone		In dBA	
i.	Passenger or commercial vehicles up to 4tonns	70.6	
ii.	Passenger or commercial vehicles above 4tonns and up to 12 tons	83.7	
iii.	Passenger or commercial vehicles exceeding 12tonns	85.8	
iv.	Work Zone Standard	84.7	

Checked by:- *(Signature)*

for Mitra S. K. Private Limited



Authorised Signatory

Annexure IX

Periodic Medical Examination Records

[FORM NO. 31-A
Health Record
(Pre-employment/ Periodical)
[Prescribed under Rule 62-J]

Date: 4/1/16

Refn: J2017/4461/16

1. Name of the Factory : Ferro Alloys Plant. Joda Tata steel
2. Name of the employee: Sakuntala patra
3. Employee Distinguishing No: Housekeeping
4. Age of the employee : 44 years
Identification Mark : Black mole top of right eye
Nature of the Job : C2V1D
5. Date of Employment: 03-02-2004
6. Length of the service in years:
7. General Survey :
Health : Good / Fair / Poor
Height : 147 Cms
Weight : 49 Kg.
8. Blood Group: AB+
9. Eye Vision : Normal / Abnormal
Use of glass : Yes / No
10. Hearing : Normal / Abnormal
11. Respiratory system and Chest Measurement :
Inspiration: 96
Expiration: 90
Respiration Rate:
12. Cardio Vascular System :
Pulse rate: 70/min
B.P : 130/80
Heart Sound : nn
Remarks, if any
13. Abdomen Tenderness: Yes / No
14. Nervous System
History of Fits: Yes / No
Epilepsy: Yes / No
Remarks on Mental Health: *Complaints*
15. Locomoter System : Normal / Abnormal
16. Skin Condition : Normal / Abnormal
Remarks on any skin Disease Noticed:

17. Hernias : Present / Absent ✓
18. Hydrocele : Present / Absent ✗ (Ans)
19. Present Complain, if any
20. Summary of findings :
- Heart disease : *Wm*
- Hypertension: *NO NO*
- Diabetes : *NO NO*
- T.B : *NO*
- Epilepsy *NO*
- Poisoning : *NO*
- Others *Wm*
- Occupational disease, if any *NO*
21. Recommendation, if any for any further investigation

ରାମୁନ୍ଦ୍ର ପାତ୍ର

Signature of the Employee

Signature of the Medical Officer
Dr. *Chapman*,
Medical Officer
FISCO HOSPITAL, JODA

Annexure X

Intimation Letter oF EC to Zila Parishad



Ref: FAPJ/ 4136 /2015
Date : 9th Nov, 2015

To
President
Zilla Parishad
Keonjhar

Sub: Intimation of obtaining Environmental Clearance under EIA Notification-2006 for the expansion of Ferro Alloys Plant of TATA STEEL Ltd., Joda, Keonjhar District.

Dear Sir/ Madam,

*Received
Xerox copy
of Environmental
Clearance*
*Rm
12-11-15
P.A. to President
Zilla Parishad
Keonjhar*

We would like to inform you that Ministry of Environment Forests & Climate Change (MOEF&CC), Govt. Of India has granted Environmental Clearance for the expansion of capacity of our existing Ferro Manganese Plant from 0.0504 MTPA to 0.06 MTPA with 0.05 MTPA Sinter Plant & addition of 2*18 MVA SAF for 0.06 MTPA Slico Manganese production at our Ferro Alloys Plant, Joda, Odisha vide letter No. F. No. J-11011/03/2012- IA II (I) dt 05.11.2015.

We therefore request your good-self to kindly acknowledge the receipt of above letter.

Yours Faithfully
F: Tata Steel Limited

C.S.D.C
HEAD
FERRO ALLOYS PLANT, JODA

Enclosed:

1. Xerox copy of Environmental Clearance

TATA STEEL LIMITED

Ferro Alloys Plant, Joda-758034, Dist. Keonjhar, Odisha, India
Tel. : 09238100945, e-mail : headoffice.fapi@tatasteel.com
Registered Office : Bombay House, 24, Horni Mody Street, Fort, Mumbai-400001, India
Tel. 91 22 66658282, Fax 91 22 66657724
Corporate Identity Number L27100MH1907PLC000260, Website : www.tatasteel.com

Intimation Letter of EC to Chairman, Joda Municipality



Ref : FAPJ/ 4135 /2015
Date : 9th Nov, 2015

To
Chairman
Joda Municipality
Joda.

Sub: Intimation of obtaining Environmental Clearance under EIA Notification-2006 for the expansion of Ferro Alloys Plant of TATA STEEL Ltd., Joda, Keonjhar District.

Dear Sir/ Madam,

We would like to inform you that Ministry of Environment Forests & Climate Change (MOEF&CC), Govt. Of India has granted Environmental Clearance for the expansion of capacity of our existing Ferro Manganese Plant from 0.0504 MTPA to 0.06 MTPA with 0.05 MTPA Sinter Plant & addition of 2*18 MVA SAF for 0.06 MTPA Slico Manganese production at our Ferro Alloys Plant, Joda, Odisha vide letter No. F. No. J-11011/03/2012- IA II (I) dt 05.11.2015.

We therefore request your good-self to kindly acknowledge the receipt of above letter.

Yours Faithfully
F: Tata Steel Limited


HEAD
FERRO ALLOYS PLANT, JODA



Enclosed:

1. Xerox copy of Environmental Clearance

TATA STEEL LIMITED

Ferro Alloys Plant, Joda-758034, Dist. Keonjhar, Odisha, India

Tel. : 09238100945, e-mail : headoffice.fapj@tatasteel.com

Registered Office : Bombay House, 24, Horni Mody Street, Fort, Mumbai-400001, India


Tel. 91 22 66658282, Fax 91 22 66657724

Corporate Identity Number L27100MH1907PLC000260, Website : www.tatasteel.com

Annexure XI

Details of CSR funds allocated and released Expenditure against CSR Activities

Details of CSR funds allocated and released Expenditure against CSR Activities				
Period	Year wise expenditure Planning in (Rs Cr.)	Actual Expenditure for C.S.R in Rs Cr.	Name Of the CSR activities	Wheather Completed or Not
2010-11	8.50 Cr	8.40 Cr.	Health,Education,Livelihood,Rural Infrastructure,Major Project:Road resurfacing inside Joda municipality from ransal ghati to Banspani	Completed
2011-12	26.00 Cr	26.07 Cr.	Health,Education,Livelihood,Rural Infrastructure,Major Project:Keonjhar Bus stand	Completed
2012-13	21.00 Cr	21.17 Cr.	Health,Education,Livelihood,Rural Infrastructure,Major Project:Construction of khandband Joribar Road	Completed
2013-14	15.00 Cr	15.21 Cr.	Health,Education,Livelihood,Rural Infrastructure,Major Project:Road resurfacing inside Joda municipality	Completed
2014-15	24.00 Cr	24.98 Cr.	Health,Education,Livelihood,Rural Infrastructure,Major Project:Municipality Drinking water Project	Completed
2015-16	19.00 Cr	18.97 Cr	Health,Education,Livelihood,Rural Infrastructure,Major Project:Kalyan Mandap at Joda	Completed
2016-17	18.86 Cr	13.20 Cr	Health,Education,Livelihood,Rural Infrastructure,Major Project:Sona river bank protection near Women's college.	Completed



Mr. A.D. Patel
Ferro Manganese Plant
Tata Steel's Ltd
JODA

Annexure XII
Environmental Parameter Display board at Main Gate



Annexure XIII

Covering Letter of Form V, Environment statement submission



**TATA STEEL LTD.
FERRO MANGANESE PLANT, JODA**

Ref. No. FAPJ/1562 / 2016

Dated : 23/09/2016

The Member Secretary
Odisha Pollution Control Board
A/118, Nilakantha Nagar
Bhubaneswar

Sub: Submission of Environmental Statement.

Sir,

We are submitting one set of Annual Environmental Statement in respect of M/s Ferro Manganese Plant, Joda for the year ending 31st March, 2016.

This is for your kind perusal.


Thanking you,

Yours faithfully,
For : TATA STEEL LTD.


HEAD
FERRO MANGANESE PLANT,
JODA

Encl : as above.

Copy to -Regional Officer, OPCB, At-Baniapatt, College Road, Keonjhar - with enclosure.


TATA STEEL LTD.
Ferro Alloys & Minerals Division
Ferro Managanese Plant, Joda
Joda - 758034, Odisha, India

Tel : 09238100945, e-mail -head.office@tatasteel.com

Regd. Office : Bombay House, 24 Homi Mody Street, Mumbai – 400 001



Annexure XIV
Details of Publication on the Newspapers



Ferro Alloys Plant
M/s. Tata Steel Limited,
Joda, District- Keonjhar, Odisha

TATA STEEL

PUBLIC NOTICE

The Ministry of Environment, Forest and Climate Change (MoEF&CC), Govt. of India (IA Division), New Delhi has accorded Environmental Clearance vide letter no J-11011/03/2012-IA/II(I), dated 05.11.2015 for expansion of Fe-Mn Alloy Plant of M/s Tata Steel Limited located at Joda, Keonjhar District, Odisha for enhancement of production of Ferro Manganese from 0.0504 MTPA to 0.06 MTPA and addition of 0.06 MTPA Silico-Manganese Plant and 0.05 MTPA Manganese Sinter Plant in existing Ferro Alloys Plant at Joda.

The copy of the Environmental Clearance is available with the State Pollution Control Board, Bhubaneswar, Odisha and may also be seen at the website of the Ministry of Environment, Forest and Climate Change at <http://envfor.nic.in>.

-Sd-

Pankaj Kumar Satija,
General Manager (Operations),
FA & MD, Tata Steel Ltd

Published on The Statesman of 12th November 2015 Issue



নেৱ সাধাৰণৰে চৰা গলিছি। প্ৰয়োৰ পুথমে ব্যাট কৰি ১৪.৭
টিকেচ্ৰ হৰাই ১৩৯ রেখ কৰিলৈ।

পেৰো আলয়েৰ পুষ্টি
গাঁথা ষ্টীল লিমিটেড,
যোড়া, জিল্লা-কেন্দ্ৰীয়, ওড়িশা।



সৰ্বস্বাধাৰণা বিজ্ঞপ্তি

ৱারচ পৰিকল্পনা পত্ৰিকা, জলাল ও জলবায়ু পরিবৰ্ণনা মন্ত্ৰালয় (এমওজেপ্‌
আই এসি), (আৰ্থ উদ্যোগ), নথাটুৰী পঞ্চু বাৰি কৰায়াৰথৰ দৰ্শন সংস্থা
J-11011/03/2012-IA, II(I), তা ৪.১১.২০১৪ৰিক্ষ অনুমোদন ষ্টীলৰ
বেছুৱৰ কুৰুৰ যাবতাবে অবস্থিত গাঁথা ষ্টীল লিমিটেডৰ পেৰো আলয়েৰ
পুষ্টি কুৰু মন্ত্ৰালয় পত্ৰে মাঝান্তিৰ উপৰ ক্ষমতা বাৰ্ষিক ০.০৪০৪ নিম্নু
গৰু ০.০২ চনকু বৃৰি ও একাধিক যাবতাবে থুকা পেৰো আলয়েৰ
পুষ্টিৰ বাৰ্ষিক ০.০২ নিম্নু চন ক্ষমতা এমন্ত বিলিকে-মাঝান্তিৰ পুষ্টি ও বাৰ্ষিক
০.০৪ নিম্নু চন ক্ষমতা এমন্ত মাঝান্তিৰ বীৰ্যৰ পুষ্টি পত্ৰিকা মন্ত্ৰালয়ে
প্ৰদান কৰিছো।

পৰিকল্পনা মন্ত্ৰালয় নকল ষ্টীলৰ কুৰুক্ষেত্ৰৰ বাজ্য পুষ্টিৰ মন্ত্ৰালয়
বেৰ্তি নিবৰণ পত্ৰ এবং ৱারচ পৰিকল্পনা পত্ৰিকা, জলাল ও
জলবায়ু পৰিবৰ্ণনা মন্ত্ৰালয় তেজস্বভৰত <http://envfor.nic.in> রে মথ
বেশা যাবণাৰিব।

পক্ষল কুমাৰ পতিলা,
মন্ত্ৰ প্ৰকল্প (অপৰেশন্ট)
এপ্খ আই এমচি, গাঁথা ষ্টীল লিমিটেড

6

Published on Sambad of 13th November 2015 Issue
