

Gomardih Dolomite Quarry
TATA STEEL LIMITED

Ref: EC No. J-11015/5/92-IA-II(M), Dated 18th May 1994

Condition (i): This clearance is valid only for mining operation limited to 146.66 ha. (112.13 ha. of Gomardih Block and 34.53 ha. of Khotkuribahal Block), which includes the area under application for mining rights.

Compliance: The Government of Odisha, vide letter no. III (B) SM4 /94-10757/SM, Bhubaneswar , dated 28.11.1997 had granted second renewal of mining lease in respect of the area over 372.796 ha at Gomardih in the villages of Tunmura and Jharbeda of Sundargarh district for a period of 20 years from 06.03.1993 to 05.03.2013. The application for 3rd RML was filed on 27.02.2012 over the entire area of 372.796 ha under Rule 24A(1) of MCR 1960.

The Govt. of Odisha has been pleased to extend the validity period of the mining lease from 06.03.2013 to 31st Mar 2020 under section 8A of the MMDR Act 1957 as amended by the MMDR Amendment Act 2015. The extension order in this regard has been received from the Additional Secretary, Govt. of Odisha vide letter No. III (LD) SM-45/2013/3231/SM, Bhubaneswar, dated-17.04.2015. The execution and registration of the supplementary lease deed has been done on the 12th May 2015 vide document no. 11761500385.

The Mining Lease area of 372.796 ha includes 112.13 ha of Gomardih Block as mentioned in the condition (i) of EC No. J-11015/5/92-IA-II (M), Dated 18th May 1994. The mine is now operating within 62.96 ha of surface right area.

The Khotkuribahal Blocks (ii & iv) which include the area of 34.53 ha as mentioned in the EC No. J-11015/5/92-IA-II (M), dated 18th May 1994 was surrendered to the Govt. of Odisha in the year 2000.

The surface plan showing the Mining Lease area and surface right area is furnished as **Annexure-I**.

Condition (ii): The levels of SPM concentration should not exceed 500 µg/m³ at any station within the mine leasehold. Emission of SO₂, NO₂ and CO should be maintained below the levels prescribed by competent authority. The measures suggested in the EMP in this regard should be strictly implemented.

Compliance: As per the MoEF notification, vide no. G.S.R-826(E) dated 16th November 2009; we are monitoring PM_{2.5} and PM₁₀ instead of SPM. The levels of PM_{2.5}, PM₁₀, SO₂, NO₂, and CO concentration are maintained well below the prescribed limits.

All Environmental protection measures suggested in the EMP are being followed and are enumerated below

- Two nos. of water sprinklers are engaged in all shifts for dust suppression in road and mine
- Grass covering of Dump slope and periodic wetting of OB Dump
- Wet Drilling Process
- Plantation has been done at the dump slope for stabilization
- Toe wall has been made along the foot of the OB dump and at the ore stack yard
- Garland drains and settling pits have been made to channelize the surface run-off

- Hazardous waste management has been carried out as per the guidelines of Odisha State Pollution Control Board
- Dry fog system installed in the crusher plant and all transfer points
- Green belt created along the northern and southern lease boundary
- Control blasting technique adopted for noise and dust control
- Periodic maintenance of all HEMM and other vehicle to control the vehicular emission
- Avoiding overloading of Tippers
- Part of the permanent haul road near crusher plant has been covered under permanent sprinkling system.

The six monthly Ambient Air Quality Monitoring data for the period Oct'16 to March'17 are furnished in **Annexure II**.

All Environmental protection measures suggested in the EMP are being followed and are enumerated below.

- Two nos. of water sprinklers are engaged in all working shifts for dust suppression
- Control blasting technique adopted for noise and dust control
- Dry fog system installed in the crusher plant
- Part of the permanent haul road near crusher plant has been covered under permanent sprinkling system.
- Green belt created along the northern and southern lease boundary.
- Plantation has been done at the dump slope for stabilization.
- Toe wall has been made along the foot of the OB dump and at the ore stack yard.
- Garland drains and settling pits have been made to channelize the surface run-off.
- Hazardous waste management has been carried out as per the guidelines of Odisha State Pollution Control Board.
- Schedule maintenance of all mining machinery is done to control the vehicular emission.

Condition (iii): The quality of effluent finally discharged into the main water course should conform to the standards prescribed under CSR 422 (E) dated 19.5.1993.

Compliance:

- The ROM of Gomardih is processed in a dry crusher plant. Only crushing and screening is done here and it involves no process of beneficiation
- So, no effluent is discharged in the process. The sludge generated in the process of crushing and screening is stacked separately as mineral rejects.
- Mine discharge (accumulated rain and seepage water) is allowed to settle in the settling pits before it is allowed to go outside.
- Oil & Grease separation pit has been provided to treat the effluent generated during HEMM washing.
- Toe wall, Garland drains and settling pits have been made along the foot of the OB dump and at the ore stack yard to channelize the surface run-off.

The six monthly average of mine discharge Water Quality Monitoring data for the period Oct'16 to March'17 is given in **Annexure-III, IV,V & VI**.

Condition (iv): Regular monitoring of air and water quality should be made in and around the core zone. The sampling points and frequency should be decided in consultation with State Pollution Control Board. The quarterly data should be furnished to Ministry regularly.

Compliance:

- Ambient Air Quality is being monitored taking samples from 5(five) different locations as given below:
 - Near Sub-station
 - Near First Gate of Mines
 - Near Crusher Plant
 - Near V.T. Centre
 - Near Hospital
- Water Quality is monitored taking samples from 4 (four) different locations as given below:-
 - Intake surface water: Intake point at Nakti nala
 - Drinking water: Tap water at Guest House
 - Mine Effluent: Mine discharge water
 - Domestic Effluent: Canteen effluent
- The sampling points and the frequency of taking samples have been decided as per the guidelines of the SPCB, Odisha. Presently Air Quality sampling is done twice a week and Water quality once in a month.
- The six monthly average report of the Ambient Air, Ambient Noise and Water Quality monitoring data are furnished to Odisha State Pollution Control Board & MoEF Regional Office on regular basis.

The six monthly average report of the Ambient Air, Ambient Noise and Water Quality monitoring data for the period Oct'16 to March'17 are furnished as annexure as follows:-

- **Annexure-II** : Ambient Air Quality monitoring report
- **Annexure-III** : Intake Water Quality monitoring report
- **Annexure-IV** : Drinking Water Quality monitoring report
- **Annexure-V** : Mine discharge (effluent) Water Quality monitoring report
- **Annexure-VI** : Canteen effluent Quality monitoring report

Condition (v): The authorities should implement adequate noise control measure as proposed in the EMP to keep the noise level within the prescribed limits.

Compliances: Adequate noise control measures have been implemented at Gomardih. Different measures taken either to curb noise at the source or to subdue it are enumerated below.

- Schedule maintenance of all mining machinery is being done to control the noise.
- Green belt created along the northern and southern lease boundary.
- Control blasting technique adopted for noise and dust control.
- Rubber liners provided at each transfer points like hopper and screens inside the crusher plant.
- All employees working at the HEMM and plant have been provided with ear-muffs as a contingency measure.

The six monthly average of the ambient noise monitoring data for the period Oct'16 to March'17 is furnished as **Annexure-VII**.

Condition (vi): No change in method of working (including Calendar Plan excavation), be made without prior consent of this Ministry.

Compliances:

- The Production of Dolomite ore has been restricted to the 0.816 MTPA (ROM) approved in the previous EC approved by the Ministry.
- The mechanized opencast working is carried out as per the approved Mining Plan and subsequent schemes of mining. The present working of the mine is being carried out as per the Mining Plan approved vide letter No.2 MXV (b)-10/12-2257, dt.28.02.2013.

Condition (vii): The reclamation plan and land use plan as envisaged in the EMP should be strictly implemented. Also green belt should be developed in other areas like mine colony interface. OBR area etc. to attenuate noise level and also to arrest fugitive dust.

Compliances: The reclamation plan and land use plan as envisaged in the EMP is being followed.

- During the year, we have planted 550 numbers of saplings covering an area of 0.0.175 ha at the slope of the OB dump by terracing and pitting.
- Besides the above, the saplings planted at different locations of the mine like OB dump, northern lease boundary and around the mineral storage area are being maintained by watering and guarding. Similarly, the saplings planted along both side of the roads leading from Mine to Sonakhan railway siding and that connecting SH-10 and mine are being maintained. A team of gardeners have been engaged to take care of the plantation, park and garden inside the colony throughout the year to maintain greenery.

In order to comply with the EMP following measures are being followed.

- Water sprinkling is done along the haul road and dump area in all the shifts. Dry fog system is used in the crusher plant area. Wet drilling along with prescribed speed is followed. Fixed type water sprinkling arrangements made along one of the permanent haul road.
- Overloading of transport equipment is not allowed.
- It has been proposed in the approved Mining Plan to construct 180 meters of retaining/parapet wall at the toe of the OB dump in the year 2014-16; which has been already completed.. Another 100mtrs of retaining wall has been also done .
- Similarly it has been proposed in the approved Mining Plan to make 190 meters of garland drain during the year 2014-15; About 700mts of garland drain was made around the periphery of the dumps and mine during the financial year FY 2015-16. They are being maintained regularly.
- The silt of all the garland drains and settling pits had been cleaned before and after monsoon..


Condition (viii): Details of chemicals used for dust suppression with regard to their toxicity and the techniques employed for same should be furnished to the Ministry for observing the performance and non-toxicity of such methods.

Compliances: No chemical is used for dust suppression.

Condition (ix): Environmental Management cell has to be established to carry out functions relating to environmental management action plans. The head of the Cell should directly report to the Chief Executive.

Compliances: Gomardih Dolomite Quarry has a separate and dedicated team for carrying out environmental management action plan. Team consists of two labours, one field assistant and one monitoring supervisor who report to Assistant Manager (HSE). Team has also two chemists who report to Assistant Manger Lab. Manager (Environment) is overall in charge of this Environmental Management Cell who report to Manger GDQ. Complete structure of this Environmental Management Cell is given below.

Organization Structure of Environmental Management Cell



Condition (x): Adequate fund provision (capital and recurring expenditure) should be made for implementation of all safeguard measures and the funds should not be diverted for other purpose.

Compliances: Adequate fund have been provided for implementation of environmental safeguard measures. Around Rs. 0.47crores rupees have been spent for the construction of a new ETP in the colony area. The planned environmental expenditure for FY2016-17 and the actual up to March'17 is depicted in the following tables.

**EXPENDITURE PLANNED & INCURRED FOR DIFFERENT ENVIRONMENTAL ACTIVITIES
DURING 2016-17 UP TO MARCH'2017**

| Items | Expenditure :2016-17 (Planned) in Rupees | Expenditure: 2016-17 (Actual) up to March' 2017 in Rupees. |
|--|---|---|
| Afforestation | 900,000.00 | 380,000.00 |
| Dust Suppression | 1,893,100.00 | 1,060,800.00 |
| Environment & weather , exhaust monitoring | 2,400,000.00 | 2,278,955.00 |
| Horticulture development | 472,320.00 | 543,168.00 |
| Drinking water Supply | 682,000.00 | 410,081.00 |
| Sanitation | 450,000.00 | 795,984.00 |
| Malaria eradication | 151,100.00 | 151,110.00 |
| Garland drain & storm water drain | 300,000.00 | 181,000.00 |
| Environment awareness (EMS) | 24,000.00 | 40,000.00 |
| Hazardous waste management | 20,000.00 | 20000.00 |
| Total (in Rupees) | 7,292,520.00 | 5,861,098.00 |


Condition (xi): The Ministry of any other concerned competent authority may stipulate any other conditions at any stage. The Ministry reserves the right to modify the conditions to revoke the approval. If necessary, either due to change in scope and consequent environmental scenario of feedback from field monitoring of the impacts.

Compliances: No such conditions have been imposed so far.


Condition (xii): Environmental compliance status report vis-à-vis progress should be submitted for the scrutiny of this Ministry once in six months regularly.

Compliances:

- Environmental Condition compliance status report is furnished to the Ministry in every six months as per the EIA Notification, 2006. The last six monthly report was submitted to the Ministry vide letter no GD/204/126A, dated.25.05.2014.
- Same has been uploaded in the Company website www.tatasteelindia.com.



Annexure-I Surface Plan for GDQ



Ambient Air Quality
Six Monthly Average (OCT-16 TO MAR-17)
Monitoring Location: Near Hospital

| Parameters | Method of Measurement | Detection Limit | Time Weighted Average | Standards (unit) | Months (OCT-16 TO MAR-17) | | | | | | Six monthly Avg. |
|-------------------------------|--|-----------------|-----------------------|--------------------------|---------------------------|--------|--------|--------|--------|--------|------------------|
| | | | | | OCT | NOV | DEC | JAN | FEB | MAR | |
| P.M-10 | Gravimetric method | | 24 Hrly | 100 (µg/m ³) | 34.62 | 43.25 | 50.8 | 50.52 | 50.0 | 44.0 | 45.5 |
| P.M.-2.5 | Gravimetric method | | 24 Hrly. | 60 (µg/m ³) | 16.10 | 20.04 | 24.7 | 24.82 | 24.8 | 20.6 | 21.8 |
| SO ₂ | Improved West Gaeke method. | 4 | 24 Hrly. | 80 (µg/m ³) | <4.00 | <4.12 | <4.2 | <4.15 | <4.2 | <4.0 | <4.1 |
| Nox | Jacob &Hochhelsler modified (Na-Arsenite) method | 9 | 24 Hrly | 80 (µg/m ³) | <9.21 | <9.47 | <9.7 | 9.85 | 9.9 | <9.1 | <9.5 |
| O ₃ | Chemical Method | 4 | 8 Hrly. | 100(µgm ³) | <4.00 | <4.00 | <4.0 | <4.0 | <4.0 | <4.0 | <4.0 |
| CO | NDIR Spectroscopy method | 0.1 | 1 Hrly. | 4(mg/m ³) | 0.11 | 0.13 | 0.2 | 0.15 | 0.15 | 0.12 | 0.14 |
| NH ₃ | Indophenol Blue Method | 20 | 24 Hrly. | 400(µg/m ³) | <20.00 | <20.0 | <20.0 | <20.0 | <20.0 | <20.0 | <20.0 |
| C ₆ H ₆ | AAS method after sampling | 0.001 | Annual | 05(µg/m ³) | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| BaP | AAS method after sampling | 0.002 | Annual | 01(ng/m ³) | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 |
| Ni | AAS method after sampling | 0.01 | Annual | 20(ng/m ³) | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Pb | Absorption & Desorption followed by GC analysis | 0.001 | 24 Hrly. | 01(µg/m ³) | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| As | Solvent extraction followed by GC analysis. | 0.001 | Annual | 6(ng/m ³) | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |

Ambient Air Quality
Six Monthly Average (OCT-16 TO MAR-17)
Monitoring Location: Near VT Centre

| Parameter | Method of Measurement | Detection | Time | Standards | Months (OCT-16 TO MAR-17) | Six |
|-----------|-----------------------|-----------|------|-----------|---------------------------|-----|
|-----------|-----------------------|-----------|------|-----------|---------------------------|-----|

| s | | Limit | Weighted Average | (unit) | OCT | NOV | DEC | JAN | FEB | MAR | monthly Avg. |
|-------------------------------|--|-------|------------------|--------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| P.M-10 | Gravimetric method | | 24 Hrly | 100 (µg/m ³) | 35.65 | 45.13 | 54.8 | 53.64 | 52.3 | 46.5 | 48.0 |
| P.M.-2.5 | Gravimetric method | | 24 Hrly. | 60 (µg/m ³) | 16.93 | 21.61 | 26.7 | 26.24 | 25.3 | 22.3 | 23.2 |
| SO ₂ | Improved West Gaeke method. | 4 | 24 Hrly. | 80 (µg/m ³) | <4.07 | <4.29 | 4.6 | 4.33 | 4.3 | <4.0 | <4.3 |
| Nox | Jacob &Hochhelsler modified (Na-Arsenite) method | 9 | 24 Hrly | 80 (µg/m ³) | <9.33 | <9.52 | 11.1 | 10.96 | 11.2 | <9.4 | <10.3 |
| O ₃ | Chemical Method | 4 | 8 Hrly. | 100(µgm ³) | <4.00 | <4.00 | <4.1 | 5.04 | 5.2 | <4.0 | <4.4 |
| CO | NDIR Spectroscopy method | 0.1 | 1 Hrly. | 4(mg/m ³) | 0.12 | 0.13 | 0.2 | 0.25 | 0.3 | 0.14 | 0.19 |
| NH ₃ | Indophenol Blue Method | 20 | 24 Hrly. | 400(µg/m ³) | <20.00 | <20.00 | <21.0 | <21.28 | 21.1 | <20.0 | <20.4 |
| C ₆ H ₆ | AAS method after sampling | 0.001 | Annual | 05(µg/m ³) | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| BaP | AAS method after sampling | 0.002 | Annual | 01(ng/m ³) | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 |
| Ni | AAS method after sampling | 0.01 | Annual | 20(ng/m ³) | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Pb | Absorption & Desorption followed by GC analysis | 0.001 | 24 Hrly. | 01(µg/m ³) | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| As | Solvent extraction followed by GC analysis. | 0.001 | Annual | 6(ng/m ³) | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |

Ambient Air Quality

Six Monthly Average (OCT-16 TO MAR-17)

Monitoring Location: Near Gate No-1

| Parameters | Method of Measurement | Detection Limit | Time Weighted Average | Standards (unit) | Months (OCT-16 TO MAR-17) | | | | | | Six monthly Avg. |
|-------------------------------|---|-----------------|-----------------------|--------------------------|---------------------------|--------|--------|--------|--------|--------|------------------|
| | | | | | OCT | NOV | DEC | JAN | FEB | MAR | |
| P.M-10 | Gravimetric method | | 24 Hrly | 100 (µg/m ³) | 39.09 | 50.70 | 61.8 | 62.93 | 67.7 | 55.2 | 56.2 |
| P.M.-2.5 | Gravimetric method | | 24 Hrly. | 60 (µg/m ³) | 18.92 | 24.82 | 30.6 | 31.38 | 34.0 | 26.5 | 27.7 |
| SO ₂ | Improved West Gaeke method. | 4 | 24 Hrly. | 80 (µg/m ³) | <4.30 | 4.64 | 5.1 | 5.2 | 5.0 | 4.2 | <4.7 |
| Nox | Jacob &Hochhelser modified (Na-Arsenite) method | 9 | 24 Hrly | 80 (µg/m ³) | <9.82 | 11.32 | 12.6 | 13.54 | 14.6 | 11.7 | <12.3 |
| O ₃ | Chemical Method | 4 | 8 Hrly. | 100(µgm ³) | <4.00 | <4.00 | 5.4 | 6.78 | 7.4 | 4.8 | <5.7 |
| CO | NDIR Spectroscopy method | 0.1 | 1 Hrly. | 4(mg/m ³) | 0.14 | 0.23 | 0.3 | 0.34 | 0.4 | 0.28 | 0.28 |
| NH ₃ | Indophenol Blue Method | 20 | 24 Hrly. | 400(µg/m ³) | <20.00 | <20.00 | <22.9 | 23.88 | 27.4 | 20.9 | <22.5 |
| C ₆ H ₆ | AAS method after sampling | 0.001 | Annual | 05(µg/m ³) | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| BaP | AAS method after sampling | 0.002 | Annual | 01(ng/m ³) | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 |
| Ni | AAS method after sampling | 0.01 | Annual | 20(ng/m ³) | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Pb | Absorption & Desorption followed by GC analysis | 0.001 | 24 Hrly. | 01(µg/m ³) | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| As | Solvent extraction followed by GC analysis. | 0.001 | Annual | 6(ng/m ³) | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |

Ambient Air Quality

Six Monthly Average (OCT-16 TO MAR-17)

Monitoring Location: Near Substation

| Parameter s | Method of Measurement | Detection Limit | Time Weighted Average | Standards (unit) | Months (OCT-16 TO MAR-17) | | | | | | Six monthly Avg. |
|-------------------------------|--|-----------------|-----------------------|--------------------------|---------------------------|--------|-------|--------|--------|--------|------------------|
| | | | | | OCT | NOV | DEC | JAN | FEB | MAR | |
| P.M-10 | Gravimetric method | | 24 Hrly | 100 (µg/m ³) | 39.88 | 52.25 | 62.7 | 64.34 | 68.6 | 58.5 | 57.7 |
| P.M.-2.5 | Gravimetric method | | 24 Hrly. | 60 (µg/m ³) | 19.40 | 25.79 | 31.1 | 31.97 | 34.2 | 28.5 | 28.5 |
| SO ₂ | Improved West Gaeke method. | 4 | 24 Hrly. | 80 (µg/m ³) | <4.54 | 4.85 | 5.1 | 5.15 | 5.0 | <4.3 | <4.8 |
| Nox | Jacob &Hochhelsler modified (Na-Arsenite) method | 9 | 24 Hrly | 80 (µg/m ³) | 10.38 | 11.92 | 12.9 | 14.52 | 14.7 | 12.6 | 12.8 |
| O ₃ | Chemical Method | 4 | 8 Hrly. | 100(µgm ³) | <4.00 | <4.00 | 6.2 | 7.83 | 7.7 | <5.2 | <5.8 |
| CO | NDIR Spectroscopy method | 0.1 | 1 Hrly. | 4(mg/m ³) | 0.17 | 0.25 | 0.3 | 0.35 | 0.36 | 0.30 | 0.29 |
| NH ₃ | Indophenol Blue Method | 20 | 24 Hrly. | 400(µg/m ³) | <20.00 | <20.00 | 23.9 | 26.47 | 24.6 | 20.4 | 22.6 |
| C ₆ H ₆ | AAS method after sampling | 0.001 | Annual | 05(µg/m ³) | <0.001 | <0.001 | 0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| BaP | AAS method after sampling | 0.002 | Annual | 01(ng/m ³) | <0.002 | <0.002 | 0.002 | <0.002 | <0.002 | <0.002 | <0.002 |
| Ni | AAS method after sampling | 0.01 | Annual | 20(ng/m ³) | <0.01 | <0.01 | 0.010 | <0.01 | <0.01 | <0.01 | <0.01 |
| Pb | Absorption & Desorption followed by GC analysis | 0.001 | 24 Hrly. | 01(µg/m ³) | <0.001 | <0.001 | 0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| As | Solvent extraction followed by GC analysis. | 0.001 | Annual | 6(ng/m ³) | <0.001 | <0.001 | 0.001 | <0.001 | <0.001 | <0.001 | <0.001 |

**Ambient Air Quality
Six Monthly Average (OCT-16 TO MAR-17)**

Monitoring Location: Near Crusher Plant

| Parameters | Method of Measurement | Detection Limit | Time Weighted Average | Standards (unit) | Months (OCT-16 TO MAR-17) | | | | | | Six monthly Avg. |
|-------------------------------|--|-----------------|-----------------------|--------------------------|---------------------------|--------|--------|--------|--------|--------|------------------|
| | | | | | OCT | NOV | DEC | JAN | FEB | MAR | |
| P.M-10 | Gravimetric method | | 24 Hrly | 100 (µg/m ³) | 43.56 | 54.06 | 66.9 | 67.72 | 72.0 | 61.7 | 61.0 |
| P.M.-2.5 | Gravimetric method | | 24 Hrly. | 60 (µg/m ³) | 21.32 | 27.07 | 34.2 | 34.25 | 36.7 | 30.4 | 30.7 |
| SO ₂ | Improved West Gaeke method. | 4 | 24 Hrly. | 80 (µg/m ³) | <4.75 | 5.20 | 5.5 | 5.55 | 5.3 | <4.6 | <5.2 |
| Nox | Jacob &Hochhelsler modified (Na-Arsenite) method | 9 | 24 Hrly | 80 (µg/m ³) | 10.75 | 12.73 | 14.1 | 15.05 | 15.7 | 13.3 | 13.6 |
| O ₃ | Chemical Method | 4 | 8 Hrly. | 100(µgm ³) | <4.00 | <5.50 | 7.9 | 8.48 | 9.3 | <5.9 | <6.8 |
| CO | NDIR Spectroscopy method | 0.1 | 1 Hrly. | 4(mg/m ³) | 0.19 | 0.28 | 0.4 | 0.39 | 0.4 | 0.32 | 0.33 |
| NH ₃ | Indophenol Blue Method | 20 | 24 Hrly. | 400(µg/m ³) | <20.00 | <22.48 | 27.0 | 28.43 | 26.6 | <21.7 | <24.4 |
| C ₆ H ₆ | AAS method after sampling | 0.001 | Annual | 05(µg/m ³) | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| BaP | AAS method after sampling | 0.002 | Annual | 01(ng/m ³) | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 |
| Ni | AAS method after sampling | 0.01 | Annual | 20(ng/m ³) | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Pb | Absorption & Desorption followed by GC analysis | 0.001 | 24 Hrly. | 01(µg/m ³) | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| As | Solvent extraction followed by GC analysis. | 0.001 | Annual | 6(ng/m ³) | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |

**Ambient Air Quality
Six Monthly Average (OCT-16 TO MAR-17)
Monitoring Location: Buffer Zone**

| Parameters | Method of Measurement | Detection Limit | NAAQ STANDARD S | BZ 1 | BZ 2 | BZ 3 | BZ 4 | BZ 5 | BZ 6 | BZ 7 | BZ 8 | BZ 9 | BZ 10 |
|------------|-----------------------|-----------------|--------------------------|------|------|------|------|------|------|------|------|------|-------|
| P.M-10 | Gravimetric method | | 100 (µg/m ³) | 49.4 | 51 | 46.4 | 43.1 | 43.3 | 36.5 | 37.3 | 34.9 | 34.5 | 38.9 |

| | | | | | | | | | | | | | |
|-------------------------------|--|-------|---------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| P.M.-2.5 | Gravimetric method | | 60 ($\mu\text{g}/\text{m}^3$) | 23.5 | 24 | 21.3 | 19.9 | 19.5 | 15.9 | 16.5 | 15.3 | 14.9 | 17.6 |
| SO ₂ | Improved West Gaeke method. | 4 | 80 ($\mu\text{g}/\text{m}^3$) | 4.9 | 4.4 | <4.2 | <4.06 | <4.1 | <4.0 | <4.0 | <4.0 | <4.0 | <4.0 |
| Nox | Jacob &Hochhelsler modified (Na-Arsenite) method | 9 | 80 ($\mu\text{g}/\text{m}^3$) | 13.9 | 13 | 10.4 | <9.93 | <10.2 | <9.1 | <9.3 | <9.13 | <9.0 | <9.2 |
| O ₃ | Chemical Method | 4 | 100($\mu\text{g}/\text{m}^3$) | <4.8 | <5 | <4.5 | <4.4 | <4.6 | <4.0 | <4.0 | <4.0 | <4.0 | <4.0 |
| CO | NDIR Spectroscopy method | 0.1 | 4(mg/m^3) | 0.2 | 0.2 | 0.18 | 0.16 | 0.17 | 0.13 | <0.13 | 0.12 | <0.11 | <0.13 |
| NH ₃ | Indophenol Blue Method | 20 | 400($\mu\text{g}/\text{m}^3$) | <23.5 | <23 | <22.3 | <21.7 | <21.2 | <20.0 | <20.0 | <20.0 | <20.0 | <20.0 |
| C ₆ H ₆ | AAS method after sampling | 0.01 | 20(ng/m^3) | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| BaP | AAS method after sampling | 0.001 | 01($\mu\text{g}/\text{m}^3$) | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 |
| Ni | AAS method after sampling | 0.001 | 6(ng/m^3) | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Pb | Absorption & Desorption followed by GC analysis | 0.001 | 05($\mu\text{g}/\text{m}^3$) | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| As | Solvent extraction followed by GC analysis. | 0.002 | 01(ng/m^3) | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |

Annexure-III

Water Quality
Six Monthly Average (OCT-16 TO MAR-17)
Sampling Location- DW-1: Drinking water From Guest House

| | | | | | | | | | | | |
|--|--|--|--|--|--------|--------|--------|--------|--------|--------|-----|
| | | | | | Oct-16 | Nov-16 | Dec-16 | Jan-17 | Feb-17 | Mar-17 | Six |
|--|--|--|--|--|--------|--------|--------|--------|--------|--------|-----|

| Sl. No | Parameter | Unit | Standards as per IS: 10500, 1991 | | Analysis Results | Analysis Results | Analysis Results | Analysis Results | Analysis Results | Analysis Results | Month Avg |
|----------------------------------|--|-------|----------------------------------|--------------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|
| | | | | | | | | | | | |
| Essential Characteristics | | | Desirable Limit | Permissible Limit | | | | | | | |
| 1 | Colour | Hazen | 5 | 25 | CL | CL | CL | CL | CL | CL | CL |
| 2 | Odour | -- | U/O | -- | U/O | U/O | U/O | U/O | U/O | U/O | U/O |
| 3 | Taste | -- | Agreeable | -- | AL | AL | AL | AL | AL | AL | AL |
| 4 | Turbidity | NTU | 5 | 10 | <2 | <2 | <2 | <2 | <2 | <2 | <2 |
| 5 | pH Value | -- | 6.5-8.5 | No Relaxation | 6.9 | 7.1 | 7.2 | 7.14 | 6.98 | 7.08 | 7.1 |
| 6 | Total Hardness (as CaCO ₃) | mg/l | 300 | 600 | 26 | 30 | 28 | 30 | 26 | 28 | 28.0 |
| 7 | Iron (as Fe) | mg/l | 0.3 | 1 | 0.11 | 0.14 | 0.12 | 0.11 | 0.12 | 0.13 | 0.12 |
| 8 | Chloride (as Cl) | mg/l | 250 | 1000 | 12 | 15 | 13 | 14 | 12 | 14 | 13.3 |
| 9 | Residual, free Chlorine | mg/l | 0.2 | --- | ND | ND | ND | ND | ND | ND | ND |
| Desirable Characteristics | | | | | | | | | | | |
| 10 | Dissolved Solids | mg/l | 500 | 2000 | 53 | 61 | 53 | 57 | 49 | 55 | 54.7 |
| 11 | Calcium (as Ca) | mg/l | 75 | 200 | 8 | 8.8 | 8 | 8.4 | 7.6 | 8 | 8.1 |
| 12 | Magnesium (as Mg) | mg/l | 30 | 100 | 1.5 | 1.9 | 1.9 | 2.2 | 1.7 | 1.9 | 1.9 |
| 13 | Copper (as Cu) | mg/l | 0.05 | 1.5 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 14 | Manganese (as Mn) | mg/l | 0.1 | 0.3 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| 15 | Sulphate (as SO ₄) | mg/l | 200 | 400 | 0.24 | 0.32 | 0.28 | 0.34 | 0.28 | 0.34 | 0.30 |
| 16 | Nitrate (as NO ₃) | mg/l | 45 | 100 | 0.1 | 0.12 | 0.08 | 0.09 | 0.07 | 0.08 | 0.09 |
| 17 | Fluoride (as F) | mg/l | 1 | 1.5 | 0.02 | 0.016 | 0.013 | 0.012 | 0.011 | 0.009 | 0.014 |
| 18 | Phenolic Compounds (as C ₆ H ₅ OH) | mg/l | 0.001 | 0.002 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 19 | Mercury (as Hg) | mg/l | 0.001 | No Relaxation | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 20 | Cadmium (as Cd) | mg/l | 0.01 | No Relaxation | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 21 | Selenium (as Se) | mg/l | 0.01 | No Relaxation | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 22 | Arsenic (as As) | mg/l | 0.05 | No Relaxation | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 23 | Cyanide (as CN) | mg/l | 0.05 | No Relaxation | ND | ND | ND | ND | ND | ND | ND |
| 24 | Lead (as Pb) | mg/l | 0.05 | No Relaxation | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| 25 | Zinc (as Zn) | mg/l | 5 | 15 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 26 | Anionic Detergents (as MBAS) | mg/l | 0.2 | 1 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| 27 | Chromium (as | mg/l | 0.05 | No | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |

| | Cr ⁶⁺) | | | Relaxation | | | | | | | |
|----|----------------------------------|-----------|----------------------------|------------|---------|---------|---------|---------|---------|---------|---------|
| 28 | Mineral Oil | mg/l | 0.01 | 0.03 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| 29 | Alkalinity | mg/l | 200 | 600 | 28 | 31 | 27 | 28 | 25 | 27 | 27.7 |
| 30 | Aluminium as(Al) | mg/l | 0.03 | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 31 | Boron (as B) | mg/l | 1 | 5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| 32 | Poly Aromatic Hydrocarbon as PAH | µg/l | -- | -- | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| 33 | Pesticide | mg/l | Absent | 0.001 | Absent | Absent | Absent | Absent | Absent | Absent | Absent |
| 34 | Total Coliform Organism | MPN/100ml | Not more than 10MPN/100 ml | -- | <2 | <2 | <2 | <2 | <2 | <2 | <2 |
| 35 | Faecal Coliforms | MPN/100ml | Not more than 10MPN/100 ml | -- | Absent | Absent | Absent | Absent | Absent | Absent | Absent |
| 36 | E. Coli | MPN/100ml | Absent | -- | Absent | Absent | Absent | Absent | Absent | Absent | Absent |

Water Quality
Six Monthly Average (OCT-16 TO MAR-17)

Sampling Location- SW-1: Intake of Nakti Nallah

| Sl. No | Parameter | Unit | Standard as per IS:2296:1992 , Class'C' | Analysis Results | Analysis Results | Analysis Results | Analysis Results | Analysis Results | Analysis Results | Six Month Avg |
|--------|--|------------|---|------------------|------------------|------------------|------------------|------------------|------------------|---------------|
| | | | | Oct-16 | Nov-16 | Dec-16 | Jan-17 | Feb-17 | Mar-17 | |
| 1 | Dissolved Oxygen (minimum) | mg/l | 4 | 5.5 | 5.1 | 5.3 | 5.1 | 5.3 | 5.5 | 5.3 |
| 2 | BOD (3) days at 27°C (max) | mg/l | 3 | < 1.8 | < 1.8 | < 1.8 | < 1.8 | < 1.8 | < 1.8 | <1.8 |
| 3 | Total Coli form | MPN/100 ml | 5000 | 370 | 170 | 220 | 120 | 150 | 220 | 208.3 |
| 4 | pH Value | -- | 6.0-9.0 | 7.3 | 7.2 | 7.1 | 7.2 | 7.28 | 7.22 | 7.2 |
| 5 | Colour (max) | | 300 | 4 | 1 | 1 | 1 | CL | CL | 1.8 |
| 6 | Total Dissolved Solids | mg/l | 1500 | 150 | 145 | 142 | 148 | 154 | 150 | 148.2 |
| 7 | Copper as Cu (max) | mg/l | 1.5 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 8 | Iron as Fe (max) | mg/l | 0.5 | 0.5 | 0.46 | 0.42 | 0.45 | 0.48 | 0.44 | 0.46 |
| 9 | Chloride (max) | mg/l | 600 | 20 | 22 | 20 | 24 | 28 | 26 | 23.3 |
| 10 | Sulphates (SO ₄) (max) | mg/l | 400 | 2.8 | 2.4 | 2.9 | 3.1 | 3.6 | 3.8 | 3.1 |
| 11 | Nitrate as NO ₃ (max) | mg/l | 50 | 1.2 | 0.9 | 1.1 | 1.2 | 1.6 | 1.4 | 1.2 |
| 12 | Fluoride as F (max) | mg/l | 1.5 | 0.14 | 0.13 | 0.12 | 0.14 | 0.16 | 0.015 | 0.12 |
| 13 | Phenolic Compounds as C ₆ H ₅ OH (max) | mg/l | 0.005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 14 | Cadmium as Cd (max) | mg/l | 0.01 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 15 | Selenium as Se (max) | mg/l | 0.05 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 16 | Arsenic as As | mg/l | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 17 | Cyanide as CN (max) | mg/l | 0.05 | ND | ND | ND | ND | ND | ND | ND |
| 18 | Lead as Pb(max) | mg/l | 0.1 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| 19 | Zinc as Zn(max) | mg/l | 15 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 20 | Hexa Chromium as Cr ⁺⁶ | mg/l | 0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 21 | Anionic Detergents (max) | mg/l | 1 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |

Water Quality

Six Monthly Average (OCT-16 TO MAR-17)

Sampling Location- EW-1 Guest House Discharge Water

17

| | | | | | | | |
|--|--------|--------|--------|--------|--------|--------|-----------|
| | Oct-16 | Nov-16 | Dec-16 | Jan-17 | Feb-17 | Mar-17 | Six Month |
|--|--------|--------|--------|--------|--------|--------|-----------|

| Sl. No | Parameter | Unit | Standards (In land Surface water) | Analysis Results | Analysis Results | Analysis Results | Analysis Results | Analysis Results | Analysis Results | Avg |
|--------|--|-------|---|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| 1 | Colour & Odour | Hazen | Colourless/Odourless as far as practicable | 10 & pungent smell | 07 & pungent smell | 08 & pungent smell | 06 & pungent smell | 07 & pungent smell | 05 & pungent smell | 7.2 & pungent smell |
| 2 | Suspended Solids | mg/l | 100 | 98 | 98 | 97 | 79 | 78 | 95 | 90.8 |
| 3 | Particulate size of SS | | Shall pass 850 micron IS Sieve | <850 | <850 | <850 | <850 | <850 | <850 | <850 |
| 4 | pH Value | -- | 5.5-9.0 | 5.4 | 5.7 | 5.5 | 5.8 | 5.44 | 5.68 | 5.6 |
| 5 | Temperature | °C | Shall not exceed 5°C above the receiving water temperature | 23 | 20 | 20 | 20 | 21 | 21 | 21 |
| 6 | Oil & Grease(max) | mg/l | 10 | ND | ND | ND | ND | ND | ND | ND |
| 7 | Total Residual Chlorine | mg/l | 1 | ND | ND | ND | ND | ND | ND | ND |
| 8 | Ammonical Nitrogen (as N) | mg/l | 50 | 6.8 | 4.8 | 5.6 | 4.8 | 4.4 | 4.6 | 5.2 |
| 9 | Total Kjeldahl nitrogen (as NH ₃) | mg/l | 100 | 18.2 | 15.6 | 17.4 | 15.6 | 12.5 | 13.6 | 15.5 |
| 10 | Free ammonia (as NH ₃) | mg/l | 5 | ND | ND | ND | ND | ND | ND | ND |
| 11 | BOD(3 days at 27°C (max)) | mg/l | 30 | 27 | 28 | 36 | 24 | 28 | 30 | 28.8 |
| 12 | Chemical Oxygen Demand as COD | mg/l | 250 | 246 | 180 | 200 | 160 | 184 | 160 | 188.3 |
| 13 | Arsenic as As | mg/l | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 14 | Mercury (Hg) | mg/l | 0.01 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 15 | Lead as Pb(max) | mg/l | 0.1 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| 16 | Cadmium as Cd (max) | mg/l | 2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 17 | Hexavalent Chromium as Cr ⁺⁶ | mg/l | 0.1 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 18 | Total Chromium (Cr) | mg/l | 2 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 19 | Copper as Cu (max) | mg/l | 3 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 20 | Zinc as Zn(max) | mg/l | 5 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 21 | Selenium (Se) (max) | mg/l | 0.05 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 22 | Nickel (Ni) | mg/l | 3 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 23 | Cyanide as CN (max) | mg/l | 0.2 | ND | ND | ND | ND | ND | ND | ND |
| 24 | Fluoride as F (max) | mg/l | 2 | 0.26 | 0.21 | 0.24 | 0.25 | 0.28 | 0.32 | 0.26 |
| 25 | Dissolved Phosphates (P) | mg/l | 5 | 0.82 | 0.72 | 0.8 | 0.72 | 0.84 | 0.8 | 0.78 |
| 26 | Sulphide (S) | mg/l | 2 | 2.2 | 1.8 | 1.6 | 1.2 | 1.3 | 1.2 | 1.55 |
| 27 | Phenolic Compounds as C ₆ H ₅ OH (max) | mg/l | 1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | #DIV/0! |
| 28 | Bio-assay test | | 90% survival of fish after 96 hours in | 86% survival of fishes | 89% survival of fishes | 86% survival of fishes | 89% survival of fishes | 87% survival of fishes | 90% survival of fishes | 88% survival of fishes |

| | | | | | | | | | | |
|----|------------------|------|----------------------|--------|--------|--------|--------|--------|--------|--------|
| | | | 100% effluent | | | | | | | |
| 29 | Manganese (Mn) | mg/l | 2 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| 30 | Iron as Fe (max) | mg/l | 3 | 0.52 | 0.47 | 0.44 | 0.46 | 0.52 | 0.48 | 0.48 |
| 31 | Vanadium (V) | mg/l | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 32 | Nitrate Nitrogen | mg/l | 10 | 4.8 | 4.20 | 4.9 | 4.6 | 5.2 | 4.8 | 4.75 |

Water Quality
Six Monthly Average (OCT-16 TO MAR-17)
Sampling Location: EW-2:Mines Canteen Effluent

| | | | | | | | | | | |
|--|--|--|--|---------------|---------------|---------------|---------------|---------------|---------------|--|
| | | | | Oct-16 | Nov-16 | Dec-16 | Jan-17 | Feb-17 | Mar-17 | |
|--|--|--|--|---------------|---------------|---------------|---------------|---------------|---------------|--|

| Sl. No | Parameter | Unit | Standards (In land Surface water) | Analysis Results | Analysis Results | Analysis Results | Analysis Results | Analysis Results | Analysis Results | Six month Avg |
|--------|---|-------|---|------------------|------------------|------------------|------------------|------------------|------------------|---------------|
| 1 | Colour & Odour | Hazen | Colourless/Odourless as far as practicable | CL & U/O | CL & U/O | CL & U/O | CL & U/O | CL & U/O | CL & U/O | CL & U/O |
| 2 | Suspended Solids | mg/l | 100 | 48 | 38 | 28 | 34 | 42 | 48 | 39.7 |
| 3 | Particulate size of SS | | Shall pass 850 micron IS Sieve | <850 | <850 | <850 | <850 | <850 | <850 | <850 |
| 4 | pH Value | -- | 5.5-9.0 | 6.8 | 6.9 | 6.8 | 6.7 | 6.82 | 6.73 | 6.8 |
| 5 | Temperature | °C | Shall not exceed 5°C above the receiving water temperature | 23 | 20 | 20 | 20 | 21 | 21 | 20.8 |
| 6 | Oil & Grease(max) | mg/l | 10 | ND | ND | ND | ND | ND | ND | ND |
| 7 | Total Residual Chlorine | mg/l | 1 | ND | ND | ND | ND | ND | ND | ND |
| 8 | Ammonical Nitrogen (as N) | mg/l | 50 | 1.8 | 1.6 | 2.2 | 1.9 | 2.1 | 2.4 | 2.0 |
| 9 | Total Kjeldahl nitrogen (as NH ₃) | mg/l | 100 | 3.2 | 3.4 | 5.6 | 4.8 | 5.2 | 5.8 | 4.7 |
| 10 | Free ammonia (as NH ₃) | mg/l | 5 | ND | ND | ND | ND | ND | ND | ND |
| 11 | BOD(3 days at 27°C (max) | mg/l | 30 | 12 | 14 | 12 | 10 | 8 | 6 | 10.3 |
| 12 | Chemical Oxygen Demand as COD | mg/l | 250 | 38 | 48 | 48 | 42 | 40 | 36 | 42 |
| 13 | Arsenic as As | mg/l | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 14 | Mercury (Hg) | mg/l | 0.01 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 15 | Lead as Pb(max) | mg/l | 0.1 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| 16 | Cadmium as Cd (max) | mg/l | 2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 17 | Hexavalent Chromium as Cr ⁺⁶ | mg/l | 0.1 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 18 | Total Chromium (Cr) | mg/l | 2 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 19 | Copper as Cu (max) | mg/l | 3 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 20 | Zinc as Zn(max) | mg/l | 5 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 21 | Selenium (Se) (max) | mg/l | 0.05 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 22 | Nickel (Ni) | mg/l | 3 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 23 | Cyanide as CN (max) | mg/l | 0.2 | ND | ND | ND | ND | ND | ND | ND |
| 24 | Fluoride as F (max) | mg/l | 2 | 0.16 | 0.17 | 0.14 | 0.12 | 0.14 | 0.16 | 0.15 |
| 25 | Dissolved Phosphates (P) | mg/l | 5 | 0.16 | 0.16 | 0.18 | 0.16 | 0.12 | 0.1 | 0.15 |
| 26 | Sulphide (S) | mg/l | 2 | ND | ND | ND | ND | ND | ND | ND |
| 27 | Phenolic Compounds as | mg/l | 1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |

| | | | | | | | | | | |
|----|--|------|---|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| | C ₆ H ₅ OH (max) | | | | | | | | | |
| 28 | Bio-assay test | | 90% survival of fish after 96 hours in 100% effluent | 93% survival of fishes | 92% survival of fishes | 93% survival of fishes | 94% survival of fishes | 92% survival of fishes | 93% survival of fishes | 93% survival of fishes |
| 29 | Manganese (Mn) | mg/l | 2 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| 30 | Iron as Fe (max) | mg/l | 3 | 0.54 | 0.6 | 0.56 | 0.5 | 0.44 | 0.4 | 0.51 |
| 31 | Vanadium (V) | mg/l | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 32 | Nitrate Nitrogen | mg/l | 10 | 1.8 | 1.9 | 1.8 | 1.6 | 1.7 | 1.5 | 1.7 |

Water Quality

Six Monthly Average (OCT-16 TO MAR-17)

Sampling Location: GW-1:Tube well near Guest House

| Sl. No | Parameter | Unit | Standards as per IS: 10500, 1991 | | Oct-16 Analysi s Results | Nov-16 Analysi s Results | Dec-16 Analysi s Results | Jan-17 Analysi s Results | Feb-17 Analysi s Results | Mar-17 Analysi s Results | Six Month Avg |
|-------------------------------------|-----------|------|----------------------------------|----------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|---------------------|
| <i>Essential Characteristic</i> | | | Desirable Limit | Permissible Limit | 21 | | | | | | |

| | | | | | | | | | | | |
|----------------------------------|--|-------|-----------|---------------|---------|---------|---------|---------|---------|---------|---------|
| s | | | | | | | | | | | |
| 1 | Colour | Hazen | 5 | 25 | CL | CL | CL | CL | CL | CL | CL |
| 2 | Odour | -- | U/O | -- | U/O | U/O | U/O | U/O | U/O | U/O | U/O |
| 3 | Taste | -- | Agreeable | -- | AL | AL | AL | AL | AL | AL | AL |
| 4 | Turbidity | NTU | 5 | 10 | < 2 | < 2 | < 2 | < 2 | < 2 | < 2 | < 2 |
| 5 | pH Value | -- | 6.5-8.5 | No Relaxation | 6.8 | 6.9 | 7.0 | 7.05 | 7.14 | 7.12 | 7.0 |
| 6 | Total Hardness (as CaCO ₃) | mg/l | 300 | 600 | 116 | 112 | 118 | 124 | 129 | 130 | 121.5 |
| 7 | Iron (as Fe) | mg/l | 0.3 | 1 | 0.28 | 0.28 | 0.3 | 0.26 | 0.36 | 0.26 | 0.3 |
| 8 | Chloride (as Cl) | mg/l | 250 | 1000 | 28 | 26 | 30 | 32 | 35 | 34 | 30.8 |
| 9 | Residual, free Chlorine | mg/l | 0.2 | --- | ND | ND | ND | ND | ND | ND | ND |
| Desirable Characteristics | | | | | | | | | | | |
| 10 | Dissolved Solids | mg/l | 500 | 2000 | 167 | 170 | 182 | 191 | 202 | 201 | 185.5 |
| 11 | Calcium (as Ca) | mg/l | 75 | 200 | 33.3 | 32.1 | 33.7 | 35.3 | 36.1 | 36.5 | 34.5 |
| 12 | Magnesium (as Mg) | mg/l | 30 | 100 | 8 | 7.8 | 8.3 | 8.7 | 9.5 | 9.5 | 8.6 |
| 13 | Copper (as Cu) | mg/l | 0.05 | 1.5 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 14 | Manganese (as Mn) | mg/l | 0.1 | 0.3 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| 15 | Sulphate (as SO ₄) | mg/l | 200 | 400 | 4.5 | 4.7 | 5.1 | 5.6 | 5.9 | 5.6 | 5.2 |
| 16 | Nitrate (as NO ₃) | mg/l | 45 | 100 | 1.5 | 1.7 | 1.9 | 1.8 | 2.2 | 2.3 | 1.9 |
| 17 | Fluoride (as F) | mg/l | 1 | 1.5 | 0.02 | 0.024 | 0.022 | 0.024 | 0.028 | 0.024 | 0.024 |
| 18 | Phenolic Compounds (as C ₆ H ₅ OH) | mg/l | 0.001 | 0.002 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 19 | Mercury (as Hg) | mg/l | 0.001 | No Relaxation | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 20 | Cadmium (as Cd) | mg/l | 0.01 | No Relaxation | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 21 | Selenium (as Se) | mg/l | 0.01 | No Relaxation | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 22 | Arsenic (as As) | mg/l | 0.05 | No Relaxation | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 23 | Cyanide (as CN) | mg/l | 0.05 | No Relaxation | ND | ND | ND | ND | ND | ND | ND |
| 24 | Lead (as Pb) | mg/l | 0.05 | No Relaxation | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| 25 | Zinc (as Zn) | mg/l | 5 | 15 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 26 | Anionic Detergents (as MBAS) | mg/l | 0.2 | 1 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| 27 | Chromium (as Cr ⁶⁺) | mg/l | 0.05 | No Relaxation | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 28 | Mineral Oil | mg/l | 0.01 | 0.03 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| 29 | Alkalinity | mg/l | 200 | 600 | 102 | 100 | 106 | 110 | 115 | 118 | 108.5 |
| 30 | Aluminium as(Al) | mg/l | 0.03 | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 31 | Boron (as B) | mg/l | 1 | 5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| 32 | Poly Aromatic Hydrocarbon as PAH | µg/l | -- | -- | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| 33 | Pesticide | mg/l | Absent | 0.001 | Absent | Absent | Absent | Absent | Absent | Absent | Absent |

| | | | | | | | | | | | |
|----|-------------------------|------------|-----------------------------------|----|--------|--------|--------|--------|--------|--------|--------|
| 34 | Total Coliform Organism | MPN/100 ml | Not more than 10MPN/100 ml | -- | <2 | <2 | <2 | <2 | <2 | <2 | <2 |
| 35 | Faecal Coliforms | MPN/100 ml | Not more than 10MPN/100 ml | -- | Absent | Absent | Absent | Absent | Absent | Absent | Absent |
| 36 | E. Coli | MPN/100 ml | Absent | -- | Absent | Absent | Absent | Absent | Absent | Absent | Absent |

Water Quality
Six Monthly Average (OCT-16 TO MAR-17)
Sampling Location: GW-2:Tube well (Gomardih Village)

| Sl. No | Parameter | Unit | Standards as per IS: 10500, 1991 | | Oct-16 | Nov-16 | Dec-16 | Jan-17 | Feb-17 | Mar-17 | Six Month Avg |
|----------------------------------|--|-------|----------------------------------|-------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|---------------|
| | | | Desirable Limit | Permissible Limit | Analys s Results | Analys s Results | Analys s Results | Analys s Results | Analys s Results | Analys s Results | |
| <i>Essential Characteristics</i> | | | | | | | | | | | |
| 1 | Colour | Hazen | 5 | 25 | CL | CL | CL | CL | CL | CL | CL |
| 2 | Odour | -- | U/O | -- | U/O | U/O | U/O | U/O | U/O | U/O | U/O |
| 3 | Taste | -- | Agreeable | -- | AL | AL | AL | AL | AL | AL | AL |
| 4 | Turbidity | NTU | 5 | 10 | <2 | <2 | <2 | <2 | <2 | <2 | <2 |
| 5 | pH Value | -- | 6.5-8.5 | No Relaxation | 7.5 | 7.4 | 7.6 | 7.44 | 7.36 | 7.42 | 7.5 |
| 6 | Total Hardness (as CaCO ₃) | mg/l | 300 | 600 | 176 | 172 | 184 | 192 | 198 | 196 | 186.3 |
| 7 | Iron (as Fe) | mg/l | 0.3 | 1 | 0.18 | 0.2 | 0.24 | 0.22 | 0.3 | 0.24 | 0.23 |
| 8 | Chloride (as Cl) | mg/l | 250 | 1000 | 32 | 28 | 32 | 36 | 39 | 37 | 34.0 |
| 9 | Residual, free Chlorine | mg/l | 0.2 | --- | ND | ND | ND | ND | ND | ND | ND |
| <i>Desirable Characteristics</i> | | | | | | | | | | | |
| 10 | Dissolved Solids | mg/l | 500 | 2000 | 240 | 235 | 253 | 270 | 281 | 275 | 259 |
| 11 | Calcium (as Ca) | mg/l | 75 | 200 | 49.7 | 48.9 | 51.7 | 53.7 | 54.1 | 54.5 | 52.1 |
| 12 | Magnesium (as Mg) | mg/l | 30 | 100 | 12.6 | 12.2 | 13.4 | 14.1 | 15.3 | 14.6 | 13.7 |
| 13 | Copper (as Cu) | mg/l | 0.05 | 1.5 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 14 | Manganese (as Mn) | mg/l | 0.1 | 0.3 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| 15 | Sulphate (as SO ₄) | mg/l | 200 | 400 | 6.8 | 6.6 | 7.3 | 7.8 | 8.1 | 7.7 | 7.4 |
| 16 | Nitrate (as NO ₃) | mg/l | 45 | 100 | 1.9 | 2.4 | 2.8 | 3.1 | 3.6 | 3.3 | 2.9 |
| 17 | Fluoride (as F) | mg/l | 1 | 1.5 | 0.032 | 0.04 | 0.036 | 0.032 | 0.038 | 0.034 | 0.035 |
| 18 | Phenolic Compounds (as C ₆ H ₅ OH) | mg/l | 0.001 | 0.002 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 19 | Mercury (as Hg) | mg/l | 0.001 | No Relaxation | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 20 | Cadmium (as Cd) | mg/l | 0.01 | No Relaxation | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 21 | Selenium (as Se) | mg/l | 0.01 | No Relaxation | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 22 | Arsenic (as As) | mg/l | 0.05 | No Relaxation | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 23 | Cyanide (as CN) | mg/l | 0.05 | No Relaxation | ND | ND | ND | ND | ND | ND | ND |
| 24 | Lead (as Pb) | mg/l | 0.05 | No Relaxation | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| 25 | Zinc (as Zn) | mg/l | 5 | 15 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |

| | | | | | | | | | | | |
|----|----------------------------------|-----------|-----------------------------------|----------------------|---------|---------|---------|---------|---------|---------|---------|
| 26 | Anionic Detergents (as MBAS) | mg/l | 0.2 | 1 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| 27 | Chromium (as Cr ⁶) | mg/l | 0.05 | No Relaxation | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 28 | Mineral Oil | mg/l | 0.01 | 0.03 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| 29 | Alkalinity | mg/l | 200 | 600 | 164 | 160 | 168 | 176 | 182 | 178 | 171.3 |
| 30 | Aluminium as(Al) | mg/l | 0.03 | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 31 | Boron (as B) | mg/l | 1 | 5 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| 32 | Poly Aromatic Hydrocarbon as PAH | µg/l | -- | -- | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| 33 | Pesticide | mg/l | Absent | 0.001 | Absent | Absent | Absent | Absent | Absent | Absent | Absent |
| 34 | Total Coliform Organism | MPN/100ml | Not more than 10MPN/100 ml | -- | <2 | <2 | <2 | <2 | <2 | <2 | <2 |
| 35 | Faecal Coliforms | MPN/100ml | Not more than 10MPN/100 ml | -- | Absent | Absent | Absent | Absent | Absent | Absent | Absent |
| 36 | E. Coli | MPN/100ml | Absent | -- | Absent | Absent | Absent | Absent | Absent | Absent | Absent |

Water Quality
Six Monthly Average (OCT-16 TO MAR-17)
Sampling Location: EW-3:Mines Discharge Water

| Sl. No | Parameter | Unit | Standards (In land Surface water) | Oct-16 Analysis Results | Nov-16 Analysis Results | Dec-16 Analysis Results | Jan-17 Analysis Results | Feb-17 Analysis Results | Mar-17 Analysis Results | Six Monthly Avg |
|--------|---|-------|--|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-----------------|
| 1 | Colour & Odour | Hazen | Colourless/Odourless as far as practicable | CL & U/O | CL & U/O | CL & U/O | CL & U/O | CL & U/O | CL & U/O | CL & U/O |
| 2 | Suspended Solids | mg/l | 100 | 10 | 16.0 | 12 | 10 | 16 | 20 | 14 |
| 3 | Particulate size of SS | | Shall pass 850 micron IS Sieve | <850 | <850 | <850 | <850 | <850 | <850 | <850 |
| 4 | pH Value | -- | 5.5-9.0 | 7.5 | 7.4 | 7.5 | 7.4 | 7.38 | 7.3 | 7.41 |
| 5 | Temperature | °C | Shall not exceed 5°C above the receiving water temperature | 23 | 20.0 | 20 | 20 | 21 | 21 | 20.8 |
| 6 | Oil & Grease(max) | mg/l | 10 | ND | ND | ND | ND | ND | ND | ND |
| 7 | Total Residual Chlorine | mg/l | 1 | ND | ND | ND | ND | ND | ND | ND |
| 8 | Ammonical Nitrogen (as N) | mg/l | 50 | ND | ND | ND | ND | ND | ND | ND |
| 9 | Total Kjeldahl nitrogen (as NH ₃) | mg/l | 100 | ND | ND | ND | ND | ND | ND | ND |
| 10 | Free ammonia (as NH ₃) | mg/l | 5 | ND | ND | ND | ND | ND | ND | ND |
| 11 | BOD(3 days at 27°C (max) | mg/l | 30 | <1.8 | <1.8 | <1.8 | <1.8 | <1.8 | <1.8 | <1.8 |
| 12 | Chemical Oxygen Demand as COD | mg/l | 250 | < 3 | < 3 | < 3 | < 3 | < 3 | < 3 | <3 |
| 13 | Arsenic as As | mg/l | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 14 | Mercury (Hg) | mg/l | 0.01 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 15 | Lead as Pb(max) | mg/l | 0.1 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| 16 | Cadmium as Cd (max) | mg/l | 2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 17 | Hexavalent Chromium as Cr ⁺⁶ | mg/l | 0.1 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 18 | Total Chromium (Cr) | mg/l | 2 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 19 | Copper as Cu (max) | mg/l | 3 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 20 | Zinc as Zn(max) | mg/l | 5 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |
| 21 | Selenium (Se) (max) | mg/l | 0.05 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 22 | Nickel (Ni) | mg/l | 3 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 23 | Cyanide as CN (max) | mg/l | 0.2 | ND | ND | ND | ND | ND | ND | ND |
| 24 | Fluoride as F (max) | mg/l | 2 | 0.15 | 0.13 | 0.1 | 0.11 | 0.12 | 0.14 | 0.13 |
| 25 | Dissolved Phosphates (P) | mg/l | 5 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 |

| | | | | | | | | | | |
|----|--|------|---|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| 26 | Sulphide (S) | mg/l | 2 | ND | ND | ND | ND | ND | ND | ND |
| 27 | Phenolic Compounds as C ₆ H ₅ OH (max) | mg/l | 1 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 28 | Bio-assay test | | 90% survival of fish after 96 hours in 100% effluent | 98% survival of fishes | 98% survival of fishes | 98% survival of fishes | 98% survival of fishes | 98% survival of fishes | 98% survival of fishes | 98% survival of fishes |
| 29 | Manganese (Mn) | mg/l | 2 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| 30 | Iron as Fe (max) | mg/l | 3 | 0.56 | 0.64 | 0.52 | 0.48 | 0.36 | 0.32 | 0.48 |
| 31 | Vanadium (V) | mg/l | 0.2 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 32 | Nitrate Nitrogen | mg/l | 10 | 0.9 | 0.8 | 0.9 | 0.8 | 0.84 | 0.72 | 0.83 |

Annexure-VII
Ambient Noise Quality
Six Monthly Average (OCT-16 TO MAR-17)

| Sl. No | Category of Area/Zone | Sampling Location | Noise Level in dB(A) Leq six monthly avg. (OCT-16 TO MAR-17) | | | |
|--------|-----------------------|-------------------|---|--------|-----------------------|--------|
| | | | Day time Equivalent | | Night time Equivalent | |
| | | | Standard as per CPCB | Actual | Standard as per CPCB | Actual |
| 1 | | Crusher Plant | | 58.25 | | 47.5 |

Note : Day Time : 6.00 AM -10.00 PM, Night Time: 10.00PM- 6.00AM

AMBIENT AIR QUALITY STANDARDS IN RESPECT OF NOISE
AS PER CPCB GUIDELINES

| AREA CODE | CATEGORY OF AREA / ZONE | LIMITS IN dB (A) | |
|-----------|-------------------------|------------------|------------|
| | | DAY TIME | NIGHT TIME |
| A | INDUSTRIAL AREA | 75 | 70 |
| B | COMMERCIAL AREA | 65 | 55 |
| C | RESIDENTIAL AREA | 55 | 45 |
| D | SILENE ZONE | 50 | 40 |