



To,  
The Additional Principal Chief Conservator of Forest,  
Regional Office (Eastern Central Zone)  
Ministry of Environment, Forests and Climate Change, Govt. of India  
Bungalow No. A-2, Shyamali Colony, Ranchi – 834002, Jharkhand.

Ref No. - JMB/ENV/6 &7/36/341/2022

May 27, 2022

Ref.: Environmental Clearance letter no. - J-11015/373/2010-IA .II (M) dated- 3<sup>rd</sup> March 2014.

**Sub: Half Yearly Compliance Status Report of Environment Clearance conditions issued by MoEFCC, New Delhi to 6 & 7 Pits Colliery, Tata Steel Limited, Dhanbad for the period October'21 to March'22.**

Dear Sir,

We are enclosing herewith compliance report for the period **October'21 to March'22** for the EC granted vide letter no.- J-11015/373/2010-IA.II (M) dated- 3<sup>rd</sup> March 2014 issued by Ministry of Environment, Forest and Climate Change, New Delhi.

We trust the information furnished is in line with your requirement.

Thanking you,

Yours faithfully,

**Head (Planning)**  
**Jharia Division, Tata Steel Ltd.**

Encl: As above.

Copy to: Member Secretary, CPCB, Eastern Zonal Office, Southend Conclave, 502, 5<sup>th</sup> Floor  
1582, Rajdanga Main Road, Kolkata -700107.

Copy to: Member Secretary, JSPCB, T.A. Division Building (Ground Floor), H.E.C, Dhurwa,  
Ranchi - 834004.

Copy to: Regional Officer, JSPCB, HIG-1 Sardar Patel Nagar, Housing Colony, Hirapur, Dhanbad

**TATA STEEL LIMITED**

Jharia Collieries Jamadoba 828 112 Dhanbad India  
Tel 91 326 2320263/2320265/2320267 Fax 91 326 2320268  
Regd. Office Bombay House 24 Homi Mody Street Fort Mumbai 400 001  
Tel 91 22 66658282 Fax 91 22 66657724  
Corporate Identity Number L27100MII1907PLC000260 Website www.tatasteel.com

# **HALF YEARLY COMPLIANCE REPORT**

**(PERIOD: OCTOBER'21 – MARCH'22)**

## **6&7 PITS COLLIERY**

**(CAPACITY: EXPANSION FROM 0.28 TO 0.6 MTPA RAW COAL)**  
**TEHSIL: JHARIA, DIST: DHANBAD, JHARKHAND**



**TATA STEEL LIMITED, JHARIA DIVISION**

**P.O.- JAMADOBA, DIST. - DHANBAD,  
STATE- JHARKHAND, PIN CODE – 828112**

**ENVIRONMENTAL CLEARANCE GRANTED VIDE LETTER NO. - J-11015/373/2010-IA.II  
(M) DATED- 03.03.2014 ISSUED BY GOVT. OF INDIA, MINISTRY OF ENVIRONMENT,  
FOREST AND CLIMATE CHANGE, NEW DELHI.**

**Compliance status of Environmental Clearance of Expansion of 6 and 7 Pits Colliery from 0.28 MTPA to 0.6 MTPA in an ML area 168.12 ha) of M/s Tata Steel Ltd., Village Jamadoba, Tehsil Jharia, dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/373/2010-IA.II (M) dated March 3, 2014**

S. No.	Condition	Compliance Status
<b>Specific Condition</b>		
(i)	Adequate measures be taken so as to prevent and control of manifestation of health problems due to coal mining activities.	The control measures implemented are as follows- i. Water spraying is carried out in underground workings ii. Water sprinkling arrangements are present at all coal transfer points in underground iii. Plantation within the mine lease area iv. Trucks carrying sand are properly covered as well as optimally loaded. v. Underground workings of the mine are well ventilated and meet the required standards prescribed by DGMS.
(ii)	Adequate green belt shall be provided around coal handling and other areas.	Green belt has been developed around the CHP of washery and mass plantation activities are taking place every year in the leasehold area.
(iii)	Transportation of coal shall be by mechanically covered trucks.	No coal transportation takes place by trucks. All coal is transported to the washery via underground conveyor belt system.
(iv)	No dumping of fly ash in low lying areas and in mine voids are permitted.	It is not applicable as there is no generation of fly-ash due to closure of our power plant since April'2015.
(v)	Utmost care be taken to prevent spillage of sand during transportation of sand.	The trucks that are being used for the transportation of sand are properly covered using tarpaulin sheets. Larger trucks have been engaged for reducing no of cycles. To ensure the compliance, every vehicle is checked as per vehicle checklist on PUC, Tyre/body condition, emission check at every entry point. Quality checks are done on trucks to ensure its health.
(vi)	No use of fly ash with sand will take place for stowing in underground mines.	It will be strictly followed.
(vii)	The maximum production from the mine at any given time shall not exceed the limit as prescribed in the EC.	It will be strictly followed. The EC capacity is for 0.6 MTPA raw coal while the raw coal production for 6&7 Pits Colliery is well below the limit.
(viii)	Regular monitoring of subsidence movement on the surface over and around the working area and impact on natural drainage pattern, water bodies, vegetation, structure, roads, and surroundings shall be	Regular monitoring of subsidence is done by Central Institute for Mining and Fuel Research, Dhanbad. According to the subsidence reports, the impact of subsidence is negligible since the underground mine

**Compliance status of Environmental Clearance of Expansion of 6 and 7 Pits Colliery from 0.28 MTPA to 0.6 MTPA in an ML area 168.12 ha) of M/s Tata Steel Ltd., Village Jamadoba, Tehsil Jharia, dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/373/2010-IA.II (M) dated March 3, 2014**

	continued till movement ceases completely. In case of observation of any high rate of subsidence movement, appropriate effective corrective measures shall be taken to avoid loss of life and material. Cracks shall be effectively plugged with ballast and clayey soil/suitable material.	workings are now at great depth and proper filling of voids through sand stowing is being done.
(ix)	If subsidence is found exceeding the permitted limits, then the landowners shall be adequately compensated with mutual agreement of the landowners.	It will be strictly followed.
(x)	Mining shall be carried out as per statuette at a safe distance from the river/nallah flowing adjacent to the lease boundary.	The Damodar River flows at an approx. aerial distance of 2.5 kms from the lease boundary. Since this is an underground mine, no impact on the surface water bodies is expected. Though, regular monitoring on upstream and downstream of Damodar river is performed by own as well as NABL accredited laboratory.
(xi)	High root density tree species shall be selected and planted over areas likely to be affected by subsidence.	Impact on land by subsidence has been found to be negligible as per the subsidence monitoring reports prepared by CIMFR, Dhanbad. Though, high root density trees of native species are covered under annual plantation program.
(xii)	Coal Extraction shall also be optimised in areas where agricultural production is continuing. Some pillars shall be left below the agricultural land. No depillaring & coal extraction should be carried out below habitation, H.T. Lines & beneath road, water bodies.	It is strictly followed.
(xiii)	Subsidence shall be monitored closely and if subsidence is found exceeding the permitted limits, then the landowners shall be adequately compensated with mutual agreement with the landowners.	Regular monitoring of subsidence is being done by CIMFR, Dhanbad and it is well within under statutory limit.
(xiv)	3-tier plantation should be developed 2 km stretch of road from the mine using native species.	Plantation along the stretches of road has been done with native species and it is a continuous process under our green belt development programme
(xv)	Garland drains (size, gradient and length) around the safety areas such as mine shaft and low lying areas and sump capacity shall be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining	Garland drains of adequate size and gradient already exist around the colliery area to channelize the surface runoff. Details of the same are as follows:

**Compliance status of Environmental Clearance of Expansion of 6 and 7 Pits Colliery from 0.28 MTPA to 0.6 MTPA in an ML area 168.12 ha) of M/s Tata Steel Ltd., Village Jamadoba, Tehsil Jharia, dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/373/2010-IA.II (M) dated March 3, 2014**

	the mine sites. Sump capacity shall also provide adequate retention period to allow proper settling of silt material.	<table border="1"> <thead> <tr> <th>S. No</th> <th>Location</th> <th>Length</th> <th>Width</th> <th>Height</th> <th>Gradient</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Office Area</td> <td>850 m</td> <td>2.5 m</td> <td>1 m</td> <td>1 in 75</td> </tr> <tr> <td>2.</td> <td>Magazine Area</td> <td>800 m</td> <td>2.5 m</td> <td>1 m</td> <td>1 in 200</td> </tr> <tr> <td>3.</td> <td>PH area</td> <td>550 m</td> <td>2.5 m</td> <td>1 m</td> <td>1 in 97</td> </tr> <tr> <td>4.</td> <td>Jitpur Area</td> <td>550 m</td> <td>3.0 m</td> <td>1 m</td> <td>1 in 60</td> </tr> <tr> <td>5.</td> <td>Brick field area</td> <td>850 m</td> <td>1.5 m</td> <td>1 m</td> <td>1 in 70</td> </tr> </tbody> </table>	S. No	Location	Length	Width	Height	Gradient	1.	Office Area	850 m	2.5 m	1 m	1 in 75	2.	Magazine Area	800 m	2.5 m	1 m	1 in 200	3.	PH area	550 m	2.5 m	1 m	1 in 97	4.	Jitpur Area	550 m	3.0 m	1 m	1 in 60	5.	Brick field area	850 m	1.5 m	1 m	1 in 70
S. No	Location	Length	Width	Height	Gradient																																	
1.	Office Area	850 m	2.5 m	1 m	1 in 75																																	
2.	Magazine Area	800 m	2.5 m	1 m	1 in 200																																	
3.	PH area	550 m	2.5 m	1 m	1 in 97																																	
4.	Jitpur Area	550 m	3.0 m	1 m	1 in 60																																	
5.	Brick field area	850 m	1.5 m	1 m	1 in 70																																	
(xvi)	Water sprinkling system shall be provided to check fugitive emissions from loading operations, conveyor system, haulage roads, transfer points, etc. Major approach roads shall be black topped and properly maintained.	Water spraying arrangement is present in the underground mines at all transfer points. Water spraying via tankers is done on sand transportation routes. Major approach roads have been black-topped and maintained regularly.																																				
(xvii)	Coal transportation to washery shall be through a network of underground belt conveyor system and hence there is no surface transportation of coal. Transportation of men from surface to underground and back shall be via shaft. The material transport shall be through the shaft and by means of haulage in the underground.	It is already being followed and will continue in future too.																																				
(xviii)	A progressive afforestation plan shall be prepared and implemented over the mine lease area acquired and shall include areas under green belt development, areas along roads, infrastructure, along ML boundary and township etc., by planting native species in consultation with the local DFO/Agriculture Department.	Tree plantation activities are carried out every year on the barren/ degraded areas, areas along road-side, infrastructure, etc of the colliery leasehold. Apart from these, fruit plants are distributed to employees and also to villagers, schools, institutions, etc. The environment department is responsible for implementing the afforestation plan which is prepared along with the mine management. High root density trees of native species are planted under annual plantation program every year.																																				
(xix)	Regular monitoring of groundwater level and quality shall be carried out by establishing a network of existing wells and construction of new peizometers. The monitoring for quantity shall be done four times a year in pre-monsoon (May), monsoon (August), post-monsoon (November) and winter (January) seasons	The monitoring of groundwater level and quality is done four times a year. The groundwater quality report & groundwater level are provided in <b>Annexure-I</b> .																																				

**Compliance status of Environmental Clearance of Expansion of 6 and 7 Pits Colliery from 0.28 MTPA to 0.6 MTPA in an ML area 168.12 ha) of M/s Tata Steel Ltd., Village Jamadoba, Tehsil Jharia, dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/373/2010-IA.II (M) dated March 3, 2014**

	and for quality in May. Data thus collected shall be submitted to the Ministry of Environment & Forests and to the Central Pollution Control Board quarterly within one month of monitoring.	
(xx)	Acid Water Treatment Plant, volume of water to be treated and disposal of brine should be provided.	Not applicable.
(xxi)	Mine discharge water outside the ML shall be monitored, particularly for TDS and treated to conform to prescribed levels before discharge into the natural environment.	There is one mine-water outlet point in the colliery which is regularly monitored by the Environmental Laboratory.
(xxii)	The Company shall put up artificial groundwater recharge measures for augmentation of groundwater resource, in case water table shows a declining trend. The project authorities shall meet water requirement of nearby village(s) in case the village wells go dry due to dewatering of mine.	<ul style="list-style-type: none"> <li>• The water pumped out during underground mining activity is re-circulated back into the mine for the purpose of stowing. Backfilling of mine voids by stowing is done using sand which is having the porosity to hold the underground water thus helping aquifer to retain the underground water.</li> <li>• Further, there are a number of ponds existing on the surface of the mining lease which act as natural reservoirs for recharging ground water. These ponds/tanks are regularly cleaned and maintained by our CSR department. As per the hydro-geological report, the variation in the ground water level is only seasonal.</li> <li>• The water requirement of the nearby villages is being met by the company already. Now piped drinking water is being provided.</li> </ul>
(xxiii)	Besides carrying out regular periodic health checkup of their workers, 10% of the workers identified from workforce engaged in active mining operations shall be subjected to health checkup for occupational diseases and hearing impairment, if any, through an agency such as NIOH, Ahmadabad within a period of one year and the results reported to this Ministry and to DGMS.	The periodic health checkup of the workers is done regularly by our Occupational Health Department, Tata Central Hospital, Jamadoba. We have a PME (Periodic Medical Examination) centre approved by DGMS where 20 % of the workers identified from workforce engaged in active mining operations are subjected to full medical check up including hearing impairment check up, etc. These results are regularly submitted to DGMS as per mines rules. Some sample reports and as well as past records have been submitted in previous compliance reports.

**Compliance status of Environmental Clearance of Expansion of 6 and 7 Pits Colliery from 0.28 MTPA to 0.6 MTPA in an ML area 168.12 ha) of M/s Tata Steel Ltd., Village Jamadoba, Tehsil Jharia, dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/373/2010-IA.II (M) dated March 3, 2014**

(xxiv)	The mining in the existing mines should be phased out after expiry of the current mining lease and after reclamation of mined over area. The operating mines may be analysed and monitored for compliance of conditions, bearing with movement of wildlife and until such time they are closed/phased out.	It is not applicable in our case.
(xxv)	Project specific CSR for an amount of Rs5/Tonne of coal production, as adjusted as per the annual inflation, should be provided for the CSR activities undertaken and the progress made thereon shall be uploaded annually on the company website. Monitoring of the impacts of activities under CSR shall be carried out periodically.	The proposed CSR expenditure for the entire company is decided as per the new Company Rules. Once the CSR budget for company is fixed, a share of that amount is dedicated and utilized for implementing the CSR activities at our Jharia Division level. The CSR expenditure for FY22 is Rs. 5.07 crores. CSR data submitted is for Jharia Division which comprises all 5 collieries and 2 washeries. Jamadoba Washery, Digwadih Colliery and 6&7 Pits Colliery are adjacent to each other and fall under same leasehold area i.e. Jamadoba group of collieries. The core zone and buffer zone of all above units overlap to each other and in many cases, the villages are same where CSR work is going on. Therefore, we have a central budget for CSR which is managed by a team of experts who are dedicatedly involved in providing benefits and improving standard of living in over 50+ villages and municipal wards. Hence, separate CSR expenditure for individual unit cannot be estimated. For calculation/ statutory reporting purpose, the consolidated CSR expenditure can be divided into unit-wise based on size of leasehold area of individual units. The progress report is uploaded every year on the company website. Internal social audits are carried out regularly to assess the impact of CSR activities.
(xxvi)	A Final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.	Mine Closure Plan has been approved by Ministry of Coal, New Delhi. Details on deposition of closure cost in escrow account along with expenditure incurred for progressive closure is regularly submitted to Office of Coal controller. Final mine closure along with details of corpus fund will be submitted to MoEF&CC 5 years in advance.

**Compliance status of Environmental Clearance of Expansion of 6 and 7 Pits Colliery from 0.28 MTPA to 0.6 MTPA in an ML area 168.12 ha) of M/s Tata Steel Ltd., Village Jamadoba, Tehsil Jharia, dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/373/2010-IA.II (M) dated March 3, 2014**

(xxvii)	The commitment made by the Proponent to the issue raised during Public Hearing shall be implemented by the Proponent.	The commitment made by project proponent has been taken up and are being addressed gradually. Roads have been maintained in the colliery and along sand transportation routes. Subsidence studies are done every year. All the ash dumps have been reclaimed. Village ponds are cleaned as per requirement. Laying of drinking water pipeline network has been extended to more villages. A network of more than 22000 metres of pipeline connection has been established along with 33 water tanks (capacity of 4500 litres). Health camps are regularly organized by TSRDS. Training to SHEs, women, youth and children are provided in various fields.
(xxvii)	Corporate Environment Responsibility: a) The Company shall have a well laid down Environment Policy approved by the Board of Directors. b) The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest norms/conditions. c) The hierarchical system or Administrative Order of the company to deal with environmental issues and for ensuring compliance with the environmental clearance conditions shall be furnished. d) To have proper checks and balances, the company shall have a well laid down system of reporting of non-compliances/violations of environmental norms to the Board of Directors of the company and/or shareholders or stakeholders at large.	The Company already has an Environment Policy approved by the Managing Director and it addresses all the issues mentioned.  The status of adherence to the policy and compliance to Environmental laws and regulations is regularly discussed at higher levels. Any non-compliance noticed is corrected at divisional level. If any issue is beyond our control, it is brought to the notice of higher management.  Moreover, 6&7 Pits Colliery is IMS (Integrated Management System: Quality Management System, Environment Management System and OHSAS) certified unit addressing all environment aspects, impacts and needs and expectation of interested parties with respect to environment protection.

<b>General Conditions:</b>		
(i)	No change in mining technology and scope of working shall be made without prior approval of the Ministry of Environment and Forests.	The points mentioned in the EC letter will be strictly followed. Board and Pillar method is being used for mining.



**Compliance status of Environmental Clearance of Expansion of 6 and 7 Pits Colliery from 0.28 MTPA to 0.6 MTPA in an ML area 168.12 ha) of M/s Tata Steel Ltd., Village Jamadoba, Tehsil Jharia, dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/373/2010-IA.II (M) dated March 3, 2014**

(ii)	No change in the calendar plan of production for quantum of mineral coal shall be made.	It will be strictly followed.
(iii)	Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for PM10, PM2.5, SO2 and NOx monitoring. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc carried out at least once in six months.	The Air quality monitoring stations are: (i) Jamadoba Group Office (Core Zone) (ii) New Village Colony, Jamadoba (Buffer Zone) (iii) Digwadih 12 No. Colony (Buffer Zone) (iv) 6&7 Pits Kalimandir area (Buffer Zone)  Monitoring of heavy metals in ambient air is being performed by an independent laboratory (recognised by MoEF&CC). The results are enclosed as <b>Annexure-I</b> .
(iv)	Data on ambient air quality (PM10, PM 2.5, SO2 and NOx) and heavy metals such as Hg, As, Ni, Cd, Cr and other monitoring data shall be regularly submitted to the Ministry including its concerned Regional Office and to the State Pollution Control Board and the Central Pollution Control Board once in six months. Random verification of samples through analysis from independent laboratories recognized under the EPA rules, 1986 shall be furnished as part of compliance report.	Ambient air quality report (PM10, PM 2.5, SO2 and NOx) for the period from Apr'21 to Sep'21 is attached as <b>Annexure-I</b> .  Additionally, third party monitoring is done through a JSPCBC and NABL recognised Laboratory on ambient air quality (PM10, PM 2.5, SO2, NOx, CO, NH3, O3) and heavy metals (As, Ni, Cd and Cr) and results are enclosed as <b>Annexure-I</b> .
(v)	Adequate measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with ear plugs/muffs.	Regular noise survey is being conducted in the underground work environment. Workers are provided with ear-plugs/ muffs in high noise areas.
(vi)	Industrial wastewater (workshop and wastewater from the mine) shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December 1993 or as amended from time to time before discharge. Oil and grease trap shall be installed before discharge of workshop effluents.	No industrial wastewater is generated in 6&7 Pits Colliery premises. There is a central workshop and garage in Jamadoba where Effluent Treatment Plant having oil and grease trap facility has been provided.
(vii)	Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transporting the mineral shall be	Only the vehicles having valid PUC certificates are being allowed to operate for sand transportation.

**Compliance status of Environmental Clearance of Expansion of 6 and 7 Pits Colliery from 0.28 MTPA to 0.6 MTPA in an ML area 168.12 ha) of M/s Tata Steel Ltd., Village Jamadoba, Tehsil Jharia, dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/373/2010-IA.II (M) dated March 3, 2014**

	covered with tarpaulins and optimally loaded.	Coal transportation is done through underground belt network. Only sand transportation is done through trucks which are covered with tarpaulins as well as optimally loaded.
(viii)	Monitoring of environmental quality parameters shall be carried out through establishment of adequate number and type of pollution monitoring and analysis equipment in consultation with SPCB and data got analysed through a laboratory recognised under EP Rules, 1986.	We have a fully equipped Environment Cell Laboratory with qualified personnel. The monitoring and analysis is also done at regular intervals by a JSPCB approved & NABL accredited laboratory. We have also installed a Continuous Ambient Air Quality Monitoring Station at Jamadoba for real time monitoring.
(ix)	Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects.	Persons working in dusty area have been provided with dust masks & have been given awareness training on safety & health aspects. Regular PME (Periodic Medical Examinations) are being done.
(x)	Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed and records maintained thereof. The quality of environment due to outsourcing and the health and safety issues of the outsourced manpower should be addressed by the company while outsourcing.	The periodic health check-up of the workers is done regularly by our Occupational Health Department, Tata Central Hospital, Jamadoba. We have a PME (Periodic Medical Examination) centre approved by DGMS where 20 % of the workers identified from workforce engaged in active mining operations are subjected to full medical check-up including hearing impairment check-up, etc. These results are regularly submitted to DGMS as per mines rules. We are doing similar medical examination for our contractor workers in Tata central hospital.
(xi)	A separate environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the company.	We have a separate Environmental Management Cell with qualified personnel. The reporting of Environmental Cell is directly to General Manager of the Division.
(xii)	The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its Regional Office at Dhanbad.	The Environment Cell has a separate fund for Environmental protection measures and for complying with legal requirements. The annual environmental expenditure for the financial year 2020-21 is Rs. 635.63 Lakhs

**Compliance status of Environmental Clearance of Expansion of 6 and 7 Pits Colliery from 0.28 MTPA to 0.6 MTPA in an ML area 168.12 ha) of M/s Tata Steel Ltd., Village Jamadoba, Tehsil Jharia, dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/373/2010-IA.II (M) dated March 3, 2014**

(xiii)	The Project authorities shall advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution control Board and may also be seen at the website of the ministry of Environment & Forests at <a href="http://envfor.nic.in">http://envfor.nic.in</a> .	It has been complied with.
(xiv)	A copy of the environmental clearance letter shall be marked to concerned Panchayat/Zila Parishad, Municipal Corporation or Urban Local Body and local NGO, if any, from whom any suggestion/representation has been received while processing the proposal. A copy of the clearance letter shall also be displayed on the company's website.	It has been complied with.
(xv)	A copy of the clearance letter shall be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office, District Industry Centre and Collector's Office/Tehsildar's Office for 30 days.	It has been complied with.
(xvi)	The clearance letter shall be uploaded on the company's website. The compliance status of the stipulated EC conditions shall also be uploaded by the project authorities on their website and updated at least once every six months so as to bring the same in the public domain. The monitoring data of environmental quality parameters (air, water, noise and soil) and critical pollutants such as PM10, PM2.5, SO2 and NOx (ambient and stack if any) and critical sectoral parameters shall also be displayed at the entrance of the project premises and mines office and in corporate office and on the company's website.	The clearance letter has been uploaded on the company's website. The compliance status (as Half-yearly compliance report) is being uploaded in company's website once in every six months. The display of information near the mine's office has also been done.

**Compliance status of Environmental Clearance of Expansion of 6 and 7 Pits Colliery from 0.28 MTPA to 0.6 MTPA in an ML area 168.12 ha) of M/s Tata Steel Ltd., Village Jamadoba, Tehsil Jharia, dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/373/2010-IA.II (M) dated March 3, 2014**

(xvii)	The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions (both in hard copy and in e-mail) to the respective Regional Office of the MOEF, the respective Zonal offices of CPCB and the SPCB.	It is being complied.
(xviii)	The Regional Office of this Ministry located at Bhopal shall monitor compliance of the stipulated conditions. The Project authorities shall extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data/ information/monitoring reports.	It will be complied with.
(xix)	The environmental statement for each financial year ending 31st March in Form-V is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be uploaded on the company's website along with the status of compliance of EC conditions and shall be sent to the respective Regional Offices of the MOEF by E-mail.	The environmental statement for financial year 2020-21 has been submitted to JSPCB vide letter no. JMB/ENV/ESSA/05/733/2021 on 28 <sup>th</sup> September 2021 and it is also uploaded on the company website. The soft copy of Environment Statement is also sent to MOEFCC by email at ro.ranchi-mef@gov.in.

**AIR QUALITY REPORT**  
Core zone & Buffer zone

Period- October'21 to December'21

No. of sampling points: 4

Core zone (as per Air quality standards for coal mines in EPA Notification, 1988)							
Location	Latitude/ Longitude	Date	Weather Condition	SPM 24 Hourly Limit- 700 $\mu\text{g}/\text{m}^3$	RSPM 24 Hourly Limit- 300 $\mu\text{g}/\text{m}^3$	SO <sub>2</sub> 24 Hourly Limit- 120 $\mu\text{g}/\text{m}^3$	NO <sub>x</sub> 24 Hourly Limit-120 $\mu\text{g}/\text{m}^3$
Jamadoba Group Office	23°42'15.3"	07.10.21	Clear	176.8	73.9	11.6	10.8
	N/ 86°24'11" E	17.11.21	Clear	194.7	85.2	10.4	11.6
		09.12.21	Clear	198.7	86.9	11.4	10.4
Buffer zone (as per NAAQS 2009 for ambient air quality standards)							
Location	Latitude/ Longitude	Date	Weather Condition	PM10 24 Hourly Limit- 100 $\mu\text{g}/\text{m}^3$	PM2.5 24 Hourly Limit- 60 $\mu\text{g}/\text{m}^3$	SO <sub>2</sub> 24 Hourly Limit- 80 $\mu\text{g}/\text{m}^3$	NO <sub>2</sub> 24 Hourly Limit- 80 $\mu\text{g}/\text{m}^3$
Digwadih 12 No. Colony	23°41'42"	04.10.21	Clear	68.4	32.6	11.8	10.7
	N/ 86°24'45.3"	23.11.21	Clear	82.7	40.1	11.3	12.6
	E	06.12.21	Clear	84.5	41.6	10.1	11.7
New Village Colony, Jamadoba	23°41'51"	06.10.21	Clear	79.8	40.3	12.4	11.6
	N/ 86°23'19" E	22.11.21	Clear	77.2	38.7	10.5	11.8
		08.12.21	Clear	79.8	40.2	11.9	12.3
6&7 Pits Kalimandir colony	23°43'15"	05.10.21	Clear	72.4	35.2	11.8	12.3
	N/ 86°24'12" E	16.11.21	Clear	84.3	42.5	11.6	12.8
		10.12.21	Clear	87.3	45.6	10.7	11.2




**Sr. Manager (Environment)**

**AIR QUALITY REPORT**  
Core zone & Buffer zone

Period- January'22 to March'22

No. of sampling points: 4


Core zone (as per Air quality standards for coal mines in EPA Notification, 1988)							
Location	Latitude/ Longitude	Date	Weather Condition	SPM 24 Hourly Limit- 700 $\mu\text{g}/\text{m}^3$	RSPM 24 Hourly Limit- 300 $\mu\text{g}/\text{m}^3$	SO <sub>2</sub> 24 Hourly Limit- 120 $\mu\text{g}/\text{m}^3$	NO <sub>x</sub> 24 Hourly Limit-120 $\mu\text{g}/\text{m}^3$
Jamadoba Group Office	23°42'15.3" N/ 86°24'11" E	13.01.22	Clear	174.6	80.2	10.9	12.4
		10.02.22	Clear	216.4	82.6	12.3	13.8
		21.03.22	Clear	220.6	83.9	10.3	12.7
Buffer zone (as per NAAQS 2009 for ambient air quality standards)							
Location	Latitude/ Longitude	Date	Weather Condition	PM10 24 Hourly Limit- 100 $\mu\text{g}/\text{m}^3$	PM2.5 24 Hourly Limit- 60 $\mu\text{g}/\text{m}^3$	SO <sub>2</sub> 24 Hourly Limit- 80 $\mu\text{g}/\text{m}^3$	NO <sub>2</sub> 24 Hourly Limit-80 $\mu\text{g}/\text{m}^3$
Digwadih 12 No. Colony	23°41'42" N/ 86°24'45.3" E	10.01.22	Clear	86.7	44.2	11.7	12.5
		07.02.22	Clear	79.3	40.5	10.2	11.9
		16.03.22	Clear	89.6	47.2	12.5	13.9
New Village Colony, Jamadoba	23°41'51" N/ 86°23'19" E	12.01.22	Clear	77.8	38.4	10.2	11.7
		11.02.22	Clear	86.9	45.1	11.3	12.4
		22.03.22	Clear	92.7	49.5	13.5	14.8
6&7 Pits Kalimandir colony	23°43'15" N/ 86°24'12" E	11.01.22	Clear	82.7	42.6	11.4	12.9
		09.02.22	Clear	88.2	48.3	12.2	13.5
		14.03.22	Clear	78.2	36.4	11.3	13.9



**Sr. Manager (Environment)**

**Ground Water Quality Analysis (Hand Pump & Dung Well)  
(Post- Monsoon Season- November'2021)**


S.No	Date	Location	Time	Depth in meter	pH	Electrical Conductivity, $\mu\text{S/m}$
1	25.11.21	Purnadih (Jorapokhar)	09:20 AM	3.10	7.2	764
2	25.11.21	Bhowra 13 No	10:00 AM	2.24	7.1	710
3	25.11.21	Mohalbani Basti	10:30 AM	4.86	7.0	784
4	25.11.21	Digwadih 12 No	10:50 AM	2.74	7.2	720
5	25.11.21	Digwadih 10 No F & J	11:10 AM	2.10	7.1	993
6	25.11.21	Kalimela Shivmandir	01:30 PM	1.98	7.2	832
7	25.11.21	Kalimela Kalimandir	01:20 PM	2.98	7.3	786
8	25.11.21	Lower Dungari	01:10 PM	2.82	7.2	684
9	25.11.21	Upper Dungari	12:50 PM	2.12	7.3	795
10	25.11.21	Pattia Basti	12:35 PM	2.24	7.1	812
11	25.11.21	Kenduadih Basti	12:10 PM	1.36	7.2	754
12	25.11.21	Jorapokhar Kushtand	09:10 AM	3.48	7.0	772
13	25.11.21	Jamadoba 3 No	01:45 PM	2.84	7.1	758
14	25.11.21	6&7 Pits (Ayodhya Nagri)	11:40 AM	2.63	7.2	726



**Sr. Manager (Environment)**

**Ground Water Quality Analysis (Hand Pump & Dung Well)  
(Winter Season- January'2022)**

S.No	Date	Location	Time	Depth in meter	pH	Electrical Conductivity µS/m
1	17.01.22	Purnadih (Jorapokhar)	09:50 AM	3.18	7.3	764
2	17.01.22	Bhowra 13 No	10:25 AM	2.86	7.4	728
3	17.01.22	Mohalbani Basti	10:55 AM	5.12	7.6	896
4	17.01.22	Digwadih 12 No	11:15 AM	2.98	7.3	793
5	17.01.22	Digwadih 10 No F & J	11:40 AM	2.36	7.4	998
6	17.01.22	Kalimela Shivmandir	02:15 PM	2.24	7.2	826
7	17.01.22	Kalimela Kalimandir	02:30 PM	3.12	7.3	815
8	17.01.22	Lower Dungari	01:55 PM	3.24	7.3	726
9	17.01.22	Upper Dungari	01:30 PM	2.48	7.2	758
10	17.01.22	Pattia Basti	01:20 PM	2.76	7.4	836
11	17.01.22	Kenduadih Basti	12:55 PM	1.84	7.3	782
12	17.01.22	Jorapokhar Kushtand	09:30 AM	3.92	7.4	824
13	17.01.22	Jamadoba 3 No	02:45 PM	2.98	7.3	782
14	17.01.22	6&7 Pits (Ayodhya Nagri)	12:20 PM	2.86	7.2	728



**Sr. Manager (Environment)**





# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirndservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/4584

Date: 20.11.2021


## TEST REPORT OF AMBIENT AIR QUALITY


- Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Date of Sample Collection : 17.11.2021 TO 18.11.2021
- Date of Testing : 19.11.2021
- Test Procedure : As per IS-5182

### TEST RESULTS

LOCATION - OFFICERS COLONY, 12 NO. DIGWADIH			
	Avg. Ambient Temperature	24°C	Avg. Humidity
SI No.	Particulars	Value	NAAQ - CPCB STANDARD
1.	Particulate Matter (PM <sub>10</sub> ), µg/m <sup>3</sup>	71.42	100 µg/m <sup>3</sup>
2.	Particulate Matter (PM <sub>2.5</sub> ), µg/m <sup>3</sup>	38.41	60 µg/m <sup>3</sup>
3.	SO <sub>2</sub> , µg/m <sup>3</sup>	13.65	80 µg/m <sup>3</sup>
4.	NO <sub>2</sub> , µg/m <sup>3</sup>	24.10	80 µg/m <sup>3</sup>
5.	Ozone, µg/m <sup>3</sup>	17.12	180 µg/m <sup>3</sup>
6.	NH <sub>3</sub> , µg/m <sup>3</sup>	14.35	400 µg/m <sup>3</sup>
7.	CO, mg/m <sup>3</sup>	0.72	4 mg/m <sup>3</sup>
8.	Pb, µg/m <sup>3</sup>	BDL	1 µg/m <sup>3</sup>
9.	As, ng/m <sup>3</sup>	BDL	6 ng/m <sup>3</sup>
10.	Ni, ng/m <sup>3</sup>	BDL	20 ng/m <sup>3</sup>
11.	Benzene, µg/m <sup>3</sup>	BDL	5 µg/m <sup>3</sup>
12.	Benzoapyrene ng/m <sup>3</sup>	BDL	1 ng/m <sup>3</sup>

NOTE: BDL - Below Detection Limit

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirndservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/4585

Date: 20.11.2021

## TEST REPORT OF AMBIENT AIR QUALITY


- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Date of Sample Collection : 17.11.2021 TO 18.11.2021
- Date of Testing : 19.11.2021
- Test Procedure : As per IS-5182

### TEST RESULTS

LOCATION – CENTRAL WORKSHOP AREA , JAMADOBA			
	Avg. Ambient Temperature	24°C	Avg. Humidity
			62%
Sl No.	Particulars	Value	NAAQ - CPCB STANDARD
1.	Particulate Matter (PM <sub>10</sub> ), µg/m <sup>3</sup>	84.8	100 µg/m <sup>3</sup>
2.	Particulate Matter (PM <sub>2.5</sub> ), µg/m <sup>3</sup>	38.10	60 µg/m <sup>3</sup>
3.	SO <sub>2</sub> , µg/m <sup>3</sup>	15.33	80 µg/m <sup>3</sup>
4.	NO <sub>2</sub> , µg/m <sup>3</sup>	21.15	80 µg/m <sup>3</sup>
5.	Ozone, µg/m <sup>3</sup>	16.80	180 µg/m <sup>3</sup>
6.	NH <sub>3</sub> , µg/m <sup>3</sup>	17.35	400 µg/m <sup>3</sup>
7.	CO, mg/m <sup>3</sup>	1.08	4 mg/m <sup>3</sup>
8.	Pb, µg/m <sup>3</sup>	BDL	1 µg/m <sup>3</sup>
9.	As, ng/m <sup>3</sup>	BDL	6 ng/m <sup>3</sup>
10.	Ni, ng/m <sup>3</sup>	BDL	20 ng/m <sup>3</sup>
11.	Benzene, µg/m <sup>3</sup>	BDL	5 µg/m <sup>3</sup>
12.	Benzoapyrene ng/m <sup>3</sup>	BDL	1 ng/m <sup>3</sup>

NOTE: BDL - Below Detection Limit

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O. - Domgarh, Dist.- Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirnds.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

## TEST REPORT OF NOISE (AMBIENT) LEVEL MONITORING

Ref. No. & Date	NAME AND ADDRESS OF THE CLIENT			
ARDS/21-22/4586 Date: 20.11.2021	M/S TATA STEEL, JAMADOBA,			
Date of Monitoring	TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)			
17.11.2021 - 18.11.2021	Avg. Ambient Temperature(°C)	Average Humidity (%)	Weather Condition	Status of the plant
Work Order 4700092573/932 Dt. 20.07.2021	24	65	Clear	Running

### MONITORING RESULTS


Sl. No	Place of Monitoring	Day Time (6 AM to 10 PM) Avg. dB(A)			Night Time (10 PM to 6 AM) Avg. dB(A)			Noise level (Ambient standard) for Industrial Area as per CPCB Noise Pollution (Regulation and Control) (Amendment) Rules, 2000 notified vide S.O. 1046(E) Dt. 22.11.2020 Limit in dB(A) Leq	
		MAX	MIN	AVG. dB(A) Leq	MAX	MIN	AVERAGE dB(A) Leq	Day Time	Night Time
LOCATION		MAX	MIN	AVG. dB(A) Leq	MAX	MIN	AVERAGE dB(A) Leq	Industrial Area	Industrial Area
JAMADOBA GROUP									
1.	Central Workshop	66.8	54.2	64.02	52.2	46.8	50.29	75	70
2.	Jamadoba Colliery	69.6	60.5	67.09	57.8	50.33	55.51		
3.	GM Office Area	49.2	47.4	48.39	47.3	42.9	45.63		
								Residential Area	Residential Area
4.	Officer Colony 12 No. Digwadih	47.2	42.6	45.48	43.2	39.8	41.82	55	45

Sr. Chemist

Aditi R&D Services

Statements :

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



Technical Manager

Aditi R&D Services, Sindri



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No - I-B-17 (P)  
Sindri, Industrial Area,  
P.O. - Domgarh, Dist. - Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirndservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/4625


Date: 23.11.2021

## TEST REPORT OF MINERALOGICAL COMPOSITION OF PARTICULATE MATTER

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Date of Sample Collection : 18.11.2021
- Date of Testing : 19.11.2021 – 21.11.2021

### TEST RESULTS

Sl No.	Particulars	Mineralogical Composition (%)			
		SiO <sub>2</sub>	FeO	Al <sub>2</sub> O <sub>3</sub>	CaO
1.	Central Workshop Area, Jamadoba	1.68	0.04	1.13	2.2
2.	Officer's Colony, 12 No. Digwadih	2.02	0.10	1.21	2.88

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

## Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Sindri, Industrial Area,  
P.O. - Domgarh, Dist. - Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirndservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/4626


Date: 23.11.2021

### TEST REPORT OF SURFACE WATER

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : 1. Damodar River Up Stream  
2. Damodar River Dn Stream
- Date of Sample Collection: 17.11.2021
- Date of Testing : 19.11.2021 - 22.11.2021
- Test : pH, TDS, Turbidity, DO, BOD, Cl, F, SO<sub>4</sub>

### TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		Limit as per IS 2296 Class - C	Test Method
		Damodar River Up Stream	Damodar River Dn Stream		
1.	pH	7.6	7.8	6.5 -8.5	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	590	610	1500	IS-3025 (P-16): 1984
3.	Turbidity, NTU	10.5	12.8	-	IS-3025 (P-10):1984
4.	Dissolved Oxygen, mg/l	6.7	5.8	4.0	IS-3025 (P-38):1989
5.	Bio chemical Oxygen Demand, mg/l	1.2	1.8	3.0	IS-3025 (P-44):1994
6.	Chloride as Cl, mg/l	54	64	-	IS-3025 (P-32):1988
7.	Fluoride as F, mg/l	0.58	0.63	1.5	IS-3025 (P-60):2008
8.	Sulphate as SO <sub>4</sub> , mg/l	45.15	57.18	400	IS-3025 (P-24):1986

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirnds.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/4627


Date: 23.11.2021

## TEST REPORT OF MINE WATER DISCHARGE

- Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : 1. 2 Pit Jamadoba Colliery  
2. Digwadih Colliery  
3. 2 Incline Jamadoba Colliery  
4. 6 & 7 Pits Colliery
- Date of Sample Collection: 18.11.2021
- Date of Testing : 19.11.2021 – 22.11.2021
- Test : pH, TDS, TSS, BOD, COD, OIL & GREASE.

### TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE				Limit as per IS-2296 Class B (For Bathing)	Test Method
		2 Pit Jamadoba Colliery	Digwadih Colliery	2 Incline Jamadoba Colliery	6 & 7 Pits Colliery		
1.	pH,	7.7	7.8	7.6	7.9	6.5-8.5	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	648	658	590	680	-	IS-3025 (P-16): 1984
3.	Total Suspended Solids, mg/l	15	12	20	10	-	IS-3025(P-17): 1984
4.	Bio chemical Oxygen Demand, mg/l	2.1	1.6	1.8	1.9	3	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	36	34	28	30	-	IS-3025 (P-58):2006
6.	Oil & Grease, mg/l	BDL	BDL	BDL	BDL	-	IS-3025 (P-39):2021

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No - I-B-17 (P)  
Sindri, Industrial Area,  
P.O. - Domgarh, Dist.- Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirndservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/4628


Date: 23.11.2021


## TEST REPORT OF EFFLUENT

- Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : 1. JCPP (Final Settling Pond)  
2. T.C.H, Point (Near Casualty)
- Date of Sample Collection: 18.11.2021
- Date of Testing : 19.11.2021 – 22.11.2021
- Test : pH, TDS, TSS, BOD, COD, OIL & GREASE.

### TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		MoEF&C Notification 1 <sup>st</sup> Jan.2016 Permissible Max. Desirable Limit	Test Method
		JCPP (Final Settling Pond)	TCH Point (Near Casualty)		
1.	pH,	8.10	7.3	6.0-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	960	845	2100	IS-3025 (P-16): 1984
3.	Total Suspended Solids, mg/l	14	52	100	IS-3025(P-17) : 1984
4.	Bio chemical Oxygen Demand, mg/l	1.6	2.1	30	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	28	98	250	IS-3025 (P-58):2006
6.	Oil & Grease, mg/l	B.D.L	B.D.L	10	IS-3025 (P-39):2021

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirndservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/4629

Date: 23.11.2021

## TEST REPORT OF DRINKING WATER

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : 1. W. T. P. (Jamadoba)  
2. W. T. P. (Digwadih)
- Date of Sample Collection: 17.11.2021
- Date of Testing : 19.11.2021 – 22.11.2021
- Test :

Colour, Odour, Taste, Turbidity, pH, Total Hardness, Iron, Chloride, Res. Free chlorine, Total Dissolved Solids, Calcium, Copper, Manganese, Sulphate, Nitrate, Fluoride, Phenolic Compound, Mercury, Cadmium, Arsenic, Cyanide, Lead, Zinc, Total Coliform, Hexavalent Chromium, Mineral Oil, Alkalinity, Aluminium & Boron.

### TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		IS as per IS 10500:2012		Test Method
		W.T.P. Jamadoba Canteen	W.T.P. Digwadih Club	Desirable	Permissible	
1.	Colour, (Hazen Unit)	1	1	5.00	15.0	IS 3025 (P-4):2021
2.	Odour	Agreeable	Agreeable	Agreeable	Agreeable	IS 3025 (P-5):2018
3.	Taste	Agreeable	Agreeable	Agreeable	Agreeable	IS 3025 (P-7):2017
4.	Turbidity, NTU	1	1	1.0	5.0	IS 3025 (P-10):1984
5.	pH	7.80	7.90	6.5-8.5	No. Relax.	IS-3025 (P-11):1983
6.	Total Hardness as CaCO <sub>3</sub> , mg/l	290.45	305.45	200	600	IS 3025 (P-21):2009
7.	Chloride as Cl, mg/l	48	52	250	1000	IS 3025 (P-32):1988
8.	Res. Free chlorine as Cl <sub>2</sub> mg/l	NIL	NIL	0.20	1.0	IS 3025 (P-26):2021
9.	Total Dissolved Solids, mg/l	670	680	500	2000	IS 3025 (P-16):1984
10.	Calcium as CaCO <sub>3</sub> , mg/l	87	95	75	200	IS 3025 (P-40):1991
11.	Copper as Cu, mg/l	BDL	BDL	0.05	1.5	IS 3025 (P-42):1992

Continued on Page 2

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



*[Signature]*





# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)


ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirndservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608


- 2 -

SI. No.	PARAMETERS OF TEST	VALUE		IS as per IS 10500:1991		Test Method
		W. T. P. Jamadoba	W.T.P. Digwadih	Desirable	Permissible	
12.	Manganese as Mn, mg/l	BDL	BDL	0.10	0.30	IS 3025 (P-59):2006
13.	Sulphate as SO <sub>4</sub> , mg/l	46	59	200	400	IS 3025 (P-24):1986
14.	Nitrate as NO <sub>3</sub> , mg/l	3.1	3.3	45	No. Relax	IS 3025 (P-34):1988
15.	Fluoride as F, mg/l	0.2	0.3	1.0	1.5	IS 3025 (P-60):2008
16.	Phenolic Compound as (C <sub>6</sub> H <sub>5</sub> OH) mg/l	BDL	BDL	0.001	0.002	IS 3025 (P-43):1992
17.	Mercury as Hg, mg/l	BDL	BDL	0.001	No. Relax	IS 3025 (P-48):1994
18.	Cadmium as Cd, mg/l	BDL	BDL	0.003	No. Relax	IS 3025 (P-41):1992
19.	Arsenic as As, mg/l	BDL	BDL	0.01	No. Relax	IS 3025 (P-37):1988
20.	Cyanide as CN, mg/l	BDL	BDL	0.05	No. Relax	IS 3025 (P-27):1986
21.	Lead as Pb, mg/l	BDL	BDL	0.01	No. Relax	IS 3025 (P-47):1994
22.	Zinc as Zn, mg/l,	0.1	0.15	5	15	IS 3025 (P-42):1992
23.	Total Coliform, No./100ml	Absent	Absent	Absent	Absent	IS 3025 (P-49):1994
24.	Hexavalent Chromium as Cr, mg/l	BDL	BDL	0.05	No. Relax	IS 3025 (P-52):2003
25.	Mineral Oil, mg/l	BDL	BDL	0.5	No. Relax	IS 3025 (P-39):1989
26.	Alkalinity as CaCO <sub>3</sub> , mg/l,	380	390	200	600	IS 3025 (P-23):1983
27.	Aluminium as Al, mg/l	BDL	BDL	0.03	0.2	IS 3025 (P-55):2003
28.	Boran as B, mg/l	BDL	BDL	0.5	1.0	IS 3025 (P-57):2005

NOTE: BDL - Below Detection Limit

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

**Statements :**

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

**Testing Laboratory**  
NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O. - Domgarh, Dist. - Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirndservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/4630

Date: 23.11.2021

## TEST REPORT OF GROUND WATER

- Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO. : 4700092573/932 Dt. 20.07.2021
- Sample Code :
  1. Purnadih Jorapokhar
  2. Digwadih 10 No. F&5
  3. Kalimela Kalimandir
  4. Upper Dungri
  5. Kenduadih Basti
  6. 6 & 7 Pit Ayodhya Nagari
- Date of Sample Collection : 17.11.2021
- Date of Testing : 19.11.2021 – 22.11.2021
- Test : Colour, Odour, Taste, Turbidity, pH, Total Hardness, Iron, Chloride, Res. Free chlorine, Total Dissolved Solids, Calcium, Copper, Manganese, Sulphate, Nitrate, Fluoride, Phenolic Compound, Mercury, Cadmium, Arsenic, Cyanide, Lead, Zinc, Total Coliform, Hexavalent Chromium, Mineral Oil, Alkalinity, Aluminium & Boron.

## TEST RESULT

PARAMETERS OF TEST	VALUE						IS as per IS 10500:1991		Test Method
	Purnadih Jorapokhar	Digwadih 10 No. F&5	Kalimela Kalimandir	Upper Dungri	Kenduadih Basti	6&7 Pit Ayodhya Nagari	Desirable	Permissible	
Colour, (Hazen Unit)	2	1	2	1	2	1	5	15	IS 3025 (P-4):2021
Temperature °C	18	19	18	19	18	18	-	-	-
Electrical Conductivity, µmhos/cm	960	1320	1020	1050	990	1010	-	-	-
Total Dissolved Solids, mg/l	624	858	665	685	645	655	-	-	IS 3025(P-16):1984
pH	7.7	7.9	7.6	7.8	7.6	7.7	6.5-8.5	No Relax	IS-3025(P-11):1983
Total Hardness as CaCO <sub>3</sub> , mg/l	355	165.78	128.71	224.80	256.77	316.05	200	600	IS 3025(P-21):2009
Calcium as Ca, mg/l	98	33.7	25.90	53.04	62.15	78.15	75	200	IS 3025(P-40):1991
Magnesium as Mg, mg/l	26	20.28	15.99	23.05	25.35	30.18	30	100	IS 3025(P-46):1994
Chloride as Cl, mg/l	33	30	48.5	40.2	53	60	250	1000	IS 3025(P-32):1988
Fluoride as F, mg/l	0.27	0.26	0.52	0.41	0.38	0.38	1.0	1.5	IS 3025(P-60):2008

Continued on Page -2



### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- The test results cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)


ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditimdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

2 -

Sl. No	PARAMETERS OF TEST	VALUE						IS as per IS 10500:1991		Test Method
		Purnadi h Jorapok har	Digwadih 10 No. F&5	Kalimela Kaliman dir	Upper Dungri	Kendua-dih Basti	6&7 Pit Ayodh ya Nagri	Desir -able	Permi s-sible	
11	Sulphate as SO <sub>4</sub> , mg/l	40.5	44.2	46.5	48	52	58.4	200	400	IS 3025(P-24):1986
12	Nitrate as NO <sub>3</sub> , mg/l	12.8	15.8	7.8	10.8	9.5	9.3	45	No. Relax	IS 3025(P-34):1988
13	Alkalinity as CaCO <sub>3</sub> , mg/l,	265	290	305	395	340	340	200	600	IS 3025(P-23):1983
14	Lead as Pb, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025(P-47):1994
15	Zinc as Zn, mg/l,	0.12	0.10	0.14	0.12	0.17	0.15	5	15	IS 3025(P-42):1992
16	Iron a Fe, mg/l	0.15	0.13	0.16	0.14	0.18	0.18	0.3	No. Relax	IS 3025(P-53):2003
17	Copper as Cu, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.05	1.5	IS3025 (P-42):1992
18	Mercury as Hg, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.001	No. Relax	IS 3025(P-48):1994
19	Cadmium as Cd, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.003	No. Relax	IS 3025(P-41):1992
20	Nickel as Ni, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.02	No. Relax	IS 3025(P-37):1992
21	Arsenic as As, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025(P-37):1988
22	Cyanide as CN, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025(P-27):1986
23	Total Chromium as Cr, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025(P-52):2003

NOTE: BDL - Below Detection Limit

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

**Statements :**

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O. - Domgarh, Dist. - Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditimdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/4631

Date: 23.11.2021

## TEST REPORT OF ETP

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : ETP - TCH (Inlet and Outlet)
- Date of Sample Collection: 18.11.2021
- Date of Testing : 19.11.2021 - 22.11.2021
- Test : pH, TDS, TSS, BOD, COD AND OIL & GREASE


## TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		G.S.R 422 (E) Max. Desirable Limit	Test Method
		ETP INLET-TCH	ETP OUTLET-TCH		
1.	pH,	7.5	7.8	5.5-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	1025	812	-	IS-3025 (P-16): 1984
3.	Total Suspended Solids	132	37	100	IS-3025 (P-17): 1984
4.	Bio chemical Oxygen Demand, mg/l	23.4	18.2	30.0	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	165.8	60	250	IS-3025 (P-58):2006
6.	Oil & Grease	2.2	BDL	10	IS-3025 (P-39):2021



Sr. Chemist

Aditi R&D Services



  
Technical Manager

Aditi R&D Services, Sindri

### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirmdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/4632


Date: 23.11.2021

## TEST REPORT OF ETP

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : ETP – GARAGE (Inlet and Outlet)
- Date of Sample Collection: 18.11.2021
- Date of Testing : 19.11.2021 – 22.11.2021
- Test : pH, TDS, TSS, BOD, COD AND OIL & GREASE

## TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		G.S.R 422(E) Desirable Limit	Test Method
		ETP INLET- GARAGE	ETP OUTLET- GARAGE		
1.	pH,	7.70	7.60	5.5-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	925	765	-	IS-3025 (P-16): 1984
3.	Total Suspended Solids	73	18	100	IS-3025 (P-17): 1984
4.	Bio chemical Oxygen Demand, mg/l	22.8	8.4	30.0	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	180.5	76.5	250	IS-3025 (P-58):2006
6.	Oil & Grease	2.8	BDL	10	IS-3025 (P-39):2021

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the Lab.



# ADITI R&D SERVICES

**Testing Laboratory**  
**NABL ACCREDITED**

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O. - Domgarh, Dist. - Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirndservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/4633


Date: 23.11.2021

## TEST REPORT OF STP

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : STP – RAILWAY COLONY (Inlet and Outlet)
- Date of Sample Collection: 17.11.2021
- Date of Testing : 19.11.2021 – 22.11.2021
- Test : pH, TDS, TSS, BOD, COD AND OIL & GREASE

## TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		LIMIT G.S.R 422(E) (Inland Surface Water Discharge)		Test Method
		STP INLET- RAILWAY COLONY	STP OUTLET- RAILWAY COLONY	Inlet	Outlet	
1.	pH,	8.30	7.90	-	5.5-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	790	745	-	-	IS-3025 (P-16): 1984
3.	Total Suspended Solids	128	85	-	100	IS-3025 (P-17): 1984
4.	Bio chemical Oxygen Demand, mg/l	41.8	15.8	-	30.0	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	365	95	-	250	IS-3025 (P-58):2006
6.	Oil & Grease	BDL	BDL	-	10	IS-3025 (P-39):2021

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirnds.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/4634


Date: 23.11.2021


## TEST REPORT OF ETP

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : JAMADOBA CANTEEN (Inlet and Outlet)
- Date of Sample Collection: 18.11.2021
- Date of Testing : 19.11.2021 – 22.11.2021
- Test : pH, TDS, TSS, BOD, COD AND OIL & GREASE

## TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		G.S.R 422(E) Desirable Limit	Test Method
		ETP INLET- JAMADOBA CANTEEN	ETP OUTLET- JAMADOBA CANTEEN		
1.	pH,	7.48	7.91	5.5-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	985	795	-	IS-3025 (P-16): 1984
3.	Total Suspended Solids	142	39	100	IS-3025 (P-17): 1984
4.	Bio chemical Oxygen Demand, mg/l	22.8	17.5	30.0	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	170.5	65	250	IS-3025 (P-58):2006
6.	Oil & Grease	2.1	BDL	10	IS-3025 (P-39):2021

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirndservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/4635


Date: 23.11.2021

## TEST REPORT OF ETP

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : ETP – JCPP CANTEEN (Inlet and Outlet)
- Date of Sample Collection: 18.11.2021
- Date of Testing : 19.11.2021 – 22.11.2021
- Test : pH, TDS, TSS, BOD, COD AND OIL & GREASE

## TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		G.S.R 422(E) Desirable Limit	Test Method
		ETP INLET- JCPP CANTEEN	ETP OUTLET- JCPP CANTEEN		
1.	pH,	7.6	7.7	5.5-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	960	880	-	IS-3025 (P-16): 1984
3.	Total Suspended Solids	122	28	100	IS-3025 (P-17): 1984
4.	Bio chemical Oxygen Demand, mg/l	21.8	16.8	30.0	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	158.5	70	250	IS-3025 (P-58):2006
6.	Oil & Grease	1.8	BD L	10	IS-3025 (P-39):2021

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



**ENVIRONMENTAL MONITORING REPORT**

**OF**

**M/S TATA STEEL LIMITED**

**DHANBAD**

*for*

**FEBRUARY - 2022**

*Prepared by:*

**ADITI R&D SERVICES**

**PLOT NO. I-B/17(P), SINDRI INDUSTRIAL AREA,  
P.O.- DOMGARH, DIST. - DHANBAD-828107  
(JHARKHAND)**

**M/S TATA STEEL LIMITED**  
**(JAMADOBA GROUP)**



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O. - Domgarh, Dist. - Dhanbad,  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditimdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/6561

Date: 26.02.2022

## TEST REPORT OF AMBIENT AIR QUALITY

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Date of Sample Collection : 23.02.2022 TO 24.02.2022
- Date of Testing : 25.02.2022
- Test Procedure : As per IS-5182

### TEST RESULTS

LOCATION - OFFICERS COLONY, 12 NO. DIGWADIH

Sl No.	Particulars	Avg. Ambient Temperature 21°C Value	Avg. Humidity 49%
1.	Particulate Matter (PM <sub>10</sub> ), µg/m <sup>3</sup>	82.44	NAAQ - CPCB STANDARD 100 µg/m <sup>3</sup>
2.	Particulate Matter (PM <sub>2.5</sub> ), µg/m <sup>3</sup>	41.50	60 µg/m <sup>3</sup>
3.	SO <sub>2</sub> , µg/m <sup>3</sup>	15.10	80 µg/m <sup>3</sup>
4.	NO <sub>2</sub> , µg/m <sup>3</sup>	23.36	80 µg/m <sup>3</sup>
5.	Ozone, µg/m <sup>3</sup>	14.25	180 µg/m <sup>3</sup>
6.	NH <sub>3</sub> , µg/m <sup>3</sup>	12.62	400 µg/m <sup>3</sup>
7.	CO, mg/m <sup>3</sup>	0.64	4 mg/m <sup>3</sup>
8.	Pb, µg/m <sup>3</sup>	BDL	1 µg/m <sup>3</sup>
9.	As, ng/m <sup>3</sup>	BDL	6 ng/m <sup>3</sup>
10.	Ni, ng/m <sup>3</sup>	BDL	20 ng/m <sup>3</sup>
11.	Benzene, µg/m <sup>3</sup>	BDL	5 µg/m <sup>3</sup>
12.	Benzoapyrene ng/m <sup>3</sup>	BDL	1 ng/m <sup>3</sup>

NOTE: BDL - Below Detection Limit

S. D. Singh

Sr. Chemist  
Aditi R&D Services



Technical Manager  
Aditi R&D Services, Sindri

#### Statements:

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad,  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditimdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/6562

Date: 26.02.2022

## TEST REPORT OF AMBIENT AIR QUALITY


- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Date of Sample Collection : 23.02.2022 TO 24.02.2022
- Date of Testing : 25.02.2022
- Test Procedure : As per IS-5182

### TEST RESULTS

LOCATION – CENTRAL WORKSHOP AREA , JAMADOBA

SI No.	Particulars	Value	NAAQ - CPCB STANDARD
1.	Particulate Matter (PM <sub>10</sub> ), µg/m <sup>3</sup>	79.24	100 µg/m <sup>3</sup>
2.	Particulate Matter (PM <sub>2.5</sub> ), µg/m <sup>3</sup>	33.68	60 µg/m <sup>3</sup>
3.	SO <sub>2</sub> , µg/m <sup>3</sup>	12.80	80 µg/m <sup>3</sup>
4.	NO <sub>2</sub> , µg/m <sup>3</sup>	20.46	80 µg/m <sup>3</sup>
5.	Ozone, µg/m <sup>3</sup>	11.22	180 µg/m <sup>3</sup>
6.	NH <sub>3</sub> , µg/m <sup>3</sup>	13.63	400 µg/m <sup>3</sup>
7.	CO, mg/m <sup>3</sup>	0.97	4 mg/m <sup>3</sup>
8.	Pb, µg/m <sup>3</sup>	BDL	1 µg/m <sup>3</sup>
9.	As, ng/m <sup>3</sup>	BDL	6 ng/m <sup>3</sup>
10.	Ni, ng/m <sup>3</sup>	BDL	20 ng/m <sup>3</sup>
11.	Benzene, µg/m <sup>3</sup>	BDL	5 µg/m <sup>3</sup>
12.	Benzoapyrene ng/m <sup>3</sup>	BDL	1 ng/m <sup>3</sup>

NOTE: BDL - Below Detection Limit

  
Sr. Chemist

Aditi R&D Services



  
Technical Manager

Aditi R&D Services, Sindri

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

## Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O - Domgarh, Dist. - Dhanbad,  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditimdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

### TEST REPORT OF NOISE (AMBIENT) LEVEL MONITORING

Ref. No. & Date	NAME AND ADDRESS OF THE CLIENT			
ARDS/21-22/ 6563 Date:26.02.2022	M/S TATA STEEL, JAMADOBA,			
Date of Monitoring	TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)			
23.02.2022 – 24.02.2022	Avg. Ambient Temperature (°C)	Average Humidity (%)	Weather Condition	Status of the plant
Work Order 4700092573/932 Dt. 20.07.2021	21	49	Clear	Running

#### MONITORING RESULTS

Sl. No	Place of Monitoring	Day Time (6 AM to 10 PM) Avg. dB(A)			Night Time (10 PM to 6 AM) Avg. dB(A)			Noise level (Ambient standard) for Industrial Area as per CPCB Noise Pollution (Regulation and Control) (Amendment) Rules , 2000 notified vide S.O. 1046(E) Dt. 22.11.2020 Limit in dB(A) Leq	
		MAX	MIN	AVG. dB(A) Leq	MAX	MIN	AVERAGE dB(A) Leq	Day Time	Night Time
	LOCATION							Industrial Area	Industrial Area
	JAMADOBA GROUP								
1.	Central Workshop	72.8	54.2	69.85	56.3	49.2	54.06		
2.	Jamadoba Colliery	65.3	60.5	63.53	52.1	51.80	51.95	75	70
3.	GM Office Area	56.8	48.3	54.36	43.6	39.2	41.93		
								Residential Area	Residential Area
4.	Officer Colony 12 No. Digwadih	51.8	46.3	49.87	41.4	36.2	39.54	55	45

*B. R. Singh*  
Sr. Chemist  
Aditi R&D Services



*[Signature]*  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O. - Domgarh, Dist. - Dhanbad,  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditimdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/6569

Date: 27.02.2022

## TEST REPORT OF AMBIENT AIR QUALITY

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO. : 4700092573/932 Dt. 20.07.2021
- Date of Sample Collection : 24.02.2022 TO 25.02.2022
- Date of Testing : 26.02.2022
- Test Procedure : As per IS-5182

### TEST RESULTS

LOCATION - JAMADOBA COLLIERY				
SI No.	Particulars	Value	CPCB STANDARD	
	Avg. Ambient Temperature	21°C	Avg. Humidity	49%
1.	Particulate Matter (PM <sub>10</sub> ), µg/m <sup>3</sup>	93.14	100 µg/m <sup>3</sup>	
2.	Particulate Matter (PM <sub>2.5</sub> ), µg/m <sup>3</sup>	42.50	60 µg/m <sup>3</sup>	
3.	SO <sub>2</sub> , µg/m <sup>3</sup>	24.66	80 µg/m <sup>3</sup>	
4.	NO <sub>2</sub> , µg/m <sup>3</sup>	29.40	80 µg/m <sup>3</sup>	
5.	Ozone, µg/m <sup>3</sup>	22.28	180 µg/m <sup>3</sup>	
6.	NH <sub>3</sub> , µg/m <sup>3</sup>	21.23	400 µg/m <sup>3</sup>	
7.	CO, mg/m <sup>3</sup>	1.02	4 mg/m <sup>3</sup>	
8.	Pb, µg/m <sup>3</sup>	BDL	1 µg/m <sup>3</sup>	
9.	As, ng/m <sup>3</sup>	BDL	6 ng/m <sup>3</sup>	
10.	Ni, ng/m <sup>3</sup>	BDL	20 ng/m <sup>3</sup>	
11.	Benzene, µg/m <sup>3</sup>	BDL	5 µg/m <sup>3</sup>	
12.	Benzoapyrene ng/m <sup>3</sup>	BDL	1 ng/m <sup>3</sup>	

NOTE: BDL - Below Detection Limit

*S. R. Roy*  
Sr. Chemist

Aditi R&D Services



*[Signature]*  
Technical Manager  
Aditi R&D Services, Sindri

### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad,  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditindservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/6589

Date: 28.02.2022


## TEST REPORT OF MINERALOGICAL COMPOSITION

### OF PARTICULATE MATTER

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Date of Sample Collection : 24.02.2022
- Date of Testing : 25.02.2022 – 27.02.2022

### TEST RESULTS

Sl No.	Particulars	Mineralogical Composition (%)			
		SiO <sub>2</sub>	FeO	Al <sub>2</sub> O <sub>3</sub>	CaO
1.	Jamadoba Colliery	1.79	0.06	1.10	1.9

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad,  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirmdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/6622


Date: 01.03.2022

## TEST REPORT OF EFFLUENT

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : 1. JCPP (Final Settling Pond)  
2. T.C.H, Point (Near Casualty)
- Date of Sample Collection: 24.02.2022
- Date of Testing : 25.02.2022 – 28.02.2022
- Test : pH, TDS, TSS, BOD, COD, OIL & GREASE.

### TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		MoEF&C Notification 1 <sup>st</sup> Jan.2016 Permissible Max. Desirable Limit	Test Method
		JCPP (Final Settling Pond)	TCH Point (Near Casualty)		
1.	pH,	8.15	7.9	6.0-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	935	860	2100	IS-3025 (P-16): 1984
3.	Total Suspended Solids, mg/l	19	57	100	IS-3025(P-17) : 1984
4.	Bio chemical Oxygen Demand, mg/l	1.8	2.4	30	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	36	104	250	IS-3025 (P-58):2006
6.	Oil & Grease, mg/l	B.D.L	B.D.L	10	IS-3025 (P-39):2021

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.





# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad,  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditimdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/6623

Date: 01.03.2022

## TEST REPORT OF DRINKING WATER

- Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : 1. Digwadih Canteen  
2. W. T. P. (Jamadoba)
- Date of Sample Collection: 24.02.2022
- Date of Testing : 25.02.2022 – 28.02.2022
- Test :

Colour, Odour, Taste, Turbidity, pH, Total Hardness, Iron, Chloride, Res. Free chlorine, Total Dissolved Solids, Calcium, Copper, Manganese, Sulphate, Nitrate, Fluoride, Phenolic Compound, Mercury, Cadmium, Arsenic, Cyanide, Lead, Zinc, Total Coliform, Hexavalent Chromium, Mineral Oil, Alkalinity, Aluminium & Boron.

### TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		IS as per IS 10500:2012		Test Method
		Digwadih Canteen	W.T.P Jamadoba	Desirable	Permissible	
1.	Colour, (Hazen Unit)	1	1	5.00	15.0	IS 3025 (P-4):2021
2.	Odour	Agreeable	Agreeable	Agreeable	Agreeable	IS 3025 (P-5):2018
3.	Taste	Agreeable	Agreeable	Agreeable	Agreeable	IS 3025 (P-7):2017
4.	Turbidity, NTU	1	1	1.0	5.0	IS 3025 (P-10):1984
5.	pH	7.85	8.15	6.5-8.5	No. Relax.	IS-3025 (P-11):1983
6.	Total Hardness as CaCO <sub>3</sub> , mg/l	270.48	312.45	200	600	IS 3025 (P-21):2009
7.	Chloride as Cl, mg/l	52	56	250	1000	IS 3025 (P-32):1988
8.	Res. Free chlorine as Cl <sub>2</sub> mg/l	NIL	NIL	0.20	1.0	IS 3025 (P-26):2021
9.	Total Dissolved Solids, mg/l	482	510	500	2000	IS 3025 (P-16):1984
10.	Calcium as CaCO <sub>3</sub> , mg/l	77	107	75	200	IS 3025 (P-40):1991
11.	Copper as Cu, mg/l	BDL		0.05	1.5	IS 3025 (P-42):1992



*[Signature]*

Continued on Page 2

### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)


ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad,  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

- 2 -

Sl. No.	PARAMETERS OF TEST	VALUE		IS as per IS 10500:1991		Test Method
		Digwadih Canteen	W.T.P Jamadoba	Desirable	Permissible	
12.	Manganese as Mn, mg/l	BDL	BDL	0.10	0.30	IS 3025 (P-59):2006
13.	Sulphate as SO <sub>4</sub> , mg/l	51	62	200	400	IS 3025 (P-24):1986
14.	Nitrate as NO <sub>3</sub> , mg/l	3.2	3.4	45	No. Relax	IS 3025 (P-34):1988
15.	Fluoride as F, mg/l	0.28	0.32	1.0	1.5	IS 3025 (P-60):2008
16.	Phenolic Compound as (C <sub>6</sub> H <sub>5</sub> OH) mg/l	BDL	BDL	0.001	0.002	IS 3025 (P-43):1992
17.	Mercury as Hg, mg/l	BDL	BDL	0.001	No. Relax	IS 3025 (P-48):1994
18.	Cadmium as Cd, mg/l	BDL	BDL	0.003	No. Relax	IS 3025 (P-41):1992
19.	Arsenic as As, mg/l	BDL	BDL	0.01	No. Relax	IS 3025 (P-37):1988
20.	Cyanide as CN, mg/l	BDL	BDL	0.05	No. Relax	IS 3025 (P-27):1986
21.	Lead as Pb, mg/l	BDL	BDL	0.01	No. Relax	IS 3025 (P-47):1994
22.	Zinc as Zn, mg/l,	0.12	0.17	5	15	IS 3025 (P-42):1992
23.	Total Coliform, No./100ml	Absent	Absent	Absent	Absent	IS 3025 (P-49):1994
24.	Hexavalent Chromium as Cr, mg/l	BDL	BDL	0.05	No. Relax	IS 3025 (P-52):2003
25.	Mineral Oil, mg/l	BDL	BDL	0.5	No. Relax	IS 3025 (P-39):1989
26.	Alkalinity as CaCO <sub>3</sub> , mg/l,	376	388	200	600	IS 3025 (P-23):1983
27.	Aluminium as Al, mg/l	BDL	BDL	0.03	0.2	IS 3025 (P-55):2003
28.	Boran as B, mg/l	BDL	BDL	0.5	1.0	IS 3025 (P-57):2005

NOTE: BDL - Below Detection Limit

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

**Statements :**

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

## Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad,  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditimdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/6624

Date: 01.03.2022

### TEST REPORT OF GROUND WATER

- Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO. : 4700092573/932 Dt. 20.07.2021
- Sample Code :  
1. Bhowra 13 No  
2. Mohalbani Basti  
3. Jamadoba 3 No.  
4. Jorapokhar Kushtand  
5. Lower Dungri
- Date of Sample Collection : 23.02.2022 – 24.02.2022
- Date of Testing : 25.02.2022 – 28.02.2022
- Test : Colour, Odour, Taste, Turbidity, pH, Total Hardness, Iron, Chloride, Res. Free chlorine, Total Dissolved Solids, Calcium, Copper, Manganese, Sulphate, Nitrate, Fluoride, Phenolic Compound, Mercury, Cadmium, Arsenic, Cyanide, Lead, Zinc, Total Coliform, Hexavalent Chromium, Mineral Oil, Alkalinity, Aluminium & Boron.


### TEST RESULT

No	PARAMETERS OF TEST	VALUE					IS as per IS 10500:1991		Test Method
		Bhowra 13 No	Mohalbani Basti	Jamadoba 3 No.	Jorapokhar Kushtand	Lower Dungri	Desirable	Permissible	
	Colour, (Hazen Unit)	2	1	2	1	2	5	15	IS 3025 (P-4):2021
	Temperature °C	26	27	26	27	26	-	-	-
	Electrical Conductivity, µmhos/cm	605	740	830	640	710	-	-	-
	Total Dissolved Solids, mg/l	390	368	524	430	452	-	-	IS 3025(P-16):1984
	pH	7.8	7.7	7.6	7.8	7.9	6.5-8.5	No Relax	IS-3025(P-11):1983
	Total Hardness as CaCO <sub>3</sub> , mg/l	352	431.2	435.12	413.44	399.84	200	600	IS 3025(P-21):2009
	Calcium as Ca, mg/l	72.12	89.78	93.15	98.78	105.05	75	200	IS 3025(P-40):1991
	Magnesium as Mg, mg/l	56.8	31.97	20.96	38.79	31.97	30	100	IS 3025(P-46):1994
	Chloride as Cl, mg/l	49.98	69.90	89.97	78.95	78.95	83.90	1000	IS 3025(P-32):1988
10.	Fluoride as F, mg/l	0.25	0.32	0.42	0.52	0.48	1.0	1.5	IS 3025(P-60):2008

Continued on Page -2

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.





# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad,  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditimdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

2

Sl. No.	PARAMETERS OF TEST	VALUE					IS as per IS 10500:1991		Test Method
		Bhowra 13 No	Mohalban i Basti	Jamado 3 No.	Jorap okhar Kusht and	Lower Dungri	Desirable	Permissible	
11	Sulphate as SO <sub>4</sub> , mg/l	43.2	47.4	49.5	44.8	54	200	400	IS 3025(P-24):1986
12	Nitrate as NO <sub>3</sub> , mg/l	12.3	15.2	7.3	10.3	9.7	45	No. Relax	IS 3025(P-34):1988
13	Alkalinity as CaCO <sub>3</sub> , mg/l	285	235	377	296	305	200	600	IS 3025(P-23):1983
14	Lead as Pb, mg/l	BDL	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025(P-47):1994
15	Zinc as Zn, mg/l	0.14	0.12	0.13	0.15	0.14	5	15	IS 3025(P-42):1992
16	Iron as Fe, mg/l	0.18	0.15	0.16	0.18	0.2	0.3	No. Relax	IS 3025(P-53):2003
17	Copper as Cu, mg/l	BDL	BDL	BDL	BDL	BDL	0.05	1.5	IS 3025 (P-42):1992
18	Mercury as Hg, mg/l	BDL	BDL	BDL	BDL	BDL	0.001	No. Relax	IS 3025(P-48):1994
19	Cadmium as Cd, mg/l	BDL	BDL	BDL	BDL	BDL	0.003	No. Relax	IS 3025(P-41):1992
20	Nickel as Ni, mg/l	BDL	BDL	BDL	BDL	BDL	0.02	No. Relax	IS 3025(P-37):1992
21	Arsenic as As, mg/l	BDL	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025(P-37):1988
22	Cyanide as CN, mg/l	BDL	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025(P-27):1986
23	Total Chromium as Cr, mg/l	BDL	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025(P-52):2003

NOTE: BDL - Below Detection Limit

*S.K. Singh*  
Sr. Chemist  
Aditi R&D Services



*[Signature]*  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad,  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditindservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/6625


Date: 01.03.2022


## TEST REPORT OF ETP

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : ETP – TCH (Inlet and Outlet)
- Date of Sample Collection: 24.02.2022
- Date of Testing : 25.02.2022 – 28.02.2022
- Test : pH, TDS, TSS, BOD, COD AND OIL & GREASE

### TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		G.S.R 422 (E) Max. Desirable Limit	Test Method
		ETP INLET-TCH	ETP OUTLET-TCH		
1.	pH,	8.90	8.56	5.5-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	1030	845	-	IS-3025 (P-16): 1984
3.	Total Suspended Solids	125	32	100	IS-3025 (P-17): 1984
4.	Bio chemical Oxygen Demand, mg/l	22.8	17.4	30.0	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	182.4	69.6	250	IS-3025 (P-58):2006
6.	Oil & Grease	2.3	BDL	10	IS-3025 (P-39):2021

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist. - Dhanbad,  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditimdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/6626


Date: 01.03.2022


## TEST REPORT OF ETP


- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : ETP - GARAGE (Inlet and Outlet)
- Date of Sample Collection: 24.02.2022
- Date of Testing : 25.02.2022 - 28.02.2022
- Test : pH, TDS, TSS, BOD, COD AND OIL & GREASE

### TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		G.S.R 422(E)	Test Method
		ETP INLET-GARAGE	ETP OUTLET-GARAGE	Desirable Limit	
1.	pH,	8.84	8.70	5.5-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	965	745	-	IS-3025 (P-16): 1984
3.	Total Suspended Solids	78	22	100	IS-3025 (P-17): 1984
4.	Bio chemical Oxygen Demand, mg/l	23.2	8.2	30.0	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	185.6	65.6	250	IS-3025 (P-58):2006
6.	Oil & Grease	2.6	BDL	10	IS-3025 (P-39):2021

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O. - Domgarh, Dist. - Dhanbad,  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditimdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/6627


Date: 01.03.2022


## TEST REPORT OF STP

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : STP - RAILWAY COLONY (Inlet and Outlet)
- Date of Sample Collection: 23.02.2022
- Date of Testing : 24.02.2022 - 28.02.2022
- Test : pH, TDS, TSS, BOD, COD AND OIL & GREASE

### TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		LIMIT G.S.R 422(E) (Inland Surface Water Discharge)		Test Method
		STP INLET- RAILWAY COLONY	STP OUTLET- RAILWAY COLONY	Inlet	Outlet	
2.	Total Dissolved Solids, mg/l	810	760	-	-	IS-3025 (P-16): 1984
3.	Total Suspended Solids	136	82	-	100	IS-3025 (P-17): 1984
4.	Bio chemical Oxygen Demand, mg/l	40.2	14.4	-	30.0	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	321.6	90.5	-	250	IS-3025 (P-58):2006
6.	Oil & Grease	BDL	BDL	-	10	IS-3025 (P-39):2021

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O. - Domgarh, Dist. - Dhanbad,  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditimdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/6628


Date: 01.03.2022

## TEST REPORT OF ETP

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : JAMADOBA CANTEEN (Inlet and Outlet)
- Date of Sample Collection: 23.02.2022
- Date of Testing : 24.02.2022 – 28.02.2022
- Test : pH, TDS, TSS, BOD, COD AND OIL & GREASE

### TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		G.S.R 422(E) Desirable Limit	Test Method
		ETP INLET- JAMADOBA CANTEEN	ETP OUTLET- JAMADOBA CANTEEN		
1.	pH,	7.90	7.60	5.5-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	780	730	-	IS-3025 (P-16): 1984
3.	Total Suspended Solids	132	89	100	IS-3025 (P-17): 1984
4.	Bio chemical Oxygen Demand, mg/l	38.8	16.2	30.0	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	310.40	78	250	IS-3025 (P-58):2006
6.	Oil & Grease	BDL	BDL	10	IS-3025 (P-39):2021

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.





# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad,  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirndservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/6629


Date: 01.03.2022

## TEST REPORT OF ETP

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : ETP – JCPP CANTEEN (Inlet and Outlet)
- Date of Sample Collection: 23.02.2022
- Date of Testing : 24.02.2022 – 28.02.2022
- Test : pH, TDS, TSS, BOD, COD AND OIL & GREASE

## TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		G.S.R 422(E) Desirable Limit	Test Method
		ETP INLET- JCPP CANTEEN	ETP OUTLET- JCPP CANTEEN		
1.	pH,	7.94	7.6	5.5-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	935	870	-	IS-3025 (P-16): 1984
3.	Total Suspended Solids	128	34	100	IS-3025 (P-17): 1984
4.	Bio chemical Oxygen Demand, mg/l	22.5	17.2	30.0	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	180.8	65.8	250	IS-3025 (P-58):2006
6.	Oil & Grease	1.6	BD L	10	IS-3025 (P-39):2021



Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad,  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditirdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/6640

Date: 02.03.2022

## TEST REPORT OF SURFACE WATER

- Name of the industry : M/S TATA STEEL, JAMADOBA,  
TATA STEEL LIMITED  
JAMADOBA GROUP PLANT,  
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : 1. Damodar River Up Stream  
2. Damodar River Dn Stream
- Date of Sample Collection: 24.02.2022
- Date of Testing : 25.02.2022 - 01.03.2022
- Test : pH, TDS, Turbidity, DO, BOD, Cl, F, SO<sub>4</sub>

### TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE		Limit as per IS 2296 Class - C	Test Method
		Damodar River Up Stream	Damodar River Dn Stream		
1.	pH	7.90	7.95	6.5 -8.5	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	583	615	1500	IS-3025 (P-16): 1984
3.	Turbidity, NTU	10.2	12.3	-	IS-3025 (P-10):1984
4.	Dissolved Oxygen, mg/l	6.8	5.9	4.0	IS-3025 (P-38):1989
5.	Bio chemical Oxygen Demand, mg/l	1.3	1.6	3.0	IS-3025 (P-44):1994
6.	Chloride as Cl, mg/l	59	62	-	IS-3025 (P-32):1988
7.	Fluoride as F, mg/l	0.56	0.60	1.5	IS-3025 (P-60):2008
8.	Sulphate as SO <sub>4</sub> , mg/l	42.18	53.15	400	IS-3025 (P-24):1986

*B. R. Singh*

Sr. Chemist  
Aditi R&D Services



*S. Singh*  
Technical Manager  
Aditi R&D Services, Sindri

### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.



# ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)  
Sindri, Industrial Area,  
P.O.- Domgarh, Dist.- Dhanbad,  
Jharkhand - 828107  
Email ID: sindriaditi@gmail.com  
Website: aditimdservices.com  
Phone: 0326-2952377 (O)  
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/21-22/6641


Date: 02.03.2022

## TEST REPORT OF MINE WATER DISCHARGE

- Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : 1. 2 Pit Jamadoba Colliery  
2. Digwadih Colliery  
3. 3 Pit Jamadoba Colliery  
4. 6 & 7 Pits Colliery
- Date of Sample Collection: 24.02.2022
- Date of Testing : 25.02.2022 – 01.03.2022
- Test : pH, TDS, TSS, BOD, COD, OIL & GREASE.

### TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE				Limit as per IS-2296 Class B (For Bathing)	Test Method
		2 Pit Jamadoba Colliery	Digwadih Colliery	2 Incline Jamadoba Colliery	6 & 7 Pits Colliery		
1.	pH,	7.9	7.6	7.8	7.7	6.5-8.5	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	658	642	585	665	-	IS-3025 (P-16): 1984
3.	Total Suspended Solids, mg/l	18	22	25	15	-	IS-3025(P-17): 1984
4.	Bio chemical Oxygen Demand, mg/l	2.3	1.9	1.6	1.8	3	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	54	36	24	28	-	IS-3025 (P-58):2006
6.	Oil & Grease, mg/l	BDL	BDL	BDL	BDL	-	IS-3025 (P-39):2021

  
Sr. Chemist  
Aditi R&D Services



  
Technical Manager  
Aditi R&D Services, Sindri

#### Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full without prior permission of Quality Manager of the laboratory.