

COMPLIANCE REPORT PERIOD : Oct'15 TO March'16

**ENVIRONMENTAL CLEARANCE TO
BAMEBARI MANGANESE MINE OF TATA STEEL LIMITED
VIDE MoEF's LETTER NO. J-11015/85/2003-1A.II(M) DATED 17.11.2005
COMMENTS SUBMITTED TO THE
MINISTRY OF ENVIRONMENT & FORESTS,
GOVERNMENT OF INDIA**

Present Status of the Project:-

The Scheme of Mining and Progressive Mine Closure Plan for Bamebari Manganese Mine over an area 1150.55 ha. (RML – 464 ha & ML – 686.550 ha.) was submitted under Rule No.12, MCDR 1988 for the period 2015-16 to 2019-20 and has been approved by IBM vide letter no. MS/OTFM/32 -ORI/BHU/2014-15, dated 26.03.2015

Sl. no	A : Specific conditions	Compliance status
1	Mining shall not be undertaken in areas of forestland within the lease without the necessary approvals / forestry clearance.	The mine has obtained the Forest Clearance vide MoEF's letter No 8-72/2004-FC dt 15.01.2007 over an area of 145.329 ha of forest land. The mining operation and allied activities are confined within the approved diverted area only.
2	Topsoil should be stacked properly with proper slope at earmarked site(s) with adequate measures and should be used for reclamation and rehabilitation of mined out area.	580 cum of top soil has been generated during the year 2015-16 has been used in dump plantation. The top soil generated prior to this period has already been utilized for plantation in the inactive dump slopes.
3	OB and other wastes should be stacked at earmarked sites only and should not be kept active for long periods of time. Plantation should be taken up for soil stabilisation along the slopes of the dump and terraced after every 5-6 m of height and overall slope angle shall be maintained not exceeding 28°. Sedimentation pits shall be constructed at the corners of the garland drains. Retention/toe walls shall be provided at the base of the dumps.	OB and other wastes are being dumped as per approved Scheme of Mining. The inactive portion of OB dumps area being stabilized by plantation of fast growing species. 25710 nos. of sapling of local species (Gambhari, Chakunda, Mahanimba, Kala Sirs, Sisu etc) were planted during 2015-16 over an area of 1.1 ha. The survival rate for this period was 76%. Apart from this we have distributed 2290 nos. saplings were distributed (fruit and timber) free of cost to our surrounding communities including, school children, villagers, clubs and SHGs under guidance of State Pollution Control Board, Odisha.

		<p>We have also planted 1,00,000 of Vetiver slips in inactive dump slopes of Bamebari quarry under guidance of IIT, Kharagpur for stabilization of dump slopes during the year 2013-14.</p> <p>The overall slope angles of OB dumps are maintained within the natural angle of repose of the waste.</p> <p>The overall slope angles of OB dumps are maintained within the natural angle of repose of the waste.</p> <p>The retaining wall and garland drain with sedimentation pit at corners near toe of OB dump at maximum places has been constructed & in remaining area it is under construction. Their dimensions are matching the requirements to arrest effectively the run off.</p>
4	Minerals rejects shall be stacked separately at earmarked site/dump only.	The mineral rejects generated during manual processing of manganese ore (i.e. sorting, dressing and sizing) has been stacked separately at earmarked site.
5	<p>Catch Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from soil, OB and mineral dumps. The drains should be regularly desilted and maintained properly.</p> <p>Garland drains (size, gradient & length) and sump capacity should be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material.</p> <p>Storm water return system should be provided. Storm water should not be allowed to go to the effluent treatment plant during high rainfall/super cyclone period. A separate storm water sump for this purpose should be created.</p>	<p>Existing catch drains and garland drains are covering the entire dump slope at low lying part. The catch drains and sedimentation pits are periodically de-silted and maintained properly.</p> <p>Size, gradient and length of the drains will be adequate to take care of the peak flow.</p> <p>A series of check dams and settling pits have been provided for proper settlement of suspended solid in surface runoff.</p>
6	Dimension of retaining wall at the toe of OB dumps and benches within the mine to check run-off and siltation should be based on the rainfall data.	<p>In order to prevent the siltation and check the run-off, retaining wall and garland drain are provided with the dimension as;</p> <p><u>Dimension of the Retaining Wall :</u> Height – 1 to 1.2 mtr. Width – 1 mtr.</p> <p><u>Dimension of the Garland Drain :</u></p>

		Depth – 1.20 to 1.5 mtr. Width – 1 to 1.2 mtr.
7	Trace Metals such as Ni, Co, As and Hg should be analyzed in dust fall and soil samples for at least one year during summer, monsoon and winter seasons. If concentrations of these metals are found below the standards then with prior approval of MOEF this specific monitoring could be discontinued.	Samples have been analyzed in dust fall & soil during pre monsoon season. The detail analysis result is enclosed as Annexure-I (Dust Fall) & II (Soil)
8	Mine Mineral and OB transportation shall be in trucks/dumpers covered with tarpaulins. Vehicular emissions should be kept under control and regularly monitored. Suitable measures should be taken to check fugitive emissions from haulage roads & transfer points, etc.	The trucks are being covered with tarpaulin during dispatch of manganese ore from mine to Ferro Alloys Plant and Railway Siding at Joda. OB is being transported by shovel – dumper combination from mine face to dumps located near the quarry itself within 1.5 Km. So, it is not in practice to cover the OB transportation trucks with tarpaulin. All the trucks meant for transportation of mineral from mine to our captive plant & Railway Siding at Joda is bearing the “Pollution under Control’ certificate. The emissions are under control. Provision of water sprinkling by mobile water sprinklers to suppress fugitive emission from haul roads. The processed manganese ore is being transferred manually; hence there is less fugitive emission during transfer of ore. The fugitive dust monitoring done during the period April’15 to March’16 is being enclosed as Annexure-III .
9	A green belt of adequate width should be raised by planting the native species around ML area. Plantation should also be carried out along roads, OB dump sites etc. in consultation with the local DFO / Agriculture Department. The density of the trees should be not less than 2500 plants per ha.	<ul style="list-style-type: none"> • Reclamation and plantation programs have been drawn. We have planted 389085 nos. of sapling over an area of 66.27 ha with 78 % survival rate till 2014-15. • During the year 2015-16, 25710 nos. of tree were planted with survival rate of 76%. • Tree density is maintained at the rate of 6157 saplings per ha. • The plantation includes the local species (Gambhari, Chakunda, Mahanimba, Kala Sirs, Sisu etc)
10	Groundwater shall not be used for mine operations. Prior approval of CGWA shall be obtained for using groundwater.	Ground water use permission has been obtained from CGWA vide letter no. 21-4(297)/CGWA/SER/2010-168, Dt.15.02.2011 for 500 m ³ per day. The ground water is not being used for

		mining and its allied activities.
11	Mining will not intersect groundwater. Prior permission of the MOEF and CGWA shall be taken to mine below water table.	Mining is not intersecting the ground water as the Ground water being at lower level in comparison to existing maximum quarry depth.
12	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers. The monitoring should be done for quantity four times a year in pre-monsoon (April / May), monsoon (August). Post-monsoon (November) and winter (January) seasons and for quality in May. Data thus collected should be submitted to the MoEF & CGWA quarterly.	Ground water table is much below the existing mine workings because of mining operations are confined at hilly topography only. However, ground water level & quality at existing well at nearby villages are being monitored. The ground water level and quality monitoring results are enclosed as Annexure IV & V respectively
13	Trace metals such as Fe, Cr+6, Cu, Se, As, Cd, Hg, Pb, Zn and Mn at specific locations for both surface water downstream and in ground water at lower elevations from mine area, shall be periodically monitored in consultation with the OSPCB and State Ground Water Board. Suitable treatment measures shall be undertaken in case levels are found to be higher than permissible limits.	Trace metals such as Fe, Cr+6, Cu, Se, As, Cd, Hg, Pb, Zn and Mn at specific locations for both surface water (downstream & upstream) and ground water at lower elevation is being periodically monitored by referring to the standards as per BIS : 10500. The details of analysis result for ground water and surface water with standards are enclosed as Annexure – VI & VII respectively.
14	"Consent to Operate" should be obtained from SPCB before expanding mining activities.	"Consent to operate" order no.117 No.1486/IND-I-CON-189 dated 19.01.2016 & valid up to 31.03.2021.
15	A Conservation Plan for conservation of endangered fauna including the Indian Elephant found in and around the mine area shall be prepared and implemented in consultation with identified agencies/institutions and with the State Forest Department. The Plan should be dovetailed with that prepared / under implementation / proposed for the endangered fauna found in the Reserve Forest in the buffer zone of the project site. The costs for the specific activities/tasks should be earmarked in the Conservation Plan and shall not be diverted for any other purpose. Year.wise status of the implementation of the Plan and the expenditure thereon should be reported to the Ministry of Environment & forests, RO, Bhubaneshwar.	We have deposited Rs.45,05,554/- on 15.12.2005 with DFO, Keonjhar, Orissa being the contribution towards implementation of Wild Life Management Plan prepared for Bonai & Keonjhar division. We have also paid additional amount of Rs. 47,74,446 and Rs 1,06,72,000 with DFO, Keonjhar, Orissa towards differential payment for implementation of regional Wildlife Management Plan prepared for Bonai & Keonjhar division. Further, Site Specific wildlife management plan has been prepared and submitted for approval as per the new guidelines.

16	A Final Mine Closure Plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.	Progressive Mine Closure Plan for the period 2015-16 to 2019-20 has been approved by IBM. The final mine closure plan along with details of Corpus fund will be submitted to the Ministry of Environment & Forests in advance of final mine closure for approval.												
Sl.No	B : General Conditions	Compliance Status												
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forests.	No change in mining technology and scope of working has been made at the mine. If any changes proposed in technology and scope of workings, prior approval shall be sought from Ministry of Environment & Forests.												
2	No change in the calendar plan including excavation, quantum of manganese ore and waste should be made.	Plan for production of Manganese Ore and excavation of waste has been prepared and is being strictly adhered to; Plan 2015-16 <table border="1" data-bbox="847 726 1419 999"> <thead> <tr> <th>2015-16</th> <th>Plan</th> <th>Actual</th> </tr> </thead> <tbody> <tr> <td>OB (cum)</td> <td>384923</td> <td>206010</td> </tr> <tr> <td>Production (MT)</td> <td>83200</td> <td>66657</td> </tr> <tr> <td>Total Excavation</td> <td>425000</td> <td>237378</td> </tr> </tbody> </table>	2015-16	Plan	Actual	OB (cum)	384923	206010	Production (MT)	83200	66657	Total Excavation	425000	237378
2015-16	Plan	Actual												
OB (cum)	384923	206010												
Production (MT)	83200	66657												
Total Excavation	425000	237378												
3	Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for RPM. SPM, SO ₂ , NO _x . monitoring. Location of the stations should be decided based on the meteorological data, topographical features, and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Data on ambient air quality (RPM, SPM, SO ₂ & NO _x .) should be regularly submitted to the Ministry including its Regional office at Bhubaneshwar and the State Pollution Control Board / Central Pollution Control Board once in six. Months.	Six ambient air quality monitoring stations have been established out of which 2 nos. in core zone (Near Manager's Office close proximity to residential and near old magazine close proximity to mining area) and 4 nos. in buffer zone (at Jagannathpur, Bandhuabeda, Raikera & Balita). Samples are drawn twice in a week in core zone and once in a quarter in buffer zone to ascertain the 24 hour monitoring average for PM ₁₀ , PM _{2.5} , So ₂ & NO _x , CO & Mn. Data on ambient air quality monitoring for every month is being submitted to State Pollution Control Board. Abstract of the monthly monitoring data on ambient air quality for period Oct'15 to March'16 is enclosed as Annexure – III .												
4	Drills should be wet operated or with dust extractors and controlled blasting should be practiced.	Wet drilling concept is already in place. Controlled blasting technique with NONEL is in practice.												

5	Fugitive dust emissions from all the sources should be controlled regularly monitored and data recorded properly. Water spraying arrangements on haul roads, wagon loading, dumpers/ trucks, loading & unloading points should be provided and properly maintained.	Effective water sprinkling by mobile water tanker is being done on haul roads. The fugitive dust monitoring done during the period Oct'15 to March'15 is being enclosed as Annexure-III.
6	Adequate measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operations of HEMM, etc should be provided with ear plugs/ muffs.	Ear plugs & Ear muffs are provided to the workers working in drilling operations & DG operations. Rest of operations are below the noise levels of 80 dBA. The details of noise monitoring for the period Oct'15 to March'15 are enclosed as Annexure-VIII.
7	Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 191b May, 1993 and 31 II December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	The oil separation system has been provided at workshop and working effectively. This is being centrally used for maintenance of all the equipments running at Bamebari & Tiringpahar Mn.Mine.
8	Environmental laboratory should be established with adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board.	It is being done by M/s SS Envirionics India Pvt.Ltd and Mitra S.K Pvt Ltd. (Recognized as "A" category consultant as by State Pollution Control Board, Orissa). The type of pollution monitoring and analysis equipment used by M/s SS Envirionics India Pvt.Ltd. is enclosed as Annexure – IX.
9	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Suitable dust masks are being provided to employees (departmental & contractual) engaged in dusty operations. It is also ensured that they use the same. Employees are undergoing Periodical Medical Examination which is inclusive of lungs function test and audiometry. All the personnel are trained on safety in work place and continuous awareness programmes are being conducted for all employees to avert manganese poisoning. Periodical Medical Examination of employees (departmental & contractual) are conducted as per prescribed norms of Mines Rule, 1955. The initial and periodical examination includes blood hematology, blood pressure, detailed cardiovascular assessment, neurological examination etc. All chest radiographs are being classified for detection of pneumoconiosis, diagnosis and

		<p>documentation made in accordance to ILO classifications. During 2011-12, 219 nos. of employees were examined while during 2012-13, a total no. of 240 employees (both Departmental and Contractual) were examined. During 2013-14 a total no. of 72 employees (Departmental-9 and contractor employees-63) & during 2014-15 a total of 78 no(Departmental-4 and Contractor-74) were examined.</p> <p>During the calendar year 2015, 13 nos. of employees were examined under PME and 66 nos. of employees were examined under IME.</p> <p>There are no findings of pneumoconiosis and manganese poisoning which is classified as occupational disease.</p>
10	A separate environmental management cell with suitable qualified personnel should be set up under the control of a Senior Executive, who will report directly to the Head of the Organization.	<p>The department is in place and the Head of the department is reporting to General Manager of the division.</p> <p>The organizational structure in place is enclosed as Annexure-X.</p>
11	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubaneswar.	<p>Funds allocated for environmental management are spent only for environment related purposes and not diverted to any other purpose.</p> <p>The utilization of environment management for the 2015-16 was Rs. 20,22,121 (Monitoring – Rs 12,43,779/- & Plantation- Rs. 7,78,342/-) against the budget of Rs 6,87,000/- (Monitoring - Rs, 15,00,000/- & Plantation - Rs. 1,25,000/-) for Bamebari Manganese Mines.</p>
12	The Regional Office of this Ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports	<p>We are extending full co-operation to the officers of the Regional Office by furnishing the requisite data / information / monitoring reports.</p>
13	A copy of clearance letter will be marked to the concerned Panchayat/local NGO, if any, from whom suggestion/ representation has been received while processing the proposal.	<p>Copy of the clearance letter marked to Sarpanch, Gram Panchayat, Palasa on 12.01.2006.</p>

14	The State Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industry Centre and Collector's Office/Tehsildar's Office for 30 days.	This is applicable to State Pollution Control Board, Orissa.
15	The project authorities should advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular of the locality concerned within seven days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and may also be seen at Web Site of the Ministry of Environment & Forests at http://envfor.nic.in . and a copy of the same should be forwarded to the Regional Office of this Ministry located at Bhubaneswar.	A detail of Environmental Clearance with regard to Bamebari Manganese Mine was published in Oriya News Papers Anupam Bharat & Aam Khabar dated 10.01.2006.
16	The Ministry or any other competent authority may stipulate any further condition for environmental protection.	Noted
17	Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance.	Noted
18	The above conditions will be enforced, inter alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1991 along with their amendments and rules.	Noted

Yours faithfully
F: TATA STEEL LTD.



Sd/

Agent, Bamebari Mn.Mine &
Head (Manganese Group of Mines), Joda

Annexure – I

Mitra S. K. Private Limited

At/P.O.: BARBIL Ward No-6
Dist.: Keonjhar, Odisha - 758035
CIN: U51909WB1956PTC023037

T : +91 94370 09815, 94370 09820, 94370 75269
E : barbil@mitrask.co.in
W : www.mitrask.com



Ref. No.BBL/ENV/845

Date:04/01/2016

DUST FALL ANALYSIS REPORT

Name of the Mines : Bamebari Manganese Mines

Period of Sampling: December'2015

Sl.No.	Parameters	Location	
		Bamebari Pit	Joribar Pit
1.	Nickel (as Ni) in %	<0.0002	<0.0002
2.	Cobalt (as Co) in %	<0.0002	<0.0002
3.	Mercury (as Hg) in %	<0.00001	<0.00001
4.	Arsenic (as As) in %	<0.00003	<0.00003

Checked by:-

For Mitra S. K. Private Limited



Authorised Signatory

Annexure –II



S.S. Environics (India) Pvt. Ltd.

(An ISO 9001:2008, 14001:2004 and OHSAS 18001:2007 Certified Company)

Plot No-361/2314 "Sustenance Tower"
At: Patrapada, P.O: Dumuduma, Dist: Khurda, Bhubaneswar-751 019, Odisha
Tele Fax: 0674-2471574, E-mail : emails@ssenvironics.com

Ref No: SSE/15/R-0934

Date: 04.06.2015

SOIL QUALITY ANALYSIS RESULTS FOR TRACE METALS

Name of the Mines : Bamebari Manganese Mines (Tata Steel Ltd)
Location of Sampling : S1: Near Bamebari Mine pit
S2: Joribahar pit
Date of Sampling : 26.05.2015
Date of Analysis : 28.05.2015

Sl. No.	Parameters	S1	S2
1.	Nickel as (Ni) in %	0.056	0.044
2.	Cobalt as (Co) in %	Nil	Nil
3.	Arsenic as (As) in %	0.027	0.022
4.	Mercury as (Hg) in %	Nil	Nil



For S.S. Environics (India) Pvt. Ltd.

A Group concerned with Environmental Pollution

Annexure – III Ambient Air Quality Report Bamebari Mine April'15 to March'16

1. Bamebari Mine Pit													
Monthly Average	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	NH ₃ (µg/m ³)	O ₃ (µg/m ³)	CO (mg/m ³)	Pb (µg/m ³)	Ni (ng/m ³)	Mn (µg/m ³)	As (ng/m ³)	Benzene (µg/m ³)	Benzo(a) pyrene (ng/m ³)
Apr-15	62.9	34.8	4.9	12.7	BDL	7.1	0.2	BDL	BDL	0.8	BDL	0.8	BDL
May-15	60.1	34.4	4.5	11.6	BDL	6.8	0.2	BDL	BDL	0.6	BDL	0.6	BDL
Jun-15	46.7	27.2	4.2	10.8	BDL	6.7	0.1	BDL	BDL	0.6	BDL	0.6	BDL
Jul-15	44.4	18.3	4.3	14.9	11.0	19.62	0.16	0.02	4.0	0.01	1.0	2.08	0.4
Aug-15	49.8	20.6	4.3	15.1	10.0	19.62	0.19	0.02	4.0	0.05	1.0	2.08	0.4
Sep-15	47.2	20.1	4.5	16.9	10.0	19.62	0.20	0.02	4.0	0.06	1.0	2.08	0.4
Oct-15	64.1	28.2	5.3	24.3	10.0	19.62	0.23	0.02	4.0	0.16	1.0	2.08	0.4
Nov-15	79.3	38.8	6.2	27.3	10.0	19.62	0.30	0.02	4.0	0.18	1.0	2.08	0.4
Dec-15	73.0	38.0	6.0	27.3	10.0	19.62	0.28	0.02	4.0	0.19	1.0	2.08	0.4
Jan-16	73.8	38.0	6.0	25.3	10.0	19.62	0.25	0.02	4.0	0.20	1.0	2.08	0.4
Feb-16	67.0	29.0	5.0	18.0	10.3	19.62	0.28	0.02	4.0	0.16	1.0	2.08	0.4
Mar-16	64.3	32.5	4.7	18.0	10.4	19.62	0.20	0.02	4.0	0.16	1.0	2.08	0.4
ANNUAL AVERAGE	61.05	30.00	5.00	18.51	10.19	16.43	0.22	0.02	4.00	0.27	1.00	1.72	0.40

2. Bamebari (Mine office)													
Monthly Average	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	NH ₃ (µg/m ³)	O ₃ (µg/m ³)	CO (mg/m ³)	Pb (µg/m ³)	Ni (ng/m ³)	Mn (µg/m ³)	As (ng/m ³)	Benzene (µg/m ³)	Benzo(a) pyrene (ng/m ³)
Apr-15	53.3	30.8	4.3	11.9	BDL	6.2	0.2	BDL	BDL	0.7	BDL	0.7	BDL
May-15	53.7	30.6	4.1	11.6	BDL	6.2	0.1	BDL	BDL	0.7	BDL	0.5	BDL
Jun-15	39.1	23.0	4.0	10.1	20.0	5.7	0.1	0.0	BDL	0.6	BDL	0.5	BDL
Jul-15	55.0	24.4	4.4	19.1	12.4	19.62	0.20	0.02	4.0	0.02	1.0	2.08	0.4
Aug-15	57.6	20.0	4.8	16.9	10.0	19.62	0.17	0.02	4.0	0.04	1.0	2.08	0.4
Sep-15	57.0	24.1	5.0	16.3	10.0	19.62	0.17	0.02	4.0	0.10	1.0	2.08	0.4
Oct-15	65.9	26.3	5.6	25.3	13.8	19.62	0.27	0.02	4.0	0.08	1.0	2.08	0.4
Nov-15	72.6	32.0	5.9	26.8	12.5	19.62	0.28	0.02	4.0	0.06	1.0	2.08	0.4
Dec-15	72.0	38.1	6.2	27.4	11.4	19.62	0.27	0.02	4.0	0.16	1.0	2.08	0.4
Jan-16	68.6	33.7	5.9	25.7	10.3	19.62	0.24	0.02	4.0	0.13	1.0	2.08	0.4
Feb-16	54.0	25.0	5.3	19.2	10.0	19.62	0.16	0.02	4.0	0.05	1.0	2.08	0.4
Mar-16	57.8	28.7	5.0	19.7	10.5	19.62	0.17	0.02	4.0	0.17	1.0	2.08	0.4
ANNUAL AVERAGE	58.88	28.06	5.04	19.16	12.09	16.23	0.20	0.02	4.00	0.23	1.00	1.70	0.40

Annexure-IV: Ground Water Level Monitoring

Mitra S. K. Private Limited

A/P.O.: BARBIL Ward No-6
Dist.: Keonjhar, Odisha - 758035
CIN: U51909WB1956PTC023037

T : +91 94370 09815,94370 09820,94370 75269
E : barbil@mitrask.co.in
W : www.mitrask.com



Ref. No.BBL/ENV/688

Date:14/11/2015

CERTIFICATE OF ANALYSIS

This is to certify that a sample of “Ground Water Level Monitoring ” reading taken by our representative at M/s. Bamebari Manganese Mines; P.O: Bamebari, Dist: Keonjhar, Odisha, in the Presence of a representative of and on account of M/s.Tata Steel Ltd.,has been analysed with the following results:-

Date of Monitoring	Location	Water Level (Below Ground level, in mtrs)
07.11.2015	Well at Nimera Village	0.50
07.11.2015	Peizometric test Point at Bamebari	9.4

Checked by:-

A handwritten signature in blue ink, appearing to be 'S.K.', enclosed within a circular blue stamp.



For Mitra S. K. Private Limited

A handwritten signature in blue ink, appearing to be 'S.K.', enclosed within a circular blue stamp.
Authorised Signatory

Mitra S. K. Private Limited



A/P.O: BARBIL Ward No-6
Dist: Keonjhar, Odisha - 758035
CIN: U51909WB1968PTC023037

T : +91 94370 09815, 94370 09820, 94370 75269
E : barbil@mitrask.co.in
W : www.mitrask.com

Ref. No. BBL/ENV/1091

Date: 04/03/2016

CERTIFICATE OF ANALYSIS

This is to certify that a sample of "Ground Water Level Monitoring" reading taken by our representative at M/s. Bamebari Manganese Mines; P.O: Bamebari, Dist: Keonjhar, Odisha, in the Presence of a representative of and on account of M/s. Tata Steel Ltd., has been analysed with the following results:-

Date of Monitoring	Location	Water Level
		(Below Ground level, in mtrs)
12.02.2016	Well at Nimera Village	2.0
12.02.2016	Peizometric test Point at Bamebari	13.7

Checked by:-



For Mitra S. K. Private Limited

Authorised Signatory

H. O.: Shrachhi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India
T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com

Annexure – V: Ground Water Quality

Mitra S. K. Private Limited



At/P.O.: BARBIL Ward No-6
Dist.: Keonjhar, Odisha - 758035
CIN: U51909WB1956PTC023037

T : +91 94370 09815,94370 09820,94370 75269
E : barbil@mitrask.co.in
W : www.mitrask.com

Ref. No.BBL/ENV/587

DATE:04/11/2015

CERTIFICATE OF ANALYSIS

This is to certify that a sample of "Ground Water" drawn by our representative on 03/10/2015 at **Bamebari Manganese Mines ; P.O: Bamebari, Dist: Keonjhar, Odisha** in the Presence of a representative of and on account of **M/s. Tata Steel Ltd.**, has been analyzed with the following results:-

MICROBIOLOGICAL ANALYSIS OF WATER AS PER IS: 10500 - 1991

SI No.	Test Parameters	Norms as per IS:10500-1991	Results
1	Total Coliform Organism MPN/100ml	10 (MAX)	8
2	Faecal Coliforms	Absent	Absent
3	E. Coli	Absent	Absent

CHEMICAL ANALYSIS OF WATER AS PER IS: 10500 - 1991

SI No.	Test Parameters	Norms as per IS: 10500-1991		Results
		Desirable Limit	Permissible Limit	
1	Colour (Hazen Unit)	5	25	<1.0
2	Odour	Unobjectionable	--	Unobjectionable
3	Taste	Agreeable	--	Agreeable
4	Turbidity in NTU	5	10	10.0
5	pH value (26°C)	6.5 - 8.5	No Relaxation	6.82
6	Total Hardness(as CaCO ₃) in mg/l	300	600	237.6
7	Iron (as Fe) in mg/l	0.3	1.0	0.53
8	Chloride (as Cl) in mg/l	250	1000	31.35
9	Fluoride (as F) in mg/l	1.0	1.5	0.22
10	Residual Free Chlorine in mg/l	0.2(Min.)	---	<0.1
11	Total Dissolved Solids in mg/l	500	2000	132.4
12	Calcium (as Ca) in mg/l	75	200	57.02
13	Magnesium (as Mg) in mg/l	30	100	22.81
14	Copper (asCu) in mg/l	0.05	1.5	<0.02
15	Manganese (as Mn) in mg/l	0.1	0.3	0.14
16	Sulphate (as SO ₄) in mg/l	200	400	4.89
17	Nitrate (as NO ₃) in mg/l	45	100	1.48
18	Phenolic Compounds (as C ₆ H ₅ OH) in mg/l	0.001	0.002	<0.001
19	Mercury (as Hg) in mg/l	0.001	No Relaxation	<0.001
20	Cadmium (as Cd) in mg/l	0.01	No Relaxation	<0.001
21	Selenium (as Se) in mg/l	0.01	No Relaxation	<0.005
22	Arsenic (as As) in mg/l	0.05	No Relaxation	<0.01
23	Cyanide (as CN) in mg/l	0.05	No Relaxation	<0.01
24	Lead (as Pb) in mg/l	0.05	No Relaxation	<0.005
25	Zinc (as Zn) in mg/l	5.0	15.0	0.17
26	Anionic Detergents (as MBAS) in mg/l	0.2	1.0	<0.02
27	Chromium (as Cr ⁺⁶) in mg/l	0.1	No Relaxation	<0.01
28	Mineral Oil	---	---	<0.01
29	Alkalinity (as CaCO ₃) in mg/l	200	600	266.24
30	Aluminium (as Al) in mg/l	0.03	0.2	<0.01
31	Boron (as B) in mg/l	1.0	5.0	<0.5
32	PAH	---	---	<0.0001
33	Pesticide	---	---	<0.00001

SAMPLING LOCATION :- Bore well at Panchayet Office

Checked by:- 



For Mitra S. K Private Limited

Authorised Signatory 

Mitra S. K. Private Limited

At/P.O.: BARBIL Ward No-6
Dist.: Keonjhar, Odisha - 758035
CIN: U51909WB1956PTC023037

T : +91 94370 09815, 94370 09820, 94370 75269
E : barbil@mitrask.co.in
W : www.mitrask.com



Ref. No. BBL/ENV/588

DATE: 04/11/2015

CERTIFICATE OF ANALYSIS

This is to certify that a sample of "Ground Water" drawn by our representative on 03/10/2015 at **Bamebari Manganese Mines**; P.O: Bamebari, Dist: Keonjhar, Odisha in the Presence of a representative of and on account of **M/s. Tata Steel Ltd.**, has been analyzed with the following results:-

MICROBIOLOGICAL ANALYSIS OF WATER AS PER IS: 10500 - 1991

Sl No.	Test Parameters	Norms as per IS:10500-1991	Results
1	Total Coliform Organism MPN/100ml	10 (MAX)	<1.8
2	Faecal Coliforms	Absent	Absent
3	E. Coli	Absent	Absent

CHEMICAL ANALYSIS OF WATER AS PER IS: 10500 - 1991

Sl No.	Test Parameters	Norms as per IS: 10500-1991		Results
		Desirable Limit	Permissible Limit	
1	Colour (Hazen Unit)	5	25	<1.0
2	Odour	Unobjectionable	--	Unobjectionable
3	Taste	Agreeable	--	Agreeable
4	Turbidity in NTU	5	10	1.7
5	pH value (26°C)	6.5 - 8.5	No Relaxation	6.68
6	Total Hardness(as CaCO ₃) in mg/l	300	600	174.24
7	Iron (as Fe) in mg/l	0.3	1.0	0.22
8	Chloride (as Cl) in mg/l	250	1000	27.43
9	Fluoride (as F) in mg/l	1.0	1.5	0.22
10	Residual Free Chlorine in mg/l	0.2(Min.)	---	<0.1
11	Total Dissolved Solids in mg/l	500	2000	209.0
12	Calcium (as Ca) in mg/l	75	200	55.44
13	Magnesium (as Mg) in mg/l	30	100	8.55
14	Copper (as Cu) in mg/l	0.05	1.5	0.05
15	Manganese (as Mn) in mg/l	0.1	0.3	<0.02
16	Sulphate (as SO ₄) in mg/l	200	400	9.2
17	Nitrate (as NO ₃) in mg/l	45	100	3.76
18	Phenolic Compounds (as C ₆ H ₅ OH) in mg/l	0.001	0.002	<0.001
19	Mercury (as Hg) in mg/l	0.001	No Relaxation	<0.001
20	Cadmium (as Cd) in mg/l	0.01	No Relaxation	<0.001
21	Selenium (as Se) in mg/l	0.01	No Relaxation	<0.005
22	Arsenic (as As) in mg/l	0.05	No Relaxation	<0.01
23	Cyanide (as CN) in mg/l	0.05	No Relaxation	<0.01
24	Lead (as Pb) in mg/l	0.05	No Relaxation	<0.005
25	Zinc (as Zn) in mg/l	5.0	15.0	0.10
26	Anionic Detergents (as MBAS) in mg/l	0.2	1.0	<0.02
27	Chromium (as Cr ⁺⁶) in mg/l	0.1	No Relaxation	<0.01
28	Mineral Oil	---	---	<0.01
29	Alkalinity (as CaCO ₃) in mg/l	200	600	149.76
30	Aluminium (as Al) in mg/l	0.03	0.2	<0.01
31	Boron (as B) in mg/l	1.0	5.0	<0.5
32	PAH	---	---	<0.0001
33	Pesticide	---	---	<0.00001

SAMPLING LOCATION :- Well Near Nimera Village.

Checked by:-



For Mitra S. K. Private Limited

Authorised Signatory

H. O. : Srachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India

Mitra S. K. Private Limited

APF O BARBIL Ward No-6
Dist. Keonjhar, Odisha - 758036
CIN: U51909WB1956PTC023037

T: +91 94370 09615, 94370 09820, 94370 75269
E: barbil@mitrask.com
W: www.mitrask.com



Ref. No.BBL/ENV/980

DATE:04/03/2016

CERTIFICATE OF ANALYSIS

This is to certify that a sample of "Ground Water" drawn by our representative on 11/02/2016 at Bamebari Manganese Mines ; P.O: Bamebari, Dist: Keonjhar, Odisha in the Presence of a representative of and on account of M/s. Tata Steel Ltd., has been analyzed with the following results:-

MICROBIOLOGICAL ANALYSIS OF WATER AS PER IS: 10500 - 1991

Sl No.	Test Parameters	Norms as per IS:10500-1991	Results
1	Total Coliform Organism MPN/100ml	10 (MAX)	6
2	Faecal Coliforms	Absent	Absent
3	E. Coli	Absent	Absent

CHEMICAL ANALYSIS OF WATER AS PER IS: 10500 - 1991

Sl No.	Test Parameters	Norms as per IS: 10500-1991		Results
		Desirable Limit	Permissible Limit	
1	Colour (Hazen Unit)	5	25	<1.0
2	Odour	Unobjectionable	--	Unobjectionable
3	Taste	Agreeable	--	Agreeable
4	Turbidity in NTU	5	10	<1.0
5	pH value (26°C)	6.5 - 8.5	No Relaxation	6.92
6	Total Hardness(as CaCO ₃) in mg/l	300	600	163.2
7	Iron (as Fe) in mg/l	0.3	1	0.45
8	Chloride (as Cl) in mg/l	250	1000	25.2
9	Fluoride (as F) in mg/l	1	1.5	0.16
10	Residual Free Chlorine in mg/l	0.2(Min.)	---	<0.1
11	Total Dissolved Solids in mg/l	500	2000	143
12	Calcium (as Ca) in mg/l	75	200	37.54
13	Magnesium (as Mg) in mg/l	30	100	16.65
14	Copper (asCu) in mg/l	0.05	1.5	<0.02
15	Manganese (as Mn) in mg/l	0.1	0.3	0.09
16	Sulphate (as SO ₄) in mg/l	200	400	10.09
17	Nitrate (as NO ₃) in mg/l	45	100	2.82
18	Phenolic Compounds (as C ₆ H ₅ OH) in mg/l	0.001	0.002	<0.001
19	Mercury (as Hg) in mg/l	0.001	No Relaxation	<0.001
20	Cadmium (as Cd) in mg/l	0.01	No Relaxation	<0.001
21	Selenium (as Se) in mg/l	0.01	No Relaxation	<0.005
22	Arsenic (as As) in mg/l	0.05	No Relaxation	<0.01
23	Cyanide (as CN) in mg/l	0.05	No Relaxation	<0.01
24	Lead (as Pb) in mg/l	0.05	No Relaxation	<0.005
25	Zinc (as Zn) in mg/l	5	15	0.04
26	Anionic Detergents (as MBAS) in mg/l	0.2	1	<0.02
27	Chromium (as Cr ⁺⁶) in mg/l	0.1	No Relaxation	<0.01
28	Mineral Oil in mg/l	---	---	<0.01
29	Alkalinity (as CaCO ₃) in mg/l	200	600	131.84
30	Aluminium (as Al) in mg/l	0.03	0.2	<0.01
31	Boron (as B) in mg/l	1	5	<0.5
32	PAH in mg/l	---	---	<0.0001
33	Pesticide in mg/l	---	---	<0.00001

SAMPLING LOCATION :- Bore well at Panchayet Office

Checked by:



For Mitra S. K. Private Limited
Authorised Signatory

H. O.: Shrachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India
T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E:info@mitrask.com W: www.mitrask.com

Mitra S. K. Private Limited

AUP O: BARBIL Ward No-6
Dist: Keonjhar, Odisha - 758035
CIN: U51909WB1956PTCO23037

T: +91 94370 09815, 94370 09820, 94370 75269
E: barbil@mitrask.com
W: www.mitrask.com



Ref. No.BBL/ENV/981

DATE:04/03/2016

CERTIFICATE OF ANALYSIS

This is to certify that a sample of "Ground Water" drawn by our representative on 11/01/2016 at **Bamebari Manganese Mines ; P.O: Bamebari, Dist: Keonjhar, Odisha** in the Presence of a representative of and on account of **M/s. Tata Steel Ltd.**, has been analyzed with the following results:-

MICROBIOLOGICAL ANALYSIS OF WATER AS PER IS: 10500 - 1991

Sl No.	Test Parameters	Norms as per IS:10500-1991	Results
1	Total Coliform Organism MPN/100ml	10 (MAX)	2.3
2	Faecal Coliforms	Absent	Absent
3	E. Coli	Absent	Absent

CHEMICAL ANALYSIS OF WATER AS PER IS: 10500 - 1991

Sl No.	Test Parameters	Norms as per IS: 10500-1991		Results
		Desirable Limit	Permissible Limit	
1	Colour (Hazen Unit)	5	25	<1.0
2	Odour	Unobjectionable	--	Unobjectionable
3	Taste	Agreeable	--	Agreeable
4	Turbidity in NTU	5	10	4.6
5	pH value (26°C)	6.5 - 8.5	No Relaxation	6.89
6	Total Hardness(as CaCO ₃) in mg/l	300	600	155.04
7	Iron (as Fe) in mg/l	0.3	1	0.19
8	Chloride (as Cl) in mg/l	250	1000	25.2
9	Fluoride (as F) in mg/l	1	1.5	0.21
10	Residual Free Chlorine in mg/l	0.2(Min.)	---	<0.1
11	Total Dissolved Solids in mg/l	500	2000	210
12	Calcium (as Ca) in mg/l	75	200	40.8
13	Magnesium (as Mg) in mg/l	30	100	12.73
14	Copper (asCu) in mg/l	0.05	1.5	<0.02
15	Manganese (as Mn) in mg/l	0.1	0.3	<0.02
16	Sulphate (as SO ₄) in mg/l	200	400	6.82
17	Nitrate (as NO ₃) in mg/l	45	100	4.52
18	Phenolic Compounds (as C ₆ H ₅ OH) in mg/l	0.001	0.002	<0.001
19	Mercury (as Hg) in mg/l	0.001	No Relaxation	<0.001
20	Cadmium (as Cd) in mg/l	0.01	No Relaxation	<0.001
21	Selenium (as Se) in mg/l	0.01	No Relaxation	<0.005
22	Arsenic (as As) in mg/l	0.05	No Relaxation	<0.01
23	Cyanide (as CN) in mg/l	0.05	No Relaxation	<0.01
24	Lead (as Pb) in mg/l	0.05	No Relaxation	<0.005
25	Zinc (as Zn) in mg/l	5	15	0.04
26	Anionic Detergents (as MBAS) in mg/l	0.2	1	<0.02
27	Chromium (as Cr ⁺⁶) in mg/l	0.1	No Relaxation	<0.01
28	Mineral Oil	---	---	<0.01
29	Alkalinity (as CaCO ₃) in mg/l	200	600	135.96
30	Aluminium (as Al) in mg/l	0.03	0.2	<0.01
31	Boron (as B) in mg/l	1	5	<0.5
32	PAH	---	---	<0.0001
33	Pesticide	---	---	<0.00001

SAMPLING LOCATION :- Well Near Nimera Village.

Checked by: 



For Mitra S. K. Private Limited
Authorised Signatory 

H. O.: Shrachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 046, West Bengal, India
T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 Email: info@mitrask.com W: www.mitrask.com

Annexure – VI: Trace Metal Analysis in Ground Water

Mitra S. K. Private Limited

At/P.O.: BARBIL Ward No-6
Dist.: Keonjhar, Odisha - 758035
CIN: U51909WB1956PTC023037

T : +91 94370 09815,94370 09820,94370 75269
E : barbil@mitrask.co.in
W : www.mitrask.com



Ref. No.BBL/ENV/593

DATE:04/11/2015

CERTIFICATE OF ANALYSIS

This is to certify that a sample of "Ground Water" drawn by our representative on 03/10/2015 at **Bamebari Manganese Mines ; P.O: Bamebari, Dist: Keonjhar, Odisha** in the Presence of a representative of and on account of **M/s. Tata Steel Ltd.**, has been analyzed with the following results:-

TRACE METAL ANALYSIS OF WATER AS PER IS: 10500 - 1991

Sl No.	Test Parameters	Norms as per IS: 10500-1991		Results
		Desirable Limit	Permissible Limit	
1	Iron (as Fe) in mg/l	0.3	1.0	0.59
2	Chromium (as Cr ⁺⁶) in mg/l	0.1	No Relaxation	<0.01
3	Copper (asCu) in mg/l	0.05	1.5	<0.02
4	Selenium (as Se) in mg/l	0.01	No Relaxation	<0.005
5	Arsenic (as As) in mg/l	0.05	No Relaxation	<0.01
6	Cadmium (as Cd) in mg/l	0.01	No Relaxation	<0.001
7	Mercury (as Hg) in mg/l	0.001	No Relaxation	<0.001
8	Lead (as Pb) in mg/l	0.05	No Relaxation	<0.005
9	Zinc (as Zn) in mg/l	5.0	15.0	0.07
10	Manganese (as Mn) in mg/l	0.1	0.3	<0.02

SAMPLING LOCATION :- Tube well at Joribahal

Checked by:-



For Mitra S. K. Private Limited

Authorised Signatory

Mitra S. K. Private Limited

A/P O: BARBIL Ward No-6
Dist: Keonjhar, Odisha - 758036
CIN: U51909WB1956PTC023037

T: +91 9437009815, 9437009820, 9437075269
E: barbil@mitrask.co.in
W: www.mitrask.com



Ref. No.BBL/ENV/986

DATE:04/02/2016

CERTIFICATE OF ANALYSIS

This is to certify that a sample of "Ground Water" drawn by our representative on 11/01/2016 at Bamebari Manganese Mines ; P.O: Bamebari, Dist: Keonjhar, Odisha in the Presence of a representative of and on account of M/s. Tata Steel Ltd., has been analyzed with the following results:-

CHEMICAL ANALYSIS OF WATER AS PER IS: 10500 - 1991

SI No.	Test Parameters	Norms as per IS: 10500-1991		Results
		Desirable Limit	Permissible Limit	
1	Iron (as Fe) in mg/l	0.3	1	0.24
2	Chromium (as Cr ⁺⁶) in mg/l	0.1	No Relaxation	<0.01
3	Copper (asCu) in mg/l	0.05	1.5	<0.02
4	Selenium (as Se) in mg/l	0.01	No Relaxation	<0.005
5	Arsenic (as As) in mg/l	0.05	No Relaxation	<0.01
6	Cadmium (as Cd) in mg/l	0.01	No Relaxation	<0.001
7	Mercury (as Hg) in mg/l	0.001	No Relaxation	<0.001
8	Lead (as Pb) in mg/l	0.05	No Relaxation	<0.005
9	Zinc (as Zn) in mg/l	5	15	<0.02
10	Manganese (as Mn) in mg/l	0.1	0.3	<0.02

SAMPLING LOCATION :- Tube well at Joribahal

Checked by:-



For Mitra S. K. Private Limited

Authorised Signatory

H. O.: Shraochi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India
T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E:info@mitrask.com W: www.mitrask.com

Annexure – VII(Surface Water Quality Analysis Report)

BAMEBARI (UPSTREAM) W1				Oct'15	Nov'15	Dec'15	Jan'16	Feb'16	March'16
Sl.	Parameters	Unit	Standards as per	1st Report					
1	Colour	Hazen	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2	Odour	-	Unobjecti onable	Unobjecti onable	unobjectionable	Unobjectionable	Unobjectionable	Unobjectionable	Unobjectionable
3	pH at 26°C	-	5.5-9.0	7.14	6.95	6.75	7.09	6.72	6.99
4	Total Dissolved Solids	mg/l	-	41	41	71	63	79	59
5	Copper as Cu	mg/l	3.0	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
6	Fluoride as F	mg/l	2.0	<0.1	<0.1	<0.1	<0.1	<0.1	0.66
7	Total Residual Chlorine	mg/l	1.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
8	Iron as Fe	mg/l	3.0	1.28	1.39	0.84	0.14	0.24	0.32
9	Manganese as Mn	mg/l	2.0	<0.02	<0.02	0.05	<0.02	<0.02	0.04
10	Nitrate as NO3	mg/l	10.0	<0.5	<0.5	0.54	<0.5	2.46	0.98
11	Phenolic Compounds as C6H5OH	mg/l	1.0	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
12	Selenium as Se	mg/l	0.05	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
13	Cadmium as Cd	mg/l	2.0	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
14	Cyanide as CN	mg/l	0.2	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
15	Lead as Pb	mg/l	0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
16	Mercury as Hg	mg/l	0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
17	Nickel as Ni	mg/l	3.0	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
18	Arsenic as As	mg/l	0.2	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
19	Total Chromium as Cr	mg/l	2.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
20	Zinc as Zn	mg/l	5.0	<0.02	<0.01	<0.02	<0.02	<0.02	0.05
21	Hexavalent Chromium as Cr ⁺⁶	mg/l	0.1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
22	Vanadium as V	mg/l	0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
23	Total Suspended Solids	mg/l	50 / 100	19.9	15	18.6	<2.5	9.0	14.8
24	Temperature	°C	-	26	26	23	23	26	28
25	Dissolved Oxygen	mg/l	-	6.1	6.1	5.8	6.1	5.7	5.8
26	BOD	mg/l	30	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
27	COD	mg/l	250	<4.0	<4.0	<4.0	<4.0	<4.0	11.9
28	Oil & Grease	mg/l	10	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
29	Ammonical Nitrogen as N	mg/l	50	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
30	Total Kjeldahl Nitrogen as N	mg/l	100	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
31	Sulphide as S	mg/l	2.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
32	Free Ammonia as NH ₃	mg/l	5.0	<0.01	<0.1	<0.1	<0.1	<0.1	<0.1
33	Particulate Size of Suspended Solids	mg/l	850 µm IS Sieve	Passes through 850 µm IS Sieve	Passes through 850 um IS sieve				
34	Bio-assay	mg/l	90% survival in 100% effluent	All fishes survive in 100% effluent after 96 hrs	All fishes survive after 96 hrs in 100% effluent	All fishes survive after 96 hrs in 100% effluent	All fishes survive after 96 hrs in 100% effluent	All fishes survive after 96 hrs in 100% effluent	All fishes survive after 96 hrs in 100% effluent
35	Dissolved Phosphates as PO ₄	mg/l	5.0	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05

BAMEBARI (DOWNSTREAM) W2				Oct'15	Nov'15	Dec'15	Jan'16	Feb'16	March'16
Sl.	Parameters	Unit	Standards as per	1st Report					
1	Colour	Hazen	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2	Odour	-	Unobjectionable	Unobjectionable	unobjectionable	Unobjectionable	Unobjectionable	Unobjectionable	Unobjectionable
3	pH at 26°C	-	5.5-9.0	7.11	6.97	7.31	7.12	7.33	6.5
4	Total Dissolved Solids	mg/l	-	43	44	85	68	54.2	53
5	Copper as Cu	mg/l	3.0	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
6	Fluoride as F	mg/l	2.0	<0.1	0.17	<0.1	<0.1	<0.1	0.68
7	Total Residual Chlorine	mg/l	1.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
8	Iron as Fe	mg/l	3.0	1.61	1.55	0.32	0.11	0.11	0.57
9	Manganese as Mn	mg/l	2.0	0.04	<0.02	<0.02	<0.02	<0.02	0.06
10	Nitrate as NO3	mg/l	10.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
11	Phenolic Compounds as C6H5OH	mg/l	1.0	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
12	Selenium as Se	mg/l	0.05	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
13	Cadmium as Cd	mg/l	2.0	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
14	Cyanide as CN	mg/l	0.2	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
15	Lead as Pb	mg/l	0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
16	Mercury as Hg	mg/l	0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
17	Nickel as Ni	mg/l	3.0	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
18	Arsenic as As	mg/l	0.2	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
19	Total Chromium as Cr	mg/l	2.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
20	Zinc as Zn	mg/l	5.0	<0.02	<0.02	<0.02	<0.02	<0.02	0.12
21	Hexavalent Chromium as Cr ⁺⁶	mg/l	0.1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
22	Vanadium as V	mg/l	0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.02
23	Total Suspended Solids	mg/l	50 / 100	16.1	15.2	6.9	<2.5	4.4	11.8
24	Temperature	°C	-	26	26	23	23	26	28
25	Dissolved Oxygen	mg/l	-	60.2	6.1	6.9	6.1	6.3	6.0
26	BOD	mg/l	30	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
27	COD	mg/l	250	<4.0	<4.0	<4.0	<4.0	<4.0	11.9
28	Oil & Grease	mg/l	10	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
29	Ammonical Nitrogen as N	mg/l	50	<0.1	<0.1	<0.1	<0.1	<0.1	<0.3
30	Total Kjeldahl Nitrogen as N	mg/l	100	<0.3	<0.3	<0.3	<0.3	<0.3	<0.1
31	Sulphide as S	mg/l	2.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
32	Free Ammonia as NH ₃	mg/l	5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
33	Particulate Size of Suspended Solids	mg/l	850 µm IS Sieve	Passes through 850 µm IS Sieve	Passes through 850 µm IS sieve	Passes through 850 µm IS sieve	Passes through 850 µm IS sieve	Passes through 850 µm IS sieve	Passes through 850 µm IS sieve
34	Bio-assay	mg/l	90% survival in 100% effluent	All fishes survive in 100% effluent after 96 hrs	All fishes survive after 96 hrs in 100% effluent	All fishes survive after 96 hrs in 100% effluent	All fishes survive after 96 hrs in 100% effluent	All fishes survive after 96 hrs in 100% effluent	All fishes survive after 96 hrs in 100% effluent
35	Dissolved Phosphates as PO ₄	mg/l	5.0	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05

Annexure – VIII :Noise Report

Bamebari			Nov'15	Feb'16
Sl.No.	Sampling Location	Parameter	Avg.	Avg.
1	Township	dB (A) in Day Time	49.7	46.3
2	Hospital	dB (A) in Day Time	47.5	42.8
3	Mines Area	dB (A) in Day Time	49.2	51.7

Bamebari			Nov'15	Feb'16
Sl.No.	Sampling Location	Parameter	Avg.	Avg.
1	Township	dB (A) in Night Time	39.3	41.2
2	Hospital	dB (A) in Night Time	38.1	37.6
3	Mines Area	dB (A) in Night Time	38.5	43.1

Annexure - IX
LIST OF ENVIRONMENTAL MONITORING EQUIPMENT

LIST OF ENVIRONMENTAL MONITORING EQUIPMENT		
Ambient Air Quality		
Sl.No.	Name of the Instrument	Parameter
1	Respirable Dust sampler	PM ₁₀
2	Fine Particulate Sampler	PM _{2.5}
3	Spectrophotometer UV-Visible range	SO ₂ ,NO _x
4	NDIR	CO
5	AAS	Manganese
Other Paraphernalia for analysis of air quality are also available in the laboratory.		
Water Quality		
Sl.No.	Name of the Instrument	Parameter
1	Analytical weighing Balance	Used for weighing the chemicals
2	Micro Balance	Used for weighing CRMs
3	AAS with VGA and Hallow cathode lamps	All Heavy metals (Arsenic, Mercury, Selenium, Cadmium, Chromium, Cobalt, Iron, Lead, Manganese, Zinc, Aluminium, etc..)
4	Spectrophotometer UV-Visible range	Nitrate, Nitrite, Sulphate, Chromium(VI),Fluoride, Cyanide, Phenolic compounds
5	Flame Photometer	Sodium ,Potassium
6	Ion Analyzer	Fluoride
7	BOD Incubator	BOD
8	COD Digester	COD
9	Furnace	Total volatile solids, Fixed solids
10	Hot Air Oven	Total Suspended Solids, Total Dissolved Solids
11	pH meter	pH
12	Conductivity meter	Conductivity
13	Turbidity Meter	Turbidity
14	Bacteriological Incubator	Total coli form and fecal coli form
15	Autoclave	sterilization
16	Microscope	Bacteriological colony count
17	Magnetic stirrer	Stirring purpose
18	Vacuum filtration unit	Rapid filtration
19	Water Bath	Boiling and evaporation purpose
20	Cadmium reduction column	Nitrate
21	Fluoride distillation unit	Fluoride
22	Kjeldal flask	Ammonia and Organic Nitrogen
23	Hot Plate	Digestion
24	Pizometer	Water level monitoring
25	Aquarium	Bio assay test

Annexure – X
Organizational Structure

