



Regd Post with A/D

Ref.No.: MGM/P&E/691/15

Date : 27/09/2015

The Member Secretary,  
State Pollution Control Board, Orissa,  
A/118, Nilakantha Nagar,  
Bhubaneswar

Sub : Submission of Annual Environment Statement (FORM-V)

Dear Sir,


We are enclosing herewith two sets of Annual Environment Statement in Form-V for Malda Manganese Mine, M/s TATA Steel Ltd. for the year ending 31<sup>st</sup> March'2015.

This is for your kind perusal.

Thanking you,

Yours faithfully,

F: TATA STEEL LTD.

  
Manager 27/9/15  
Malda Manganese Mine

Encl: as above.

Copy to :

- The Regional Officer, State Pollution Control Board, Sector-5 (Inside Town Engg.Campus), Rourkela, Orissa with enclosure.

**TATA STEEL LIMITED**

Manganese Group of Mines, Joda Ferro Alloys & Minerals Division. At/PO- Bichakundi , Via Joda.

Dist Keonjhar. Odisha-758034

Phone No +91 9238101370

Registered Office: Bombay House ,24 ,Homi Mody Street Fort, Mumbai 400 001,India.

Corporate Identity Number L27100MH1907PLC000260, Website: www.tatasteel.com



**ENVIRONMENTAL STATEMENT**

**2014-15**

**UNDER RULE 14 OF ENVIRONMENT (PROTECTION)  
RULES, 1986**

**In**

**FORM - V**

**MALDA MANGANESE MINES**

**TATA STEEL LIMITED**

**SEPTEMBER 2015**

Environmental Statement : Malda Manganese Mines - 2014-15

## FORM V

[See Rule 14 of Environment (Protection) Rules, 1986]

### ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR ENDING THE 31<sup>ST</sup> MARCH 2015

#### PART – A

- (i) Name and Address of the Owner / occupier of the industry operation or process. : **MALDA MANGANESE MINE**
- Nominated Owner :-  
Mr. T.V.Narendran  
Managing Director, M/s TATA Steel Ltd.  
Jamshedpur, Dist- East Singhbhum  
Jharkhand – 831 001
- Agent :-  
Mr. S. N. Jha,  
Head(Manganese Group of Mines), Joda,  
FA & MD, TATA Steel  
P.O.: Bichhakundi, Via : Joda  
Dist : Keonjhar, Orissa – 758 034
- (ii) Industry Category : Opencast Mining
- (iii) Production Capacity – Units : 550000 TPA (Manganese Ore)
- (iv) Year of Establishment : 1935
- (v) Date of the last environmental statement submitted : 27<sup>th</sup> Sept'2014  
(Vide Letter No. JW/P&E/1060/14,  
Dt.27.09.2014)

## PART – B

### Water and Raw Material Consumption

#### (1) Water Consumption m<sup>3</sup>/day

|          |   |
|----------|---|
| Process  | : Nil   |
| Cooling  | : Nil   |
| Domestic | : 55.00 m <sup>3</sup> /day (Avg. during 2014-15) |

| Name of the Products | Process water consumption per unit of product output |                                   |
|----------------------|--|-----------------------------------|
|                      | During the previous Financial year                   | During the current Financial year |
|                      | (1)  | (2)                               |
| (1) Manganese Ore    | Nil  | Nil                               |

*Remarks : Manganese Ore is produced by semi mechanized Mining method, which does not involve beneficiation and thus precludes the consumption of water.*

#### (2) Raw material consumption

| Name of the raw materials | Name of the product | Consumption of raw materials per unit |                                   |
|---------------------------|---------------------|---------------------------------------|-----------------------------------|
|                           |                     | During the previous Financial year    | During the current Financial year |
| Manganese Ore             | Manganese Ore       | Year – 2013-14                        | Year – 2014-15                    |
|                           |                     | Production :-<br>NIL                  | Production :-<br>NIL              |
| Despatch :-<br>NIL        | Despatch :-<br>NIL  |                                       |                                   |

*Remarks: Mining operation has stopped since Feb'2011 due to want of forest clearance.*

## PART – C

### Pollution discharged to environment / unit of output

(Parameter as specified in the Consents issued)

| Pollution | Quantity of pollutants discharged (mass/day)   | Concentrations of Pollutants in discharges (mass/volume) | Percentage of variation from prescribed standards with reasons |
|-----------|--|--|--|
| (a) Water | <i>The process of Manganese Ore production includes blasting, removal of overburden, breaking and sizing of ore to required size and then transportation to the customer does not require consumption of water. Thus, there is no process discharge from the mine.</i> |  |  |

---

*The six month average surface water quality data is enclosed as **Annexure – I**. It shows that the concentrations of the pollutants are well within the permissible standards.*

---

(b) Air *Since this is an open cast Mine, the dust generation is mainly due to the movement of vehicles in the haul roads, drilling activities etc, which is fugitive in nature and cannot be quantified. The fugitive dust is allayed by sprinkling of water by mobile tanker and development of green barrier by plantation around the residential area.*

*The monthly average ambient air quality data is enclosed as **Annexure – II**. It shows that the concentrations of the pollutants are well within the permissible standards.*

---

### **PART – D**

#### **Hazardous Wastes**

[As specified under the Hazardous wastes (Management & Handling) Rules, 1989]

| Hazardous Wastes                       | Total Quantity                        |                                      |
|--|---------------------------------------|--------------------------------------|
|  | During the previous<br>Financial year | During the current<br>Financial year |
|  | <u>Year – 2013-14</u>                 | <u>Year – 2014-15</u>                |
| (i) From Process                       |                                       |                                      |
| Waste Oil (in Ltrs.)                   | 1.0                                   | 0.5                                  |
| Used Oil (in Ltrs.)                    | 40.0                                  | 40.0                                 |
| Cotton Waste (in Kgs)                  | Nil                                   | Nil                                  |
| Duster (in Nos.)                       | Nil                                   | Nil                                  |
| Filters (in Nos.)                      | Nil                                   | Nil                                  |
| (ii) From pollution control facilities | Nil                                   | Nil                                  |

---

*Remarks: Mining operation has stopped since Feb'2011 due to want of forest clearance.*

## PART – E

### Solid Wastes

|  | Total Quantity                        |                                      |
|--|---------------------------------------|--------------------------------------|
|  | During the previous<br>Financial year | During the current<br>Financial year |
|  | <u>Year – 2013-14</u>                 | <u>Year – 2014-15</u>                |
| (a) From Process<br>(Overburden rejects)                   | Nil                                   | Nil                                  |
| (b) From pollution control<br>facilities                   | Nil                                   | Nil                                  |
| (c)  |                                       |                                      |
| (1) Quantity recycled or<br>re-utilized within the<br>unit | Nil                                   | Nil                                  |
| (2) Sold   | Nil                                   | Nil                                  |
| (3) Disposal   | Nil                                   | Nil                                  |

*Mining operation has stopped since Feb'2011 due to want of forest clearance.*

## PART – F

Please specify the characterization (in terms of composition and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

- ***Characterization of Hazardous Waste:*** - *The composition of hazardous wastes like Waste Oil & used oil are Hydrocarbons, lead and used acids. The composition of the solid wastes (Overburden and rejects) contains lateritic morrum, shale and quartzite.*
  
- ***Disposal Practice:-***
  - *SOLID WASTES -The overburden is systematically and scientifically dumped on a geologically barren area and the same will be reclaimed by plantation after being declared inactive.*
  
  - *WASTE OIL -The waste oil generated at various sources is collected in leak proof barrels and then is kept on an impervious floor with oil catch pit. It is also ensured that the caps of the barrels remain intact and horizontal. The storage area is properly fenced and caution board displayed. During transfer of waste oil to barrels, a trough is placed underneath in order to prevent land contamination due to oil spillage. Then at a fixed interval, these barrels are returned to Ferro Manganese Plant Stores for final disposal through auction to the authorized party.*

- *USED COTTON WASTES - The used cotton wastes generated at various locations are kept in designated barrels and at a fixed interval, these wastes are handed over to the Shift in-charge of the Furnace Section of FAP, Joda for incinerating in the Electric Arc Furnace at a temperature of more than 1100 degree C.*
- *Provision of impervious pit for collection of oily waste in the workshop premises in addition to the existing practice of collection at specified barrels.*

### **PART – G**

Impact of pollution abatement measures taken on conservation of natural resources and on the cost of production.

1. *Water spraying on haul Roads and Mine Pits is done regularly to suppress the dust.*
2. *All the haul roads in the mining area are made up of morrum & compacted. Regular repair is being done by dozer & grader after spreading the layer of sweat morrum over it.*
3. *Wet drilling has been implemented in all drills. Controlled blasting pattern is being followed.*
4. *12160 nos. of saplings of various forestry species were planted covering an area of 1.2 hectare within the leasehold areas of Malda Mn.Mine with a survival rate of 91.86% during the year 2014-15.*
5. *An amount of Rs. 17,33,670 /- was incurred towards environmental management including Environmental Monitoring, Plantation activities and construction of toe-wall, check dams and garland drains.*
6. *In addition, Tata Steel Rural Development Society also undertakes the peripheral development activities with a large magnitude.*
7. *The total expenditure incurred for pollution abatement measures are included in overhead cost of Malda Mn.Mine. The expenditure for Environment Management during the year 2014-15 was Rs. 17,33,670/- .*

### **PART – H**

Additional measures / investment proposal for environmental protection, abatement of pollution, prevention of pollution.

- a) *Garland drains and toe wall around the OB dumping has been provided to check and channelize surface run-off .*
- b) *Plantation of forestry species planted over the inactive waste dump slopes to stabilize the dump slope and arrest the airborne dust.*

## **PART – I**

Any other particulars for improving the quality of environment.

1. *With compliance to conditions of Environment Clearance obtained from MoEF, the following monitoring is being done at regular interval.*
  - *Ground Water Level at nearby bore wells*
  - *Trace metal in dust fall*
  - *Ground water quality at lower level*
  - *Trace metals such as Fe, Cr+6, Cu, Se, As, Cd, Hg, Pb, Zn and Mn at specific locations for both surface water (downstream & upstream) and ground water at lower elevation is being periodically monitored by referring to the standards as per BIS : 10500.*
2. *Top soils generated during excavation are utilized immediately for nursery development and dump slope plantation.*
3. *Measures taken to control Air Pollution :-*
  - *Water sprinkling on the haul road,*
  - *Provision of dust masks to the workmen,*
  - *Adoption of wet drilling arrangement in the drill machines and*
4. *Measures taken to control Water Pollution :-*
  - *Construction of toe wall and garland drain along the dump slope to prevent surface run-off during monsoon.*
  - *Construction of soak pits for discharge of sanitary sewage at residential colony.*
5. *Measures taken to control Noise & Ground Vibration :-*
  - *Thick plantation has been developed around the mines to provide a canopy cover*
  - *Implementation of advance blasting technique(NONEL) to reduce the blast induced ground vibration and*
  - *Workmen are provided with ear-muff while working near heavy earth moving machineries.*
6. *Measures taken to control Land Degradation :-*
  - *Afforestation around the non-active dump for stabilization*



7. *Surveillance of Occupational Health: - Periodical Medical Examination of employees (departmental & contractual) is conducted as per prescribed norms of Mines Rule, 1955. The initial and periodical examination includes blood haematology, blood pressure, detailed cardiovascular assessment, neurological examination etc. All chest radiographs are being classified for detection of pneumoconiosis, diagnosis and documentation made in accordance to ILO classifications. During 2010-11, a total no. of 19 employees were examined. During 2011-12, due to temporary suspension of mining operation, the employees were shifted to other mines under the same management control and are included in their respective Half-Yearly EC compliance. During 2012-13 a total of 11 nos. employees were examined. During 2013-14 a total no. of 5 employees, during 2014-15 01 nos employee for PME and 75 nos contractual employee were examined for IME. There are no findings of pneumoconiosis and manganese poisoning which is classified as occupational disease.*
8. *The mine is certified with ISO-14001 (Environment Management System).*

Manager,  
Malda Mn.Mine,  
M/s.TATA STEEL LTD.

**Annexure – I**  
**SIX MONTHS AVERAGE OF WATER QUALITY REPORT**

| MALDA (UPSTREAM) W1 |  |           |              | April'14   |            | May'14     |            | June'14    |            | July'14    |            | Aug'14     |            | Sep'14     |            | Avg 6 months          |
|---------------------|--|-----------|--------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------------------|
| Sl.                 | Parameters   | Unit      | Standards as | 1st Report | 2nd Report | 1st Report | 2nd Report | 1st Report | 2nd Report | 1st Report | 2nd Report | 1st Report | 2nd Report | 1st Report | 2nd Report | W-1                   |
| 1                   | Colour & Odour   | --        | 300 & \$     | CL & U/O   | CL & U/O   | CL & U/O   | CL & U/O   | 13& U/O    | 14 & U/O   | 10& U/O    | 10 & U/O   | 10& U/O    | 10 & U/O   | 15& U/O    | 8 & U/O    | <b>8.38 &amp; U/O</b> |
| 2                   | Suspended Solids                                       | mg/l      | \$           | 28         | 24         | 19         | 19         | 92         | 96         | 117        | 108        | 104        | 113        | 97         | 108        | <b>77.08</b>          |
| 3                   | Particular Size of S.S.                                | μ(micron) | \$           | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <b>&lt;850</b>        |
| 4                   | Dissolved Solids                                       | mg/l      | 1500         | 112        | 98         | 89         | 85         | 165        | 144        | 184        | 128        | 169        | 187        | 177        | 171        | <b>142.42</b>         |
| 5                   | PH   | --        | 6.5-8.5      | 7.2        | 7.1        | 7.1        | 7.1        | 7.2        | 7.2        | 7.3        | 7.2        | 7.2        | 7.3        | 7.2        | 7.2        | <b>7.19</b>           |
| 6                   | Temperature  | °C        | \$           | 25         | 25         | 25         | 25         | 25         | 25         | 25         | 25         | 25         | 25         | 25         | 25         | <b>25.00</b>          |
| 7                   | Oil & Grease   | mg/l      | 0.1          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | <b>ND</b>             |
| 8                   | Total Residual Chlorine                                | mg/l      | \$           | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | <b>ND</b>             |
| 9                   | Amm. Nitrogen as N                                     | mg/l      | \$           | 0.28       | 0.25       | 0.19       | 0.19       | 0.88       | 0.63       | 0.56       | 0.68       | 0.62       | 0.78       | 0.71       | 0.69       | <b>ND</b>             |
| 10                  | Total Kjeldal Nitrogen as N                            | mg/l      | \$           | 0.89       | 0.82       | 0.57       | 0.65       | 1.36       | 1.14       | 1.19       | 1.26       | 1.25       | 1.39       | 1.34       | 1.25       | <b>1.09</b>           |
| 11                  | Free Ammonia as NH <sub>3</sub>                        | mg/l      | \$           | ND         | ND         | ND         | ND         | ND         | ND         | 0.006      | 0.006      | 0.007      | 0.009      | 0.006      | 0.005      | <b>ND</b>             |
| 12                  | Dissolved Oxygen                                       | mg/l      | 4            | 7.4        | 7.4        | 7.6        | 7.5        | 7.3        | 7.2        | 7.4        | 7.3        | 7.3        | 7.5        | 7.2        | 7.3        | <b>7.37</b>           |
| 13                  | BOD (3) days at 27°C                                   | mg/l      | 3            | 1.08       | 0.96       | 0.94       | 0.88       | 1.11       | 1.17       | 1.24       | 1.28       | 1.33       | 1.22       | 1.38       | 1.14       | <b>1.14</b>           |
| 14                  | COD  | mg/l      | \$           | 2.98       | 2.87       | 2.58       | 2.56       | 3.28       | 3.42       | 3.72       | 3.64       | 3.87       | 3.75       | 4.14       | 3.58       | <b>3.37</b>           |
| 15                  | Arsenic as As  | mg/l      | 0.2          | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 16                  | Mercury as Hg  | mg/l      | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 17                  | Lead as Pb   | mg/l      | 0.1          | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 18                  | Cadmium as Cd  | mg/l      | 0.01         | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 19                  | Hexa Chromium as Cr <sup>+6</sup>                      | mg/l      | 0.05         | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 20                  | Total Chromium as Cr                                   | mg/l      | \$           | 0.086      | 0.091      | 0.061      | 0.088      | 0.16       | 0.12       | 0.18       | 0.19       | 0.21       | 0.17       | 0.27       | 0.2        | <b>0.152</b>          |
| 21                  | Copper as Cu   | mg/l      | 1.5          | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 22                  | Zinc as Zn   | mg/l      | 15           | 0.11       | 0.11       | 0.09       | 0.09       | 0.21       | 0.14       | 0.28       | 0.22       | 0.19       | 0.19       | 0.21       | 0.17       | <b>0.17</b>           |
| 23                  | Selenium as Se   | mg/l      | 0.05         | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 24                  | Nickel as Ni   | mg/l      | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 25                  | Cyanide as CN  | mg/l      | 0.05         | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 26                  | Fluoride as F  | mg/l      | 1.5          | 0.039      | 0.033      | 0.033      | 0.028      | 0.09       | 0.1        | 0.086      | 0.084      | 0.079      | 0.069      | 0.087      | 0.058      | <b>0.07</b>           |
| 27                  | Diss. Phosphate as P                                   | mg/l      | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 28                  | Sulphide as S  | mg/l      | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 29                  | Phenolic Compounds as C <sub>6</sub> H <sub>5</sub> OH | mg/l      | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 30                  | Bio-assay Test   | --        | \$           | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | <b>98% .</b>          |
| 31                  | Manganese as Mn  | mg/l      | \$           | 0.051      | 0.044      | 0.039      | 0.038      | 0.11       | 0.097      | 0.16       | 0.11       | 0.14       | 0.14       | 0.17       | 0.12       | <b>0.102</b>          |
| 32                  | Iron as Fe   | mg/l      | 50           | 0.17       | 0.16       | 0.13       | 0.12       | 0.58       | 0.61       | 0.74       | 0.74       | 0.68       | 0.81       | 0.74       | 0.69       | <b>0.51</b>           |
| 33                  | Vanadium as V  | mg/l      | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 34                  | Nitrate as NO <sub>3</sub>                             | mg/l      | 50           | 0.12       | 0.11       | 0.11       | 0.12       | 0.18       | 0.25       | 0.24       | 0.33       | 0.26       | 0.29       | 0.33       | 0.22       | <b>0.21</b>           |

N.B. : \$- No Specific Limit , U/O-Unobjectionable , BDL- Below detection limit. ND-Not detectable

| MALDA (UPSTREAM) W1 |  |           |              | Oct'14     |            | Nov'14     |            | Dec'14     |            | Jan'15     |            | Feb'15     |            | March'15   |            | Avg 6 months | Annual    |
|---------------------|--|-----------|--------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|--------------|-----------|
| Sl.                 | Parameters   | Unit      | Standards as | 1st Report | 2nd Report | 1st Report | 2nd Report | 1st Report | 2nd Report | 1st Report | 2nd Report | 1st Report | 2nd Report | 1st Report | 2nd Report | W-1          | W-1       |
| 1                   | Colour & Odour   | --        | 300 & \$     | 14 & U/O   | CL & U/O   | 5 & U/O    | CL & U/O   | CL & U/O   | CL & U/O   | CL & U/O   | CL & U/O   | CL & U/O   | CL & U/O   | CL & U/O   | CL & U/O   | 4.8& U/O     | 5.71& U/O |
| 2                   | Suspended Solids                                       | mg/l      | \$           | 48         | 49         | 44         | 31         | 40         | 26         | 33         | 25         | 29         | 20         | 26         | 18         | 32.42        | 54.75     |
| 3                   | Particular Size of S.S.                                | μ(micron) | \$           | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850         | <850      |
| 4                   | Dissolved Solids                                       | mg/l      | 1500         | 138        | 148        | 121        | 141        | 117        | 135        | 122        | 119        | 116        | 106        | 108        | 101        | 122.67       | 132.54    |
| 5                   | PH   | --        | 6.5-8.5      | 7.1        | 7.2        | 7.2        | 7.2        | 7.2        | 7.2        | 7.2        | 7.2        | 7.2        | 7.2        | 7.2        | 7.2        | 7.19         | 7.19      |
| 6                   | Temperature  | °C        | \$           | 24         | 24         | 24         | 24         | 23         | 23         | 22         | 22         | 24         | 24         | 25         | 25         | 23.67        | 24.33     |
| 7                   | Oil & Grease   | mg/l      | 0.1          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND           | ND        |
| 8                   | Total Residual Chlorine                                | mg/l      | \$           | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND           | ND        |
| 9                   | Amm. Nitrogen as N                                     | mg/l      | \$           | 0.39       | 0.48       | 0.35       | 0.35       | 0.31       | 0.31       | 0.26       | 0.29       | 0.23       | 0.25       | 0.19       | 0.21       | ND           | ND        |
| 10                  | Total Kjeldal Nitrogen as N                            | mg/l      | \$           | 0.98       | 1.32       | 1.06       | 1.18       | 1          | 1.12       | 1.14       | 0.96       | 1.06       | 0.87       | 0.96       | 0.76       | 1.03         | 1.06      |
| 11                  | Free Ammonia as NH <sub>3</sub>                        | mg/l      | \$           | 0.003      | 0.002      | 0.004      | 0.003      | 0.003      | 0.003      | 0.002      | 0.002      | 0.002      | 0.003      | 0.002      | 0.003      | ND           | ND        |
| 12                  | Dissolved Oxygen                                       | mg/l      | 4            | 7.2        | 7.1        | 7.3        | 7.3        | 7.4        | 7.4        | 7.3        | 7.4        | 7.4        | 7.4        | 7.3        | 7.3        | 7.32         | 7.34      |
| 13                  | BOD (3) days at 27°C                                   | mg/l      | 3            | 1.27       | 1.22       | 1.18       | 1.14       | 1.11       | 1.11       | 1          | 1.05       | 1.1        | 1.11       | 1          | 1.05       | 1.11         | 1.13      |
| 14                  | COD  | mg/l      | \$           | 3.78       | 3.79       | 3.59       | 3.49       | 3.45       | 3.38       | 3.17       | 2.84       | 3.28       | 3.24       | 3.05       | 3.17       | 3.35         | 3.36      |
| 15                  | Arsenic as As  | mg/l      | 0.2          | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 16                  | Mercury as Hg  | mg/l      | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 17                  | Lead as Pb   | mg/l      | 0.1          | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 18                  | Cadmium as Cd  | mg/l      | 0.01         | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 19                  | Hexa Chromium as Cr <sup>+6</sup>                      | mg/l      | 0.05         | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 20                  | Total Chromium as Cr                                   | mg/l      | \$           | 0.18       | 0.18       | 0.2        | 0.16       | 0.16       | 0.14       | 0.18       | 0.11       | 0.16       | 0.09       | 0.14       | 0.08       | 0.15         | 0.15      |
| 21                  | Copper as Cu   | mg/l      | 1.5          | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 22                  | Zinc as Zn   | mg/l      | 15           | 0.2        | 0.19       | 0.25       | 0.22       | 0.21       | 0.19       | 0.26       | 0.2        | 0.22       | 0.16       | 0.19       | 0.14       | 0.20         | 0.19      |
| 23                  | Selenium as Se   | mg/l      | 0.05         | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 24                  | Nickel as Ni   | mg/l      | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 25                  | Cyanide as CN  | mg/l      | 0.05         | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 26                  | Fluoride as F  | mg/l      | 1.5          | 0.073      | 0.091      | 0.06       | 0.08       | 0.05       | 0.08       | 0.06       | 0.06       | 0.05       | 0.05       | 0.05       | 0.04       | 0.06         | 0.06      |
| 27                  | Diss. Phosphate as P                                   | mg/l      | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 28                  | Sulphide as S  | mg/l      | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 29                  | Phenolic Compounds as C <sub>6</sub> H <sub>5</sub> OH | mg/l      | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 30                  | Bio-assay Test   | --        | \$           | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 98%          | 97.99%    |
| 31                  | Manganese as Mn  | mg/l      | \$           | 0.079      | 0.078      | 0.08       | 0.065      | 0.05       | 0.059      | 0.049      | 0.048      | 0.038      | 0.041      | 0.031      | 0.038      | 0.05         | 0.08      |
| 32                  | Iron as Fe   | mg/l      | 50           | 0.32       | 0.36       | 0.26       | 0.29       | 0.21       | 0.26       | 0.27       | 0.24       | 0.24       | 0.19       | 0.2        | 0.16       | 0.25         | 0.38      |
| 33                  | Vanadium as V  | mg/l      | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 34                  | Nitrate as NO <sub>3</sub>                             | mg/l      | 50           | 0.21       | 0.29       | 0.18       | 0.22       | 0.16       | 0.19       | 0.18       | 0.16       | 0.16       | 0.19       | 0.18       | 0.17       | 0.19         | 0.20      |

N.B. : \$- No Specific Limit , U/O-Unobjectionable , BDL- Below detection limit. ND-Not detectable

| MALDA (DOWNSTREAM) W1 |  |           |              | April'14   |            | May'14     |            | June'14    |            | July'14    |            | Aug'14     |            | Sep'14     |            | Avg 6 months          |
|-----------------------|--|-----------|--------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------------------|
| Sl.                   | Parameters   | Unit      | Standards as | 1st Report | 2nd Report | 1st Report | 2nd Report | 1st Report | 2nd Report | 1st Report | 2nd Report | 1st Report | 2nd Report | 1st Report | 2nd Report | W-2                   |
| 1                     | Colour & Odour   | --        | 300 & \$     | CL & U/O   | CL & U/O   | CL & U/O   | CL & U/O   | 15 & U/O   | 17 & U/O   | 10 & U/O   | 10 & U/O   | 10 & U/O   | 10 & U/O   | 17 & U/O   | 10 & U/O   | <b>8.66 &amp; U/O</b> |
| 2                     | Suspended Solids                                       | mg/l      | \$           | 34         | 26         | 21         | 22         | 97         | 101        | 124        | 112        | 111        | 122        | 104        | 117        | <b>82.58</b>          |
| 3                     | Particular Size of S.S.                                | μ(micron) | \$           | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <b>&lt;850</b>        |
| 4                     | Dissolved Solids                                       | mg/l      | 1500         | 119        | 105        | 93         | 91         | 172        | 152        | 192        | 136        | 180        | 196        | 191        | 179        | <b>150.50</b>         |
| 5                     | PH   | --        | 6.5-8.5      | 7.2        | 7.2        | 7.1        | 7.1        | 7.1        | 7.1        | 7.4        | 7.2        | 7.2        | 7.2        | 7.3        | 7.2        | <b>7.19</b>           |
| 6                     | Temperature  | °C        | \$           | 25         | 25         | 25         | 25         | 25         | 25         | 25         | 25         | 25         | 25         | 25         | 25         | <b>25.00</b>          |
| 7                     | Oil & Grease   | mg/l      | 0.1          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | <b>ND</b>             |
| 8                     | Total Residual Chlorine                                | mg/l      | \$           | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | <b>ND</b>             |
| 9                     | Amm. Nitrogen as N                                     | mg/l      | \$           | 0.35       | 0.29       | 0.21       | 0.22       | 0.91       | 0.66       | 0.63       | 0.71       | 0.68       | 0.83       | 0.76       | 0.71       | <b>ND</b>             |
| 10                    | Total Kjeldal Nitrogen as N                            | mg/l      | \$           | 0.96       | 0.88       | 0.63       | 0.71       | 1.44       | 1.18       | 1.27       | 1.34       | 1.32       | 1.46       | 1.41       | 1.28       | <b>1.16</b>           |
| 11                    | Free Ammonia as NH <sub>3</sub>                        | mg/l      | \$           | ND         | ND         | ND         | ND         | ND         | ND         | 0.009      | 0.006      | 0.007      | 0.007      | 0.006      | 0.005      | <b>ND</b>             |
| 12                    | Dissolved Oxygen                                       | mg/l      | 4            | 7.3        | 7.3        | 7.4        | 7.4        | 7.1        | 7.1        | 7.4        | 7.2        | 7.2        | 7.4        | 7.1        | 7.3        | <b>7.27</b>           |
| 13                    | BOD (3) days at 27°C                                   | mg/l      | 3            | 1.13       | 1.04       | 0.99       | 0.93       | 1.18       | 1.24       | 1.3        | 1.36       | 1.41       | 1.34       | 1.44       | 1.19       | <b>1.21</b>           |
| 14                    | COD  | mg/l      | \$           | 3.18       | 2.95       | 2.87       | 2.62       | 3.41       | 3.66       | 3.84       | 3.92       | 3.96       | 3.92       | 4.22       | 3.71       | <b>3.52</b>           |
| 15                    | Arsenic as As  | mg/l      | 0.2          | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 16                    | Mercury as Hg  | mg/l      | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 17                    | Lead as Pb   | mg/l      | 0.1          | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 18                    | Cadmium as Cd  | mg/l      | 0.01         | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 19                    | Hexa Chromium as Cr <sup>+6</sup>                      | mg/l      | 0.05         | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 20                    | Total Chromium as Cr                                   | mg/l      | \$           | 0.098      | 0.096      | 0.074      | 0.092      | 0.19       | 0.14       | 0.22       | 0.24       | 0.26       | 0.21       | 0.31       | 0.25       | <b>0.18</b>           |
| 21                    | Copper as Cu   | mg/l      | 1.5          | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 22                    | Zinc as Zn   | mg/l      | 15           | 0.13       | 0.12       | 0.1        | 0.1        | 0.26       | 0.17       | 0.32       | 0.26       | 0.23       | 0.24       | 0.26       | 0.21       | <b>0.20</b>           |
| 23                    | Selenium as Se   | mg/l      | 0.05         | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 24                    | Nickel as Ni   | mg/l      | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 25                    | Cyanide as CN  | mg/l      | 0.05         | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 26                    | Fluoride as F  | mg/l      | 1.5          | 0.042      | 0.039      | 0.038      | 0.031      | 0.096      | 0.12       | 0.092      | 0.09       | 0.082      | 0.081      | 0.092      | 0.061      | <b>0.072</b>          |
| 27                    | Diss. Phosphate as P                                   | mg/l      | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 28                    | Sulphide as S  | mg/l      | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 29                    | Phenolic Compounds as C <sub>6</sub> H <sub>5</sub> OH | mg/l      | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 30                    | Bio-assay Test   | --        | \$           | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 97%        | 98%        | 98%        | 98%        | 98%        | 98%        | <b>97.9% .</b>        |
| 31                    | Manganese as Mn  | mg/l      | \$           | 0.057      | 0.051      | 0.044      | 0.041      | 0.12       | 0.1        | 0.18       | 0.12       | 0.16       | 0.17       | 0.21       | 0.14       | <b>0.116</b>          |
| 32                    | Iron as Fe   | mg/l      | 50           | 0.22       | 0.19       | 0.18       | 0.14       | 0.61       | 0.68       | 0.82       | 0.82       | 0.71       | 0.88       | 0.8        | 0.73       | <b>0.57</b>           |
| 33                    | Vanadium as V  | mg/l      | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | <b>BDL</b>            |
| 34                    | Nitrate as NO <sub>3</sub>                             | mg/l      | 50           | 0.15       | 0.13       | 0.13       | 0.14       | 0.22       | 0.27       | 0.28       | 0.36       | 0.31       | 0.32       | 0.38       | 0.28       | <b>0.25</b>           |

N.B. : \$- No Specific Limit , U/O-Unobjectionable , BDL- Below detection limit. ND-Not detectable

| MALDA (DOWNSTREAM) W1 |  |                |              | Oct'14     |            | Nov'14     |            | Dec'14     |            | Jan'15     |            | Feb'15     |            | March'15   |            | Avg 6 months | Annual    |
|-----------------------|--|----------------|--------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|--------------|-----------|
| Sl.                   | Parameters   | Unit           | Standards as | 1st Report | 2nd Report | 1st Report | 2nd Report | 1st Report | 2nd Report | 1st Report | 2nd Report | 1st Report | 2nd Report | 1st Report | 2nd Report | W-2          | W-2       |
| 1                     | Colour & Odour   | --             | 300 & \$     | 17 & U/O   | CL & U/O   | 5 & U/O    | CL & U/O   | CL & U/O   | CL & U/O   | CL & U/O   | CL & U/O   | CL & U/O   | CL & U/O   | CL & U/O   | CL & U/O   | 4.9& U/O     | 6.12& U/O |
| 2                     | Suspended Solids                                       | mg/l           | \$           | 51         | 55         | 49         | 37         | 45         | 29         | 38         | 28         | 35         | 24         | 31         | 21         | 36.92        | 59.75     |
| 3                     | Particular Size of S.S.                                | μ(micron)      | \$           | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850       | <850         | <850      |
| 4                     | Dissolved Solids                                       | mg/l           | 1500         | 142        | 154        | 126        | 148        | 121        | 142        | 134        | 127        | 122        | 118        | 117        | 107        | 129.83       | 140.17    |
| 5                     | PH   | --             | 6.5-8.5      | 7.1        | 7.1        | 7.2        | 7.2        | 7.2        | 7.2        | 7.2        | 7.1        | 7.3        | 7.2        | 7.2        | 7.2        | 7.18         | 7.19      |
| 6                     | Temperature  | <sup>0</sup> C | \$           | 24         | 24         | 24         | 24         | 23         | 23         | 22         | 22         | 24         | 24         | 25         | 25         | 23.67        | 24.33     |
| 7                     | Oil & Grease   | mg/l           | 0.1          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND           | ND        |
| 8                     | Total Residual Chlorine                                | mg/l           | \$           | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND           | ND        |
| 9                     | Amm. Nitrogen as N                                     | mg/l           | \$           | 0.41       | 0.55       | 0.39       | 0.42       | 0.35       | 0.38       | 0.3        | 0.32       | 0.27       | 0.29       | 0.21       | 0.26       | ND           | ND        |
| 10                    | Total Kjeldal Nitrogen as N                            | mg/l           | \$           | 1.02       | 1.38       | 1.11       | 1.21       | 1.09       | 1.16       | 1.22       | 1.1        | 1.1        | 0.92       | 1          | 0.81       | 1.09         | 1.13      |
| 11                    | Free Ammonia as NH <sub>3</sub>                        | mg/l           | \$           | 0.003      | 0.003      | 0.003      | 0.003      | 0.003      | 0.003      | 0.002      | 0.003      | 0.003      | 0.003      | 0.002      | 0.003      | ND           | ND        |
| 12                    | Dissolved Oxygen                                       | mg/l           | 4            | 7.1        | 7          | 7.3        | 7.3        | 7.3        | 7.4        | 7.2        | 7.4        | 7.3        | 7.3        | 7.3        | 7.3        | 7.27         | 7.27      |
| 13                    | BOD (3) days at 27 <sup>0</sup> C                      | mg/l           | 3            | 1.31       | 1.29       | 1.24       | 1.21       | 1.16       | 1.17       | 1          | 1.1        | 1.14       | 1.14       | 1.1        | 1.1        | 1.16         | 1.19      |
| 14                    | COD  | mg/l           | \$           | 3.84       | 3.84       | 3.66       | 3.57       | 3.52       | 3.45       | 3.04       | 2.96       | 3.36       | 3.31       | 3.17       | 3.22       | 3.41         | 3.47      |
| 15                    | Arsenic as As  | mg/l           | 0.2          | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 16                    | Mercury as Hg  | mg/l           | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 17                    | Lead as Pb   | mg/l           | 0.1          | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 18                    | Cadmium as Cd  | mg/l           | 0.01         | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 19                    | Hexa Chromium as Cr <sup>+6</sup>                      | mg/l           | 0.05         | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 20                    | Total Chromium as Cr                                   | mg/l           | \$           | 0.21       | 0.21       | 0.24       | 0.18       | 0.19       | 0.16       | 0.2        | 0.13       | 0.19       | 0.11       | 0.15       | 0.1        | 0.17         | 0.18      |
| 21                    | Copper as Cu   | mg/l           | 1.5          | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 22                    | Zinc as Zn   | mg/l           | 15           | 0.23       | 0.25       | 0.29       | 0.26       | 0.24       | 0.21       | 0.29       | 0.24       | 0.25       | 0.2        | 0.2        | 0.17       | 0.24         | 0.22      |
| 23                    | Selenium as Se   | mg/l           | 0.05         | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 24                    | Nickel as Ni   | mg/l           | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 25                    | Cyanide as CN  | mg/l           | 0.05         | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 26                    | Fluoride as F  | mg/l           | 1.5          | 0.077      | 0.097      | 0.06       | 0.08       | 0.05       | 0.08       | 0.07       | 0.07       | 0.06       | 0.05       | 0.05       | 0.05       | 0.07         | 0.07      |
| 27                    | Diss. Phosphate as P                                   | mg/l           | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 28                    | Sulphide as S  | mg/l           | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 29                    | Phenolic Compounds as C <sub>6</sub> H <sub>5</sub> OH | mg/l           | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 30                    | Bio-assay Test   | --             | \$           | 97%        | 97%        | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 98%        | 97.50%       | 97.99% .  |
| 31                    | Manganese as Mn  | mg/l           | \$           | 0.085      | 0.08       | 0.09       | 0.07       | 0.06       | 0.066      | 0.057      | 0.055      | 0.042      | 0.046      | 0.037      | 0.041      | 0.06         | 0.09      |
| 32                    | Iron as Fe   | mg/l           | 50           | 0.35       | 0.42       | 0.31       | 0.33       | 0.28       | 0.3        | 0.31       | 0.27       | 0.28       | 0.23       | 0.25       | 0.18       | 0.29         | 0.43      |
| 33                    | Vanadium as V  | mg/l           | \$           | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL        | BDL          | BDL       |
| 34                    | Nitrate as NO <sub>3</sub>                             | mg/l           | 50           | 0.24       | 0.33       | 0.2        | 0.26       | 0.19       | 0.23       | 0.21       | 0.18       | 0.19       | 0.23       | 0.21       | 0.19       | 0.22         | 0.23      |

N.B. : \$- No Specific Limit , ,U/O-Unobjectionable , BDL- Below detection limit. ND-Not detectable

**Annexure-II**  
**(Ambient Air Quality Monitoring Report)**

| <b>MALDA Monthly Avgs</b> | Location        | PM10<br>µg/m <sup>3</sup> | PM2.5<br>µg/m <sup>3</sup> | SO2<br>µg/m <sup>3</sup> | NOx<br>µg/m <sup>3</sup> | CO<br>mg/m <sup>3</sup> | Mn<br>µg/m <sup>3</sup> | O3<br>µg/m <sup>3</sup> | Pb µg/m <sup>3</sup> | NH3<br>µg/m <sup>3</sup> | Benzene<br>µg/m <sup>3</sup> | Benzo(a)<br>Pyrene<br>ng/m <sup>3</sup> | Arsenic<br>ng/m <sup>3</sup> | Nickel<br>ng/m <sup>3</sup> |
|---------------------------|-----------------|---------------------------|----------------------------|--------------------------|--------------------------|-------------------------|-------------------------|-------------------------|----------------------|--------------------------|------------------------------|---|------------------------------|-----------------------------|
| April'14                  | Block -1        | 37.00                     | 21.52                      | 4.00                     | 9.48                     | 0.10                    | 0.45                    | 4.67                    | BDL                  | BDL                      | 0.51                         | BDL                                     | BDL                          | BDL                         |
| May'14                    | Block -1        | 30.56                     | 18.27                      | 4.00                     | 9.07                     | 0.10                    | 0.37                    | 4.52                    | BDL                  | BDL                      | 0.46                         | BDL                                     | BDL                          | BDL                         |
| June'14                   | Block -1        | 27.25                     | 16.54                      | 4.00                     | 9.20                     | 0.10                    | 0.45                    | 4.73                    | BDL                  | BDL                      | 0.33                         | BDL                                     | BDL                          | BDL                         |
| JULY'14                   | Block -1        | 24.88                     | 14.35                      | 4.00                     | 9.08                     | 0.10                    | 0.29                    | 5.85                    | BDL                  | BDL                      | 0.24                         | BDL                                     | BDL                          | BDL                         |
| AUG'14                    | Block -1        | 21.63                     | 13.26                      | 4.00                     | 9.00                     | 0.10                    | 0.31                    | 4.39                    | BDL                  | BDL                      | 0.36                         | BDL                                     | BDL                          | BDL                         |
| SEP'14                    | Block -1        | 25.89                     | 15.83                      | 4.00                     | 9.22                     | 0.11                    | 0.44                    | 5.23                    | BDL                  | BDL                      | 0.34                         | BDL                                     | BDL                          | BDL                         |
| <b>6 Months Avgs</b>      | Block -1        | <b>27.87</b>              | <b>16.63</b>               | <b>4.00</b>              | <b>9.17</b>              | <b>BDL</b>              | <b>0.38</b>             | <b>BDL</b>              | <b>BDL</b>           | <b>BDL</b>               | <b>0.37</b>                  | <b>BDL</b>                              | <b>BDL</b>                   | <b>BDL</b>                  |
| Oct'14                    | Block -1        | 37.56                     | 22.60                      | 4.01                     | 10.31                    | 0.11                    | 0.50                    | 5.33                    | BDL                  | BDL                      | 0.49                         | BDL                                     | BDL                          | BDL                         |
| Nov'14                    | Block -1        | 41.25                     | 24.86                      | 4.00                     | 11.05                    | 0.13                    | 0.58                    | 5.51                    | BDL                  | BDL                      | 0.64                         | BDL                                     | BDL                          | BDL                         |
| Dec'14                    | Block -1        | 38.44                     | 22.48                      | 4.02                     | 10.41                    | 0.11                    | 0.51                    | 5.07                    | BDL                  | BDL                      | 0.44                         | BDL                                     | BDL                          | BDL                         |
| January'15                | Block -1        | 37.67                     | 22.26                      | 4.00                     | 9.90                     | 0.10                    | 0.55                    | BDL                     | BDL                  | BDL                      | 0.50                         | BDL                                     | BDL                          | BDL                         |
| Feb'15                    | Block -1        | 36.38                     | 21.84                      | 4.00                     | 9.31                     | 0.11                    | 0.42                    | BDL                     | BDL                  | BDL                      | 0.39                         | BDL                                     | BDL                          | BDL                         |
| March'15                  | Block -1        | 32.67                     | 19.12                      | 4.00                     | 9.48                     | 0.10                    | 0.39                    | 5.00                    | BDL                  | BDL                      | 0.49                         | BDL                                     | BDL                          | BDL                         |
| <b>6 Months Avgs</b>      | Block -1        | <b>37.33</b>              | <b>22.19</b>               | <b>4.01</b>              | <b>10.08</b>             | <b>0.11</b>             | <b>0.49</b>             | <b>5.23</b>             | <b>BDL</b>           | <b>BDL</b>               | <b>0.49</b>                  | <b>BDL</b>                              | <b>BDL</b>                   | <b>BDL</b>                  |
| <b>ANNUAL Avgs</b>        | <b>Block -1</b> | <b>32.60</b>              | <b>19.41</b>               | <b>4.00</b>              | <b>9.63</b>              | <b>0.11</b>             | <b>0.44</b>             | <b>5.03</b>             | <b>BDL</b>           | <b>BDL</b>               | <b>0.43</b>                  | <b>BDL</b>                              | <b>BDL</b>                   | <b>BDL</b>                  |

| <b>MALDA Monthly Avgs</b> | Location          | PM10<br>µg/m <sup>3</sup> | PM2.5<br>µg/m <sup>3</sup> | SO2<br>µg/m <sup>3</sup> | NOx<br>µg/m <sup>3</sup> | CO<br>mg/m <sup>3</sup> | Mn<br>µg/m <sup>3</sup> | O3<br>µg/m <sup>3</sup> | Pb µg/m <sup>3</sup> | NH3<br>µg/m <sup>3</sup> | Benzene<br>µg/m <sup>3</sup> | Benzo(a)<br>Pyrene<br>ng/m <sup>3</sup> | Arsenic<br>ng/m <sup>3</sup> | Nickel<br>ng/m <sup>3</sup> |
|---------------------------|-------------------|---------------------------|----------------------------|--------------------------|--------------------------|-------------------------|-------------------------|-------------------------|----------------------|--------------------------|------------------------------|---|------------------------------|-----------------------------|
| April'14                  | Dispensary        | 32.78                     | 19.63                      | 4.00                     | 9.23                     | 0.10                    | 0.41                    | 4.32                    | BDL                  | BDL                      | 0.47                         | BDL                                     | BDL                          | BDL                         |
| May'14                    | Dispensary        | 25.56                     | 15.58                      | 4.00                     | 9.00                     | 0.10                    | 0.32                    | 4.49                    | BDL                  | BDL                      | 0.40                         | BDL                                     | BDL                          | BDL                         |
| June'14                   | Dispensary        | 22.25                     | 13.74                      | 4.00                     | 9.10                     | 0.10                    | 0.42                    | 4.21                    | BDL                  | BDL                      | 0.30                         | BDL                                     | BDL                          | BDL                         |
| JULY'14                   | Dispensary        | 22.13                     | 13.10                      | 4.00                     | 9.05                     | 0.10                    | 0.25                    | 5.00                    | BDL                  | BDL                      | 0.21                         | BDL                                     | BDL                          | BDL                         |
| AUG'14                    | Dispensary        | 19.50                     | 11.84                      | 4.00                     | 9.00                     | 0.10                    | 0.28                    | 4.39                    | BDL                  | BDL                      | 0.32                         | BDL                                     | BDL                          | BDL                         |
| SEP'14                    | Dispensary        | 23.11                     | 13.36                      | 4.00                     | 9.12                     | 0.11                    | 0.40                    | 5.10                    | BDL                  | BDL                      | 0.31                         | BDL                                     | BDL                          | BDL                         |
| <b>6 Months Avgs</b>      | Dispensary        | <b>24.22</b>              | <b>14.54</b>               | <b>4.00</b>              | <b>9.08</b>              | <b>BDL</b>              | <b>0.35</b>             | <b>BDL</b>              | <b>BDL</b>           | <b>BDL</b>               | <b>0.33</b>                  | <b>BDL</b>                              | <b>BDL</b>                   | <b>BDL</b>                  |
| Oct'14                    | Dispensary        | 33.89                     | 19.90                      | 4.01                     | 10.07                    | 0.10                    | 0.46                    | 5.19                    | BDL                  | BDL                      | 0.44                         | BDL                                     | BDL                          | BDL                         |
| Nov'14                    | Dispensary        | 36.88                     | 22.00                      | 4.00                     | 10.53                    | 0.11                    | 0.53                    | 5.19                    | BDL                  | BDL                      | 0.59                         | BDL                                     | BDL                          | BDL                         |
| Dec'14                    | Dispensary        | 33.89                     | 19.92                      | 4.02                     | 9.89                     | 0.10                    | 0.45                    | 5.02                    | BDL                  | BDL                      | 0.39                         | BDL                                     | BDL                          | BDL                         |
| January'15                | Dispensary        | 33.67                     | 19.98                      | 4.00                     | 9.66                     | 0.10                    | 0.50                    | BDL                     | BDL                  | BDL                      | 0.46                         | BDL                                     | BDL                          | BDL                         |
| Feb'15                    | Dispensary        | 32.25                     | 19.13                      | 4.00                     | 9.05                     | 0.10                    | 0.39                    | BDL                     | BDL                  | BDL                      | 0.32                         | BDL                                     | BDL                          | BDL                         |
| March'15                  | Dispensary        | 27.78                     | 16.41                      | 4.00                     | 9.26                     | 0.10                    | 0.34                    | 5.00                    | BDL                  | BDL                      | 0.45                         | BDL                                     | BDL                          | BDL                         |
| <b>6 Months Avgs</b>      | Dispensary        | <b>33.06</b>              | <b>19.56</b>               | <b>4.01</b>              | <b>9.74</b>              | <b>0.10</b>             | <b>0.45</b>             | <b>5.10</b>             | <b>BDL</b>           | <b>BDL</b>               | <b>0.44</b>                  | <b>BDL</b>                              | <b>BDL</b>                   | <b>BDL</b>                  |
| <b>ANNUAL Avgs</b>        | <b>Dispensary</b> | <b>28.64</b>              | <b>17.05</b>               | <b>4.00</b>              | <b>9.41</b>              | <b>0.10</b>             | <b>0.40</b>             | <b>4.79</b>             | <b>BDL</b>           | <b>BDL</b>               | <b>0.39</b>                  | <b>BDL</b>                              | <b>BDL</b>                   | <b>BDL</b>                  |