



**The Deputy Director General of Forests (C),
Ministry of Environment, Forest and Climate Change,
Integrated Regional Office, (IRO) - Ranchi,
2nd Floor, Headquarter, Jharkhand State Housing Board,
Harmu Chowk, Argora,
Ranchi, Jharkhand – 834002.**

Ref No. - JMB/ENV/DIG/37/ 896 /2023
November 29th, 2023

Ref.: Environmental Clearance letter No.-J-11015/372/2010-IA.II(M)dated-30th September 2013.

**SUB: Half Yearly Compliance Status Report of Environment Clearance conditions issued
by MoEFCC, New Delhi to Digwadih Colliery, Tata Steel Limited, Dhanbad for the
period April'23 to September'23.**

Dear Sir,

We are enclosing herewith compliance report for the period **April'23 to September'23** for the EC granted vide letter no.- J-11015/372/2010-IA.II(M) dated- 30th September 2013 issued by Ministry of Environment, Forest and Climate Change, New Delhi.

We trust the information furnished is in line with your requirement.

Thanking you,

Yours faithfully,

fjt

**Head (Planning)
Jharia Division, Tata Steel Ltd.**

Encl: As above.

Copy to: Member Secretary, CPCB, Eastern Zonal Office, Southend Conclave, 502, 5th Floor
1582, Rajdanga Main Road, Kolkata -700107.

Copy to: Member Secretary, JSPCB, T.A. Division Building (Ground Floor), H.E.C, Dhurwa,
Ranchi - 834004.

Copy to: Regional Officer, JSPCB, HIG -1 Sardar Patel Nagar, Housing Colony, Hirapur,
Dhanbad

TATA STEEL LIMITED

Jharia Collieries Jamadoba 828 112 Dhanbad India
Tel 91 326 2320263/2320265/2320267 Fax 91 326 2320268
Regd. Office Bombay House 24 Homi Mody Street Fort Mumbai 400 001
Tel 91 22 66658282 Fax 91 22 66657724
Corporate Identity Number L27100MH1907PLC000260 Website www.tatasteel.com

HALF YEARLY COMPLIANCE REPORT
(PERIOD: APRIL'23 – SEPTEMBER'23)

DIGWADIH COLLIERY
(CAPACITY: EXPANSION FROM 0.38 TO 0.6 MTPA RAW COAL)
TEHSIL: JHARIA, DIST: DHANBAD, JHARKHAND



TATA STEEL LIMITED, JHARIA DIVISION

**P.O. - JAMADOBA, DIST. - DHANBAD,
STATE- JHARKHAND, PIN CODE – 828112**

**ENVIRONMENTAL CLEARANCE GRANTED VIDE LETTER NO. - J-
11015/372/2010-IA.II(M) DATED- 30.09.2013 ISSUED BY GOVT. OF INDIA,
MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE, NEW
DELHI.**

Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013

S. No.	Condition	Compliance Status
Specific Condition		
(i)	The maximum production from the mines shall not exceed beyond that for which environmental clearance has been granted.	It is being strictly followed. The EC capacity is for 0.6 MTPA raw coal while the raw coal production for Digwadih Colliery is well below the limit.
(ii)	The impact on the Damodar river due to mining activity which is at a distance of 2 km be studied through a reputed 3 rd Party and submitted to the SPCB and the regional office of the MoEF for monitoring.	<p>The underground coal mines operated by Tata Steel Ltd are adjacent to the Damodar River. Other coal mines of BCCL & SAIL are also in close proximity to the river basin. Major source of pollution of Damodar River is the flow of industrial effluents and untreated sewage water into the river. A number of OB dumps lie close to the river banks causing the flow of sediments into the river.</p> <p>As per the hydrology study conducted by Indian School of Mines, Dhanbad, the impact of the underground mines of Tata Steel Ltd is minimal. This is due to the following reasons</p> <ul style="list-style-type: none"> • The mining activity does not require any diversion of river/streams or natural drain. As land profile does not change appreciably in case of underground mines with backfilling of mined out areas, there is no change in surface drainage till date and unlikely to occur in future. • Surface water quality also does not undergo any change, as there is no discharge to surface drainage in dry season. In Monsoon, the excess mine water discharged gets mixed with storm water. • Large settling tanks are available for storage and sedimentation of mine water before its discharge to conform to the norms. The industrial wastewater generated during vehicle washing from the central workshop catering to all the mines is treated in oil and grease trap followed by recycling of water.

Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013

		<ul style="list-style-type: none"> • The two coal washeries of Tata Steel are operating on Zero Liquid discharge (ZLD) principle. • Sewage water generated from our townships is treated in STP. For Sijua group, one STP of 200 KLD and another STP of 50 KLD has been installed in Bhelatand Colonies, 10 KLD has been installed at Sijua canteen and Bhelatand canteen individually. For Jamadoba group, 10 KLD STP/ETP installed in washery, Canteen, Garage and Hospital individually, other than that 60 KLD and 30 KLD installed at Digwadih Colony, 50 KLD installed at Railway Colony.
(iii)	Details of underground transportation of coal from mine to coal yard/ rail yard be submitted to the MoEF for record.	Coal from the mine is sent to the captive Jamadoba coal washery for beneficiation purpose through a network of underground conveyor belts. The detailed diagram of transportation network has already been submitted in earlier compliance reports.
(iv)	Adequate care be taken to prevent sand spillages from the trucks/tippers.	The trucks that are being used for the transportation of sand are properly covered using tarpaulin sheets. Larger trucks have been engaged for reducing no of cycles. To ensure the compliance, every vehicle is checked as per vehicle checklist on PUC, Tyre /body condition, emission check at every entry point. Quality checks are done on trucks to ensure its health.
(v)	The test results of the study of leaching of heavy metals from bottom-ash be submitted to SPCB and the regional office of the MoEF for monitoring.	A study conducted in 2013, by Indian School of Mines, Dhanbad to assess the leachability characteristics of fly ash and bottom ash samples taken from us, has determined that the concentration of heavy metals in the leachates were invariably well below the permissible limits for discharge of effluents as per the Indian standards IS 2490 (1993). The test results have already been submitted in December'13 and also re-submitted in April'18.

Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013

(vi)	The CSR activities shall be need based and detailed CSR plan be prepared for implementation.	The CSR plan for each financial year is prepared by TSRDS (Tata Steel Rural Development Society) only after proper discussions to assess the needs have been held with the elected/ senior members of the communities where our CSR activities are to be undertaken.
(vii)	The detailed breakup of funds during 2012-13 be submitted to the MoEF for record. A social audit to be got done annually by a reputed institute and uploaded on the company's website.	The detailed breakup has already been submitted to MOEF. The Corporate Sustainability Reports viz. Integrated Reports are made annually for the company which is certified by an assurance agency. It also includes the Social Audit of the company. All the reports are uploaded on the Tata Steel website. Further, an internal Social audit is also conducted once in five years
(viii)	There should be no OB dumps at the end of the mining.	Since this is an underground mine, it is not applicable.
(ix)	Regular monitoring of subsidence movement on the surface over and around the working area and impact on natural drainage pattern, water bodies, vegetation, structure, roads, and surroundings shall be continued till movement ceases completely. In case of observation of any high rate of subsidence movement, appropriate effective corrective measures shall be taken to avoid loss of life and material. Cracks shall be effectively plugged with ballast and clayey soil/suitable material.	Regular monitoring of subsidence is done by Central Institute for Mining and Fuel Research, Dhanbad. According to the subsidence reports, the impact of subsidence is negligible since the underground mine workings are now at great depth and proper filling of voids through sand stowing is being done.
(x)	If subsidence is found exceeding the permitted limits, then the landowners shall be adequately compensated with mutual agreement of the landowners.	It will be strictly followed.
(xi)	Mining shall be carried out as per statuette at a safe distance from the river/nallah flowing adjacent to the lease boundary.	Since this is an underground project, there is hardly any impact on the river/ nallah. The closest jore is at a distance of about 2kms from the mine office area. Therefore, no

Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013

		impact on the course of flow in the jore is anticipated.
(xii)	High root density tree species shall be selected and planted over areas likely to be affected by subsidence.	Impact on land by subsidence has been found to be negligible as per the subsidence monitoring reports prepared by CIMFR, Dhanbad.
(xiii)	Coal extraction shall also be optimized in areas where agricultural production is continuing. Some pillars shall be left below the agricultural land. No depillaring & coal extraction should be carried out below habitation, H.T. Lines & beneath road, water bodies.	It will be strictly followed.
(xiv)	Subsidence shall be monitored closely and if subsidence is found exceeding the permitted limits, then the landowners shall be adequately compensated with mutual agreement with the landowners.	Regular monitoring of subsidence is being done by CIMFR, Dhanbad.
(xv)	3-tier plantation should be developed 2 km stretch of road from the mine using native species.	Plantation along stretches of road has been done. 3-tier plantation is not feasible due to presence of private land around the periphery of colliery. However, plantation has been done on vacant plots and areas
(xvi)	Garland drains (size, gradient and length) around the safety areas such as mine shaft and low lying areas and sump capacity shall be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine sites. Sump capacity shall also provide adequate retention period to allow proper settling of silt material.	Garland drains of adequate size and gradient already exist around the colliery area to channelize the surface runoff. The details of size of garland drain mapped in surface plan has been submitted earlier in April'18.
(xvii)	The locations of monitoring stations in the Jharia Coalfields should be finalized in consultation with the Jharkhand State Pollution Control Board. The smoke/dust emission varies from source to source (fuel wood, coal, flyash from TPPs, silica from natural dust, etc). Mineralogical composition study should	The locations of monitoring stations for our colliery have already been finalized in consultation with JSPCB, Dhanbad. The mineralogical composition study has been carried out by an independent laboratory (recognized by JSPCB and NABL) and the results are provided in Annexure .

Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013

	be undertaken on the composition of the suspended particulate matter (PM10 and PM2.5) in Jharia Coalfields and also quantified. These studies would help ascertain source and extent of the air pollution, based on which appropriate mitigative measures could be taken.	
(xix)	Water sprinkling system shall be provided to check fugitive emissions from loading operations, conveyor system, haulage roads, transfer points, etc. Major approach roads shall be black topped and properly maintained.	Water spraying arrangement is present in the underground mines at all transfer points. Water spraying via tankers is done on sand transportation routes. Major approach roads have been black-topped and maintained regularly.
(xx)	Transportation of coal from the mine to railway siding should be by 20T mechanically covered trucks.	Not applicable due to transportation of coal via underground belt conveyor network system directly to washery.
(xxi)	A progressive afforestation plan shall be prepared and implemented over the mine lease area acquired and shall include areas under green belt development, areas along roads, infrastructure, along ML boundary and township etc, by planting native species in consultation with the local DFO/Agriculture Department.	Tree plantation activities are carried out every year on the barren/ degraded areas, areas along road-side, infrastructure, etc of the colliery leasehold. Apart from these, fruit plants are distributed to employees and also to villagers, schools, institutions, etc. The environment department is responsible for implementing the afforestation plan which is prepared along with the mine management. High root density trees of native species are planted under annual plantation program and around 25093 Nos of saplings were planted in the FY23.
(xxii)	Regular monitoring of groundwater level and quality shall be carried out by establishing a network of existing wells and construction of new piezometers. The monitoring for quantity shall be done four times a year in pre-monsoon (May), monsoon (August), post-monsoon (November) and winter (January) seasons and for quality in May. Data thus collected shall be submitted to the MoEF&CC and to the CPCB	The regular monitoring of groundwater level and quality is done as per the requirement. The groundwater quality report & groundwater level reports are provided in Annexure.

Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013

	quarterly within one month of monitoring.	
(xxiii)	Acid Water Treatment Plant, volume of water to be treated and disposal of brine should be provided.	Not applicable.
(xxiv)	Mine discharge water outside the ML shall be monitored, particularly for TDS and treated to conform to prescribed levels before discharge into the natural environment.	There is one mine-water outlet point in the colliery which is regularly monitored by the Environmental Laboratory.
(xxv)	The Company shall put up artificial groundwater recharge measures for augmentation of groundwater resource, in case water table shows a declining trend. The project authorities shall meet water requirement of nearby village(s) in case the village wells go dry due to dewatering of mine.	Most of the water pumped out during underground mining activity is re-circulated back into the mine for the purpose of stowing. Backfilling of mine voids by stowing is done using sand which is having the porosity to hold the underground water thus helping aquifer to retain the underground water. Further, there are a number of ponds existing on the surface of the mining lease which act as natural reservoirs for recharging ground water. These ponds/ tanks are regularly cleaned and maintained by our CSR department. As per the hydro-geological report, the variation in the ground water level is only seasonal. The water requirement of the nearby villages is being met by the company already. Now piped drinking water is being provided.
(xxvi)	Besides carrying out regular periodic health checkup of their workers, 10% of the workers identified from workforce engaged in active mining operations shall be subjected to health checkup for occupational diseases and hearing impairment, if any, through an agency such as NIOH, Ahmedabad within a period of one year and the results reported to this Ministry and to DGMS.	The periodic health checkup of the workers is done regularly by our Occupational Health Department, Tata Central Hospital, Jamadoba. We have a PME (Periodic Medical Examination) Centre approved by DGMS where 20 % of the workers identified from workforce engaged in active mining operations are subjected to full medical checkup including hearing impairment checkup, etc. These results are regularly submitted to DGMS as per mines rules. Some sample reports and as well as past records have been submitted in previous compliance reports.

Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013

(xxvii)	The mining in the existing mines would be phased out after expiry of the current mining lease and after reclamation of mined over area. The operating mines may be analyzed and monitored for compliance of conditions, having bearing with movement of wild life until such time they are closed/ phased out.	It is not applicable in our case.
(xxviii)	Project specific CSR for an amount of Rs 5/Tonne of coal production should be provided for the activities under CSR undertaken for the neighboring villages shall be for not less than Rs 10 per tonne of coal and the progress made thereon shall be uploaded by the company annually on the company website. Monitoring of the impacts of activities under CSR shall be carried out periodically.	<p>The proposed CSR expenditure for the entire company is decided as per the new Company Rules. Once the CSR budget for company is fixed, a share of that amount is dedicated and utilized for implementing the CSR activities at our Jharia Division level. The CSR expenditure for FY23 is Rs. 11.84 crores.</p> <p>CSR data submitted is for Jharia Division which comprises all 5 collieries and 2 washeries. Jamadoba Washery, Digwadih Colliery and 6&7 Pits Colliery are adjacent to each other and fall under same leasehold area i.e. Jamadoba group of collieries. The core zone and buffer zone of all above units overlap to each other and in many cases, the villages are same where CSR work is going on. Therefore, we have a central budget for CSR which is managed by a team of experts who are dedicatedly involved in providing benefits and improving standard of living in over 50+ villages and municipal wards. Hence, separate CSR expenditure for individual unit cannot be estimated. For calculation/ statutory reporting purpose, the consolidated CSR expenditure can be divided into unit-wise based on size of leasehold area of individual units.</p> <p>The progress report is uploaded every year on the company website. Internal social audits are carried out regularly to assess the impact of CSR activities.</p>
(xxix)	A Final Mine Closure Plan along with details of Corpus Fund shall be	Mine Closure Plan has been approved by Ministry of Coal, New Delhi. Details on

Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013

	submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.	deposition of closure cost in escrow account along with expenditure incurred for progressive closure is regularly submitted to Office of Coal controller. Final mine closure along with details of corpus fund will be submitted to MoEF&CC 5 years in advance.
(xxx)	<p>Corporate Environment Responsibility:</p> <p>a)The Company shall have a well laid down Environment Policy approved by the Board of Directors.</p> <p>b)The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest norms/conditions.</p> <p>c)The hierarchical system or Administrative Order of the company to deal with environmental issues and for ensuring compliance with the environmental clearance conditions shall be furnished.</p> <p>d) To have proper checks and balances, the company shall have a well laid down system of reporting of non-compliances/violations of environmental norms to the Board of Directors of the company and/or shareholders or stakeholders at large.</p>	<p>The Company already has an Environment Policy approved by the Managing Director and it addresses all the issues mentioned.</p> <p>The status of adherence to the policy and compliance to Environmental laws and regulations is regularly discussed at higher levels. Any non-compliance noticed is corrected at divisional level. If any issue is beyond our control, it is brought to the notice of higher management.</p> <p>Moreover, Digwadih Colliery is IMS (Integrated Management System: Quality Management System, Environment Management System and OHSAS) certified unit addressing all environment aspects, impacts and needs and expectation of interested parties with respect to environment protection.</p>

B.	GENERAL CONDITIONS	
(i)	No change in technology and scope of working shall be made without prior approval of the MoEF.	It is being strictly followed. Board and Pillar method is being used for mining.
(ii)	No change in the calendar plan including quantum of mineral coal and waste being produced shall be made.	It will be strictly followed.

Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013

(iii)	Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for monitoring PM10, PM2.5, SO2 and NOx. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, in RSPM etc. shall be carried out at least once in six months.	The Air quality monitoring stations are: (i)Jamadoba Group Office (Core Zone) (ii)New Village Colony, Jamadoba (Buffer Zone) (iii)Digwadih 12 No. Colony (Buffer Zone) (iv)6&7 Pits Kalimandir area (Buffer Zone) Monitoring of heavy metals in ambient air is being performed by an independent laboratory (recognized by JSPCB & NABL) on quarterly basis. The results are enclosed as Annexure .
(iv)	Data on ambient air quality (PM10, PM2.5, SO2 and NOx and heavy metals such as Hg, As, Ni, Cr, etc) and other monitoring data shall be regularly submitted to the Ministry including its Regional Office at Bhubaneswar and to the SPCB and the CPCB once in six months. Random verification of samples through analysis from independent laboratories recognised under the EP Rules, 1986 shall be furnished as part of the compliance report.	Ambient air quality report (PM10, PM 2.5, SO2 and NOx) for the period from April'23 to Sep'23 is attached as Annexure . Additionally, third party monitoring is being done through a JSPCB and NABL recognized Laboratory for PM10, PM 2.5, SO2, NOx, CO, NH3, O3 and heavy metals (As, Ni, Cd and Cr). The results are enclosed as Annexure .
(v)	Adequate measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with ear plugs/muffs.	Regular noise survey is being conducted in the underground work environment. Workers are provided with ear-plugs/ muffs in high noise areas.
(vi)	Industrial wastewater (workshop and wastewater from the mine) shall be properly collected, and treated so as to conform to the standards including for heavy metals before discharge prescribed under GSR 422 (E) dated 19th May 1993 and 31st December 1993 or as amended from time to time. Oil and grease trap shall be installed	No industrial wastewater is generated in Digwadih Colliery premises. There is a central workshop and garage in Jamadoba where Effluent Treatment Plant having oil and grease trap facility has been provided.

Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013

	before discharge of workshop effluents.	
(vii)	Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of the mineral shall be covered with tarpaulins and optimally loaded.	Only the vehicles having valid PUC certificates are being allowed to operate for sand transportation. Coal transportation is done through underground belt network. Only sand transportation is done through trucks which are covered with tarpaulins as well as optimally loaded.
(viii)	Monitoring of environmental quality parameters shall be carried out through establishment of adequate number and type of pollution monitoring and analysis equipment in consultation with SPCB and data got analysed through a laboratory recognised under EP Rules, 1986.	We have a fully equipped Environment Cell Laboratory with qualified personnel. The monitoring and analysis is also done at regular intervals by a JSPCB & NABL accredited laboratory We have also installed a Continuous Ambient Air Quality Monitoring Station at Jamadoba for real time monitoring.
(ix)	Monitoring of outlet points should be carried out and records of same should be maintained and submitted to the Regional Office of the MOEF as part of the Compliance Report.	There is one mine-water outlet point in the colliery which is regularly monitored by the Environmental Laboratory. The analysis results have been provided as Annexure .
(x)	Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects. Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed.	Persons working in dusty area have been provided with dust masks & have been given awareness training on safety & health aspects. Regular PME (Periodic Medical Examinations) are being done.
(xi)	A separate environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the company.	We have a separate Environmental Management Cell with qualified personnel . The reporting of Environmental Cell is directly to General Manager of the Division. Environment policy has been attached as Annexure.
(xii)	The funds earmarked for environmental protection measures	The Environment Cell has a separate fund for Environmental protection measures and for

Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013


	shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its Regional Office at Bhubaneswar.	complying with legal requirements. The annual environmental expenditure for the financial year 2022-2023 is Rs. 348.74 lakhs.
(xiii)	The Project authorities shall advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution control Board and may also be seen at the website of the ministry of Environment & Forests at http://envfor.nic.in .	It has been complied with. Attached as Annexure.
(xiv)	A copy of the environmental clearance letter shall be marked to concerned Panchayat/Zila Parishad, Municipal Corporation or Urban Local Body and local NGO, if any, from whom any suggestion/representation has been received while processing the proposal. A copy of the clearance letter shall also be displayed on the company's website.	It has been complied with. Attached as Annexure.
(xv)	A copy of the clearance letter shall be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office, District Industry Centre and Collector's Office/Tehsildar's Office for 30 days.	It has been complied with.
(xvi)	The clearance letter shall be uploaded on the company's website. The compliance status of the stipulated EC conditions shall also be uploaded by the project authorities on their website and updated at least once every six months so as to bring the same in the public	The clearance letter has been uploaded on the company's website. The compliance status (as Half-yearly compliance report) is being uploaded in company's website. The display of information near the mine's office has been done.

Compliance status of Digwadih Colliery of M/s Tata Steel Ltd. for (Expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand vide MoEFCC Letter no J-11015/372/2010-IA.II (M) dated September 30, 2013

	domain. The monitoring data of environmental quality parameters (air, water, noise and soil) and critical pollutants such as PM10, PM2.5, SO2 and NOx (ambient and stack if any) and critical sectoral parameters shall also be displayed at the entrance of the project premises and mines office and in corporate office and on the company's website.	
(xvii)	The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions (both in hard copy and in e-mail) to the respective Regional Office of the MOEF, the respective Zonal offices of CPCB and the SPCB.	It is being complied
(xviii)	The Regional Office of this Ministry located at Bhopal shall monitor compliance of the stipulated conditions. The Project authorities shall extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data/information/monitoring reports.	It will be complied with.
(xix)	The environmental statement for each financial year ending 31st March in Form-V is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be uploaded on the company's website along with the status of compliance of EC conditions and shall be sent to the respective Regional Offices of the MOEF by E-mail.	The environmental statement for financial year 2022-23 has been submitted to JSPCB vide letter no. JMB/ENV/ESSA/05/738/2023 on 29 th September 2023 and it is also uploaded on the company website. The soft copy of Environment Statement is also sent to MOEF by email at ro.ranchi-mef@gov.in.

Annexure- Greenbelt Development Report

Glimpses of already existing green belt and plantation activities done in this monsoon season in and around Digwadih colliery premises to enhance the green cover have been depicted in the pictures below:



Picture: Plantation done in this monsoon season in and around Digwadih Colliery premises



Picture: Developed Green belt in and around Digwadih Colliery premises



Picture: Developed Green belt in and around Digwadih Colliery premises

AIR QUALITY REPORT
Core zone & Buffer zone

Period- April'23 to June'23

No. of sampling points: 4

Core zone (as per Air quality standards for coal mines in EPA Notification, 1988)							
Location	Latitude/ Longitude	Date	Weather Condition	SPM 24 Hourly Limit- 700 µg/m ³	RSPM 24 Hourly Limit- 300 µg/m ³	SO ₂ 24 Hourly Limit- 120 µg/m ³	NO _x 24 Hourly Limit-120 µg/m ³
Jamadoba Group Office	23°42'15.3" N/ 86°24'11" E	07.04.23	Clear	337.9	96.4	15.8	18.6
6&7 Pits Kalimandir area	23°43'15" N/ 86°24'12" E	08.05.23	Clear	248.5	89.9	14.8	18.4
		16.06.23	Clear	278.9	84.5	16.8	18.7
Buffer zone (as per NAAQS 2009 for ambient air quality standards)							
Location	Latitude/ Longitude	Date	Weather Condition	PM10 24 Hourly Limit- 100µg/m ³	PM2.5 24 Hourly Limit- 60µg/m ³	SO ₂ 24 Hourly Limit- 80µg/m ³	NO ₂ 24 Hourly Limit- 80µg/m ³
Digwadih 12 No. Colony	23°41'42" N/ 86°24'45.3" E	05.04.23	Clear	85.6	43.2	12.1	14.5
		04.05.23	Cloudy	68.4	32.7	13.5	17.9
		13.06.23	Clear	87.0	45.3	14.1	19.4
New Village Colony, Jamadoba	23°41'51" N/ 86°23'19" E	06.04.23	Clear	89.7	48.5	14.2	17.3
		09.05.23	Clear	93.4	49.7	16.4	19.3
		14.06.23	Clear	90.5	47.1	15.8	17.2
6&7 Pits Kalimandir colony	23°43'15" N/ 86°24'12" E	04.04.23	Clear	94.3	50.2	16.8	19.5
Jamadoba Group Office	23°42'15.3" N/ 86°24'11" E	03.05.23	Clear	72.3	35.1	12.8	16.8
		15.06.23	Clear	82.6	40.2	17.9	20.1

Sr. Manager (Environment)

AIR QUALITY REPORT
Core zone & Buffer zone

Period- July'23 to September'23

No. of sampling points: 4

Core zone (as per Air quality standards for coal mines in EPA Notification, 1988)							
Location	Latitude/ Longitude	Date	Weather Condition	SPM 24 Hourly Limit- 700 $\mu\text{g}/\text{m}^3$	RSPM 24 Hourly Limit- 300 $\mu\text{g}/\text{m}^3$	SO ₂ 24 Hourly Limit- 120 $\mu\text{g}/\text{m}^3$	NO _x 24 Hourly Limit-120 $\mu\text{g}/\text{m}^3$
6&7 Pits Kalimandir area	23°43'15" N/ 86°24'12" E	04.07.23	Clear	208.3	68.4	13.5	16.1
		11.08.23	Cloudy	186.4	65.7	15.6	18.3
		05.09.23	Cloudy	192.8	67.1	17.8	20.4
Buffer zone (as per NAAQS 2009 for ambient air quality standards)							
Location	Latitude/ Longitude	Date	Weather Condition	PM10 24 Hourly Limit- 100 $\mu\text{g}/\text{m}^3$	PM2.5 24 Hourly Limit- 60 $\mu\text{g}/\text{m}^3$	SO ₂ 24 Hourly Limit- 80 $\mu\text{g}/\text{m}^3$	NO ₂ 24 Hourly Limit- 80 $\mu\text{g}/\text{m}^3$
Digwadih 12 No. Colony	23°41'42" N/ 86°24'45.3" E	07.07.23	Clear	84.2	42.6	13.9	17.3
		10.08.23	Cloudy	72.4	36.8	15.3	18.5
		08.09.23	Cloudy	70.5	35.2	16.7	19.4
New Village Colony, Jamadoba	23°41'51" N/ 86°23'19" E	05.07.23	Clear	70.4	38.2	16.3	18.0
		09.08.23	Cloudy	68.3	34.1	17.8	20.6
		06.09.23	Cloudy	65.2	31.7	15.3	18.2
Jamadoba Group Office	23°42'15.3" N/ 86°24'11" E	06.07.23	Cloudy	66.3	36.4	15.8	19.7
		07.08.23	Cloudy	63.1	32.4	14.6	17.2
		07.09.23	Cloudy	66.4	33.9	18.2	21.7



Sr. Manager (Environment)

**Ground Water Quality Analysis (Hand Pump & Dung Well)
(Pre- Monsoon Season- May'2023)**

S.No	Date	Location	Time	Depth in meter	pH	Electrical Conductivity, $\mu\text{S/m}$
1	30.05.23	Purnadih (Jorapokhar)	11:50 AM	6.54	7.2	948
2	30.05.23	Bhowra 13 No	12:25 PM	4.17	7.3	987
3	30.05.23	Mohalbani Basti	12:50 PM	7.21	7.4	859
4	30.05.23	Digwadih 10 No F & J	01:15 PM	4.39	7.3	1147
5	30.05.23	Kalimela Shivmandir	11:05 AM	2.63	7.1	931
6	30.05.23	Kalimela Kalimandir	11:20 AM	5.89	7.2	1092
7	30.05.23	Lower Dungari	10:40 AM	7.25	7.3	757
8	30.05.23	Upper Dungari	10:15 AM	4.86	7.2	843
9	30.05.23	Pattia Basti	09:55 AM	5.34	7.4	829
10	30.05.23	Kenduadih Basti	09:35 AM	3.67	7.2	784
11	30.05.23	Jorapokhar Kushtand	11:30 AM	6.21	7.3	1037
12	30.05.23	6&7 Pits (Ayodhya Nagri)	02:05 PM	4.52	7.1	870
13	30.05.23	Jorapokhar Basti Chhattand	01:35 PM	3.63	7.3	753
14	30.05.23	Jorapokhar Babu Basa	12:05 PM	5.37	7.0	1046




Sr. Manager (Environment)



**Ground Water Quality Analysis (Hand Pump & Dung Well)
(Monsoon Season- August'2023)**



S.No	Date	Location	Time	Depth in meter	pH	Electrical Conductivity $\mu\text{S/m}$
1	16.08.23	Purnadih (Jorapokhar)	12:35 PM	4.37	7.3	968
2	16.08.23	Bhowra 13 No	12:55 PM	1.56	7.2	1218
3	16.08.23	Mohalbani Basti	03:10 PM	2.87	7.0	1210
4	16.08.23	Digwadih 10 No F & J	01:30 PM	1.93	7.4	1217
5	16.08.23	Kalimela Shivmandir	11:10 AM	0.98	7.2	938
6	16.08.23	Kalimela Kalimandir	11:25 AM	3.64	7.3	1179
7	16.08.23	Lower Dungari	10:50 AM	3.84	7.5	684
8	16.08.23	Upper Dungari	10:30 AM	1.64	7.3	862
9	16.08.23	Pattia Basti	10:05 AM	3.51	7.3	869
10	16.08.23	Kenduadih Basti	09:40 AM	1.98	7.6	826
11	16.08.23	Jorapokhar Kushtand	11:55 AM	2.76	7.8	1310
12	16.08.23	6&7 Pits (Ayodhya Nagri)	02:25 PM	1.53	7.5	764
13	16.08.23	Jorapokhar Basti Chhattand	01:50 PM	0.64	7.2	879
14	16.08.23	Jorapokhar Babu Basa	12:15 PM	1.51	7.6	929





Sr. Manager (Environment)

	ADITI R&D SERVICES Testing Laboratory NABL ACCREDITED (A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified	Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditirndservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377 Mobile: 09471358492, 09431512608		
	Ref. No.: - ARDS/23-24/340	Date: 22.05.2023		
<u>TEST REPORT OF AMBIENT AIR QUALITY</u>				
<ul style="list-style-type: none"> • Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND) • Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021 • Date of Sample Collection : 16.05.2023 to 17.05.2023 • Date of Testing : 18.05.2023 to 20.05.2023 • Test Procedure : As per IS-5182 				
<u>TEST RESULTS</u>				
LOCATION – 6 & 7 PITS COLLIERY OFFICE				
	Avg. Ambient Temperature	38°C	Avg. Humidity	27%
SI No.	Particulars	Value	NAAQ - CPCB STANDARD	
1.	Particulate Matter (PM ₁₀), µg/m ³	84.33	100 µg/m ³	
2.	Particulate Matter (PM _{2.5}), µg/m ³	53.62	60 µg/m ³	
3.	SO ₂ , µg/m ³	18.04	80 µg/m ³	
4.	NO ₂ , µg/m ³	32.93	80 µg/m ³	
5.	Ozone, µg/m ³	16.88	180 µg/m ³	
6.	NH ₃ , µg/m ³	17.54	400 µg/m ³	
7.	CO, mg/m ³	0.98	4 mg/m ³	
8.	Pb, µg/m ³	BDL	1 µg/m ³	
9.	As, ng/m ³	BDL	6 ng/m ³	
10.	Ni, ng/m ³	BDL	20 ng/m ³	
11.	Benzene, µg/m ³	BDL	5 µg/m ³	
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³	
NOTE: BDL - Below Detection Limit				
 Sr. Chemist Aditi R&D Services			 Technical Manager Aditi R&D Services, Sindri	
Statements :				
1. The test report refers only to the particular item(s) submitted for testing.				
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.				
3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.				

ADITI R&D SERVICES		Testing Laboratory		NABL ACCREDITED	
		Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditimservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377 Mobile: 09471358492, 09431512608		(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified	
Ref. No.: - ARDS/23-24/341			Date: 22.05.2023		
TEST REPORT OF AMBIENT AIR QUALITY					
<ul style="list-style-type: none"> Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND) Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021 Date of Sample Collection : 16.05.2023 to 17.05.2023 Date of Testing : 18.05.2023 to 20.05.2023 Test Procedure : As per IS-5182 					
TEST RESULTS					
LOCATION – OFFICERS COLONY, 12 NO. DIGWADIH					
	Avg. Ambient Temperature	38 ^o C	Avg. Humidity	27 %	
Sl No.	Particulars	Value	NAAQ - CPCB STANDARD		
1.	Particulate Matter (PM ₁₀), µg/m ³	85.15	100 µg/m ³		
2.	Particulate Matter (PM _{2.5}), µg/m ³	52.12	60 µg/m ³		
3.	SO ₂ , µg/m ³	19.35	80 µg/m ³		
4.	NO ₂ , µg/m ³	26.72	80 µg/m ³		
5.	Ozone, µg/m ³	17.59	180 µg/m ³		
6.	NH ₃ , µg/m ³	14.88	400 µg/m ³		
7.	CO, mg/m ³	0.83	4 mg/m ³		
8.	Pb, µg/m ³	BDL	1 µg/m ³		
9.	As, ng/m ³	BDL	6 ng/m ³		
10.	Ni, ng/m ³	BDL	20 ng/m ³		
11.	Benzene, µg/m ³	BDL	5 µg/m ³		
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³		
NOTE: BDL - Below Detection Limit					
 Sr. Chemist Aditi R&D Services				 Technical Manager Aditi R&D Services, Sindri	
Statements :					
1. The test report refers only to the particular item(s) submitted for testing.					
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.					
3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.					

	<h2 style="margin: 0;">ADITI R&D SERVICES</h2> <h3 style="margin: 0;">Testing Laboratory</h3> <p style="margin: 0;">NABL ACCREDITED</p> <p style="margin: 0;">(A Constituent Board of Quality Council of India)</p> <p style="margin: 0;">ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified</p>	Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditirdservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377 Mobile: 09471358492, 09431512608																																																																						
Ref. No.: - ARDS/23-24/342	Date: 22.05.2023																																																																							
TEST REPORT OF AMBIENT AIR QUALITY																																																																								
<ul style="list-style-type: none"> • Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND) • Work Order Ref. NO. : 4700092573/932 Dt. 20.07.2021 • Date of Sample Collection : 16.05.2023 to 17.05.2023 • Date of Testing : 18.05.2023 to 20.05.2023 • Test Procedure : As per IS-5182 																																																																								
TEST RESULTS																																																																								
LOCATION – CENTRAL WORKSHOP AREA , JAMADOBA																																																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 40%;">Avg. Ambient Temperature</th> <th style="width: 10%;">38^oC</th> <th style="width: 15%;">Avg. Humidity</th> <th style="width: 25%;">27%</th> </tr> </thead> <tbody> <tr> <td>SI No.</td> <td>Particulars</td> <td>Value</td> <td colspan="2">NAAQ - CPCB STANDARD</td> </tr> <tr> <td>1.</td> <td>Particulate Matter (PM₁₀), µg/m³</td> <td>90.35</td> <td colspan="2">100 µg/m³</td> </tr> <tr> <td>2.</td> <td>Particulate Matter (PM_{2.5}), µg/m³</td> <td>53.25</td> <td colspan="2">60 µg/m³</td> </tr> <tr> <td>3.</td> <td>SO₂, µg/m³</td> <td>20.45</td> <td colspan="2">80 µg/m³</td> </tr> <tr> <td>4.</td> <td>NO₂, µg/m³</td> <td>28.69</td> <td colspan="2">80 µg/m³</td> </tr> <tr> <td>5.</td> <td>Ozone, µg/m³</td> <td>16.52</td> <td colspan="2">180 µg/m³</td> </tr> <tr> <td>6.</td> <td>NH₃, µg/m³</td> <td>17.83</td> <td colspan="2">400 µg/m³</td> </tr> <tr> <td>7.</td> <td>CO, mg/m³</td> <td>1.10</td> <td colspan="2">4 mg/m³</td> </tr> <tr> <td>8.</td> <td>Pb, µg/m³</td> <td>BDL</td> <td colspan="2">1 µg/m³</td> </tr> <tr> <td>9.</td> <td>As, ng/m³</td> <td>BDL</td> <td colspan="2">6 ng/m³</td> </tr> <tr> <td>10.</td> <td>Ni, ng/m³</td> <td>BDL</td> <td colspan="2">20 ng/m³</td> </tr> <tr> <td>11.</td> <td>Benzene, µg/m³</td> <td>BDL</td> <td colspan="2">5 µg/m³</td> </tr> <tr> <td>12.</td> <td>Benzoapyrene ng/m³</td> <td>BDL</td> <td colspan="2">1 ng/m³</td> </tr> </tbody> </table>				Avg. Ambient Temperature	38 ^o C	Avg. Humidity	27%	SI No.	Particulars	Value	NAAQ - CPCB STANDARD		1.	Particulate Matter (PM ₁₀), µg/m ³	90.35	100 µg/m ³		2.	Particulate Matter (PM _{2.5}), µg/m ³	53.25	60 µg/m ³		3.	SO ₂ , µg/m ³	20.45	80 µg/m ³		4.	NO ₂ , µg/m ³	28.69	80 µg/m ³		5.	Ozone, µg/m ³	16.52	180 µg/m ³		6.	NH ₃ , µg/m ³	17.83	400 µg/m ³		7.	CO, mg/m ³	1.10	4 mg/m ³		8.	Pb, µg/m ³	BDL	1 µg/m ³		9.	As, ng/m ³	BDL	6 ng/m ³		10.	Ni, ng/m ³	BDL	20 ng/m ³		11.	Benzene, µg/m ³	BDL	5 µg/m ³		12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³	
	Avg. Ambient Temperature	38 ^o C	Avg. Humidity	27%																																																																				
SI No.	Particulars	Value	NAAQ - CPCB STANDARD																																																																					
1.	Particulate Matter (PM ₁₀), µg/m ³	90.35	100 µg/m ³																																																																					
2.	Particulate Matter (PM _{2.5}), µg/m ³	53.25	60 µg/m ³																																																																					
3.	SO ₂ , µg/m ³	20.45	80 µg/m ³																																																																					
4.	NO ₂ , µg/m ³	28.69	80 µg/m ³																																																																					
5.	Ozone, µg/m ³	16.52	180 µg/m ³																																																																					
6.	NH ₃ , µg/m ³	17.83	400 µg/m ³																																																																					
7.	CO, mg/m ³	1.10	4 mg/m ³																																																																					
8.	Pb, µg/m ³	BDL	1 µg/m ³																																																																					
9.	As, ng/m ³	BDL	6 ng/m ³																																																																					
10.	Ni, ng/m ³	BDL	20 ng/m ³																																																																					
11.	Benzene, µg/m ³	BDL	5 µg/m ³																																																																					
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³																																																																					
NOTE: BDL - Below Detection Limit																																																																								
 Sr. Chemist Aditi R&D Services		 Technical Manager Aditi R&D Services, Sindri																																																																						
Statements : 1. The test report refers only to the particular item(s) submitted for testing. 2. The test results reported in this report are valid at the time of and under the stated condition of measurement. 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.																																																																								

ADITI R&D SERVICES		Testing Laboratory		NABL ACCREDITED	
(A Constituent Board of Quality Council of India)		ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified		Plot No. - I-B-17 (P) Sindri, Industrial Area. P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditimdsservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377 Mobile: 09471358492, 09431512608	
Ref. No.: - ARDS/23-24/343			Date: 22.05.2023		
TEST REPORT OF AMBIENT AIR QUALITY					
<ul style="list-style-type: none"> Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND) Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021 Date of Sample Collection : 16.05.2023 to 17.05.2023 Date of Testing : 18.05.2023 to 20.05.2023 Test Procedure : As per IS-5182 					
TEST RESULTS					
LOCATION – TATA CENTRAL HOSPITAL					
Avg. Ambient Temperature		38 ^o C	Avg. Humidity		40%
Sl No.	Particulars	Value	NAAQ - CPCB STANDARD		
1.	Particulate Matter (PM ₁₀), µg/m ³	76.01	100 µg/m ³		
2.	Particulate Matter (PM _{2.5}), µg/m ³	44.61	60 µg/m ³		
3.	SO ₂ , µg/m ³	16.52	80 µg/m ³		
4.	NO ₂ , µg/m ³	32.37	80 µg/m ³		
5.	Ozone, µg/m ³	17.45	180 µg/m ³		
6.	NH ₃ , µg/m ³	14.30	400 µg/m ³		
7.	CO, mg/m ³	0.89	4 mg/m ³		
8.	Pb, µg/m ³	BDL	1 µg/m ³		
9.	As, ng/m ³	BDL	6 ng/m ³		
10.	Ni, ng/m ³	BDL	20 ng/m ³		
11.	Benzene, µg/m ³	BDL	5 µg/m ³		
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³		
NOTE: BDL - Below Detection Limit					
 Sr. Chemist Aditi R&D Services				 Technical Manager Aditi R&D Services, Sindri	
Statements :					
1. The test report refers only to the particular item(s) submitted for testing.					
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.					
3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.					

	<h2 style="margin:0;">ADITI R&D SERVICES</h2> <h3 style="margin:0;">Testing Laboratory</h3> <p style="margin:0;">NABL ACCREDITED</p> <p style="margin:0;">(A Constituent Board of Quality Council of India)</p> <p style="margin:0;">ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified</p>	Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditirdservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377 Mobile: 09471358492, 09431512608							
TEST REPORT OF NOISE (AMBIENT) LEVEL MONITORING									
Ref. No. & Date ARDS/23-24/344 Date: 22.05.2023	NAME AND ADDRESS OF THE CLIENT M/S TATA STEEL, JAMADOBA,								
Date of Monitoring 16.05.2023 TO 17.05.2023	TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)								
Work Order 4700092573/932 Dt. 20.07.2021	Avg. Ambient Temperature (°C) 38	Average Humidity (%) 27	Weather Condition Clear	Status of the plant Running					
MONITORING RESULTS									
Sl. No	Place of Monitoring	Day Time (6 AM to 10 PM) Avg. dB(A)			Night Time (10 PM to 6 AM) Avg. dB(A)			Noise level (Ambient standard) for Industrial Area as per CPCB Noise Pollution (Regulation and Control) (Amendment) Rules , 2000 notified vide S.O. 1046(E) Dt. 22.11.2020 Limit in dB(A) Leq	
		MAX	MIN	AVG. dB(A) Leq	MAX	MIN	AVERAGE dB(A) Leq	Day Time	Night Time
LOCATION								Industrial Area	Industrial Area
JAMADOBA GROUP								75	70
1.	Central Workshop	69.5	56.7	66.71	57.4	44.5	54.61	75	70
2.	6 & 7 Pits Colliery Office	66.4	54.8	63.68	59.6	49.4	56.99		
								Residential Area	Residential Area
3.	Officer Colony 12 No. Digwadih	56.5	48.9	54.19	49.5	44.8	47.76	65	55
								Silence Zone	Silence Zone
4.	Tata Central Hospital	49	46.0	47.75	39	35.10	37.47	50	40
 Sr. Chemist Aditi R&D Services					 Technical Manager Aditi R&D Services, Sindri				
Statements : 1. The test report refers only to the particular item(s) submitted for testing. 2. The test results reported in this report are valid at the time of and under the stated condition of measurement. 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.									

Sl No.	Particulars	Mineralogical Composition (%)			
		SiO ₂	FeO	Al ₂ O ₃	CaO
1.	Central Workshop area, jamadoba	1.78	0.16	1.25	2.35
2.	Officer's colony, 12 no. Digwadih	1.69	0.10	1.29	2.94



ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindri, Industrial Area,
P.O. - Domgarh, Dist. - Dhanbad
Jharkhand - 826107
Email ID: sindriaditi@gmail.com
Website: aditrnds-services.com
Phone: 0326-2952377 (O),
Fax: 0326-2952377
Mobile: 09471358482, 09431512608

Ref. No.: - ARDS/23-24/345

Date: 22.05.2023

TEST REPORT OF MINERALOGICAL COMPOSITION OF PARTICULATE MATTER

- Name of the industry : M/S TATA STEEL, JAMADOBA,
TATA STEEL LIMITED
JAMADOBA GROUP PLANT,
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO. : 4700092573/932 Dt. 20.07.2021
- Date of Sample Collection : 17.05.2023
- Date of Testing : 18.05.2023 – 20.05.2023

TEST RESULTS

Sl No.	Particulars	Mineralogical Composition (%)			
		SiO ₂	FeO	Al ₂ O ₃	CaO
1.	Central Workshop area, jamadoba	1.78	0.16	1.25	2.35
2.	Officer's colony, 12 no. Digwadih	1.69	0.10	1.29	2.94


S. A. Roy
Sr. Chemist
Aditi R&D Services


S. A. Roy
Technical Manager
Aditi R&D Services, Sindri



Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.

	<h2 style="margin: 0;">ADITI R&D SERVICES</h2> <h3 style="margin: 0;">Testing Laboratory</h3> <p style="margin: 0;">NABL ACCREDITED</p> <p style="margin: 0;">(A Constituent Board of Quality Council of India)</p> <p style="margin: 0;">ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified</p>	<p>Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditirndservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377 Mobile: 09471358492, 09431512608</p>			
Ref. No.: - ARDS/23-24/346		Date: 22.05.2023			
TEST REPORT OF SURFACE WATER					
<ul style="list-style-type: none"> • Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND) • Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021 • Sample Code : 1. Damodar River Up Stream 2. Damodar River Down Stream • Date of Sample Collection: 16.05.2023 • Date of Testing : 17.05.2023 To 20.05.2023 • Test : pH, TDS, Turbidity, DO, BOD, Cl, F, SO₄ 					
TEST RESULT					
Sl. No.	PARAMETERS OF TEST	VALUE		Limit as per IS 2296 Class - C	Test Method
		Damodar River Up Stream	Damodar River Dn Stream		
1.	pH	7.3	7.4	6.5 -8.5	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	356	368	1500	IS-3025 (P-16): 1984
3.	Turbidity, NTU	01	01	-	IS-3025 (P-10):1984
4.	Dissolved Oxygen, mg/l	6.4	6.8	4.0	IS-3025 (P-38):1989
5.	Bio chemical Oxygen Demand, mg/l	2.0	2.2	3.0	IS-3025 (P-44):1994
6.	Chloride as Cl, mg/l	32	36	-	IS-3025 (P-32):1988
7.	Fluoride as F, mg/l	0.52	0.54	1.5	IS-3025 (P-60):2008
8.	Sulphate as SO ₄ , mg/l	44.2	47.9	400	IS-3025 (P-24):1986
 Sr. Chemist Aditi R&D Services				 Technical Manager Aditi R&D Services, Sindri	
Statements : 1. The test report refers only to the particular item(s) submitted for testing. 2. The test results reported in this report are valid at the time of and under the stated condition of measurement. 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.					

	<h2 style="margin:0;">ADITI R&D SERVICES</h2> <h3 style="margin:0;">Testing Laboratory</h3> <p style="margin:0;">NABL ACCREDITED</p> <p style="margin:0;">(A Constituent Board of Quality Council of India)</p> <p style="margin:0;">ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified</p>	Plot No. - I-B-17 (P) Sindi, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377 Mobile: 09471359492, 09431512608						
Ref. No.: - ARDS/23-24/364		Date: 24.05.2023						
TEST REPORT OF MINE WATER DISCHARGE								
<ul style="list-style-type: none"> • Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND) • Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021 • Sample Code : <ul style="list-style-type: none"> 1. 2 Pit Jamadoba Colliery 2. 3 Pit Jamadoba Colliery 3. 2 Incline Jamadoba Colliery 4. 6 & 7 Pits Colliery 5. Digwadih Colliery • Date of Sample Collection: 16.05.2023 to 17.05.2023 • Date of Testing : 18.05.2023 To 23.05.2023 • Test : pH, TDS, TSS, BOD, COD, OIL & GREASE. 								
TEST RESULT								
Sl. No.	PARAMETERS OF TEST	VALUE					Limit as per IS-2296 Class B (For Bathing)	Test Method
		2 Pit Jamadoba Colliery	3 Pit Jamadoba Colliery	2 Incline Jamadoba Colliery	6 & 7 Pits Colliery	Digwadih Colliery		
1.	pH,	7.2	7.9	7.7	7.6	8.2	6.5-8.5	IS-3025 (P-11): 1983 RA 2022
2.	Total Dissolved Solids, mg/l	710	738	810	720	875	-	IS-3025 (P-16): 1984 RA 2023
3.	Total Suspended Solids, mg/l	39	35	39	28	38	-	IS-3025(P-17) : 1984 RA 2022
4.	Bio chemical Oxygen Demand, mg/l	1.2	2.4	1.8	1.8	2.2	3	IS-3025 (P-44):1994 RA 2019
5.	Chemical Oxygen Demand, mg/l	55	71	78	63	63	-	IS-3025 (P-58):2006 RA 2022
6.	Oil & Grease, mg/l	0.4	0.3	BDL	BDL	BDL	-	IS-3025 (P-39):2021
 Sr. Chemist Aditi R&D Services			 Technical Manager Aditi R&D Services, Sindi					
Statements : 1. The test report refers only to the particular item(s) submitted for testing. 2. The test results reported in this report are valid at the time of and under the stated condition of measurement. 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.								



ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindri, Industrial Area,
P.O - Domgarh, Dist - Dhanbad
Jharkhand - 828107
Email ID: sindriaditi@gmail.com
Website: aditirdservices.com
Phone: 0326-2952377 (O),
Fax: 0326-2952377
Mob: 09471358492, 09431512608

Ref. No.: - ARDS/23-24/365

Date: 24.05.2023

TEST REPORT OF SEWAGE

- Name of the industry : M/S TATA STEEL, JAMADOBA,
TATA STEEL LIMITED
JAMADOBA GROUP PLANT,
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : 1. S.T.P. Outlet J.C.P.P. Canteen
2. S.T.P. Outlet Jamadoba Canteen
3. S.T.P. Outlet Railway Colony
- Date of Sample Collection: 16.05.2023 to 17.05.2023
- Date of Testing : 18.05.2023 to 23.05.2023
- Test : pH, TDS, TSS, BOD, COD, OIL & GREASE.

TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE			General Standards For Discharge Of Environmental Pollutants, Inland Surface Water By The MOEF&C	Test Method
		S.T.P. Outlet J.C.P.P. Canteen	S.T.P. Outlet Jamadoba Canteen	S.T.P. Outlet Railway Colony		
1.	pH,	7.6	7.9	8.4	5.5-9.0	IS-3025 (P-11):1983 RA 2022
2.	Total Dissolved Solids, mg/l	728	648	760	2100	IS-3025 (P-16):1984 RA 2023
3.	Total Suspended Solids, mg/l	26	28	42	100	IS-3025(P-17):1984 RA 2022
4.	Bio chemical Oxygen Demand, mg/l	6.6	3.6	8.4	30	IS-3025 (P-44):1994 RA 2019
5.	Chemical Oxygen Demand, mg/l	63	55	71	250	IS-3025 (P-58):2006 RA 2022
6.	Oil & Grease, mg/l	BDL	BDL	1.2	10	IS-3025 (P-39):2021

S. R. Roy
Sr. Chemist
Aditi R&D Services



S. R. Roy
Technical Manager
Aditi R&D Services, Sindri

Statements :

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement
3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.

Sl. No.	PARAMETERS OF TEST	VALUE		General Standards For Discharge Of Environmental Pollutants, Inland Surface Water By The MOEF&C	Test Method
		E.T.P. Outlet T.C.H	E.T.P. Outlet Garage		
1.	pH,	8.4	8.3	5.5-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	850	870	2100	IS-3025 (P-16): 1984
3.	Total Suspended Solids, mg/l	31	25	100	IS-3025(P-17) : 1984
4.	Bio chemical Oxygen Demand, mg/l	6.6	3.2	30	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	55	47	250	IS-3025 (P-58):2006
6.	Oil & Grease, mg/l	0.4	0.4	10	IS-3025 (P-39):2021

TEST RESULT

Ref. No.: - ARDS/23-24/366 Date: 24.05.2023

TEST REPORT OF EFFLUENT

- Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : 1. E.T.P. Outlet T.C.H.
2 E.T.P. Outlet Garage
- Date of Sample Collection: 16.05.2023 to 17.05.2023
- Date of Testing : 18.05.2023 to 23.05.2023
- Test : pH, TDS, TSS, BOD, COD, OIL & GREASE.

ADITI R&D SERVICES
Testing Laboratory
NABL ACCREDITED
(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No - I-B-17 (P)
Sindri, Industrial Area,
P.O.- Domgarh, Dist - Dhanbad
Jharkhand - 828107
Email ID: sindriaditi@gmail.com
Website: aditirdservices.com
Phone: 0326-2952377 (O),
Fax: 0326-2952377
Mobile: 09471358492, 09431512608


Sr. Chemist
Aditi R&D Services

Technical Manager
Aditi R&D Services, Sindri

Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.

	<h2 style="margin:0;">ADITI R&D SERVICES</h2> <h3 style="margin:0;">Testing Laboratory</h3> <p style="margin:0;">NABL ACCREDITED</p> <p style="margin:0;">(A Constituent Board of Quality Council of India)</p> <p style="margin:0;">ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified</p>	Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O - Domgarh, Dist - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditirndservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377 Mobile: 09471358482, 09431512608						
Ref. No.: - ARDS/23-24/367		Date: 24.05.2023						
<h4>TEST REPORT OF DRINKING WATER</h4>								
<ul style="list-style-type: none"> • Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND) • Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021 • Sample Code : <ul style="list-style-type: none"> 1. Canteen - Jamadoba Colliery 2. Canteen - Digwadih Colliery 3. Canteen - 6 & 7 Pit Colliery 4. Canteen - Jamadoba Washery • Date of Sample Collection: 16.05.2023 to 17.05.2023 • Date of Testing : 18.05.2023 to 23.05.2023 • Test : Colour, Odour, Taste, Turbidity, pH, Total Hardness, Iron, Chloride, Res. Free chlorine, Total Dissolved Solids, Calcium, Copper, Manganese, Sulphate, Nitrate, Fluoride, Phenolic Compound, Mercury, Cadmium, Arsenic, Cyanide, Lead, Zinc, Total Coliform, Hexavalent Chromium, Mineral Oil, Alkalinity, Aluminium & Boron. 								
<h4>TEST RESULT</h4>								
Sl. No	PARAMETERS OF TEST	VALUE				IS as per IS 10500:2012		Test Method
		Canteen Jamadoba Colliery	Canteen Digwadih Colliery	Canteen 6 & 7 Pit Colliery	Canteen Jamadoba Washery	Desirable	Permissible	
1.	Colour, (Hazen Unit)	1	1	1	1	5.00	15.0	IS 3025 (P-4):2021
2.	Odour	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	IS 3025 (P-5):2018
3.	Taste	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	IS 3025 (P-7):2017
4.	Turbidity, NTU	NIL	NIL	NIL	NIL	1.0	5.0	IS 3025 (P-10):1984
5.	pH	7.9	8.1	7.8	8.0	6.5-8.5	No. Relax.	IS-3025 (P-11):1983
6.	Total Hardness as CaCO ₃ , mg/l	368	348	172	336	200	600	IS 3025 (P-21):2009
7.	Chloride as Cl ₁ , mg/l	64	66	32	62	250	1000	IS 3025 (P-32):1988
8.	Res. Free chlorine as Cl ₂ , mg/l	NIL	NIL	NIL	NIL	0.20	1.0	IS 3025 (P-26):2021
9.	Total Dissolved Solids, mg/l	815	780	381	835	500	2000	IS 3025 (P-16):1984
10.	Calcium as Ca, mg/l	41.6	33.6	28.8	33.6	75	200	IS 3025 (P-40):1991
11.	Copper as Cu, mg/l	BDL	BDL	BDL	BDL	0.05	1.5	IS 3025 (P-42):1992



Continued on Page 2

Statements :

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.




ADITI R&D SERVICES
Testing Laboratory
NABL ACCREDITED
(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindri, Industrial Area,
P.O. - Domgarh, Dist - Dhanbad
Jharkhand - 828107
Email ID: sindriaditi@gmail.com
Website: aditirdservices.com
Phone: 0326-2952377 (O),
Fax: 0326-2952377
Mobile: 09471358492, 09431512608

- 2 -

Sl. No.	PARAMETERS OF TEST	VALUE				IS as per IS 10500:1991		Test Method
		Canteen Jamadoba Colliery	Canteen Digwadih Colliery	6 & 7 Pit Colliery	Jamadoba Washery Canteen	Desirable	Permissible	
12.	Manganese as Mn, mg/l	BDL	BDL	BDL	BDL	0.10	0.30	IS 3025 (P-59):2006
13.	Sulphate as SO ₄ , mg/l	46	38.15	33.2	46.2	200	400	IS 3025 (P-24):1986
14.	Nitrate as NO ₃ , mg/l	4.2	3.1	2.0	2.1	45	No. Relax	IS 3025 (P-34):1988
15.	Fluoride as F, mg/l	0.32	0.29	0.30	0.25	1.0	1.5	IS 3025 (P-60):2008
16.	Phenolic Compound as (C ₆ H ₅ OH) mg/l	BDL	BDL	BDL	BDL	0.001	0.002	IS 3025 (P-43):1992
17.	Mercury as Hg, mg/l	BDL	BDL	BDL	BDL	0.001	No. Relax	IS 3025 (P-48):1994
18.	Cadmium as Cd, mg/l	BDL	BDL	BDL	BDL	0.003	No. Relax	IS 3025 (P-41):1992
19.	Arsenic as As, mg/l	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025 (P-37):1988
20.	Cyanide as CN, mg/l	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025 (P-27):1986
21.	Lead as Pb, mg/l	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025 (P-47):1994
22.	Zinc as Zn, mg/l	0.16	0.10	0.14	0.16	5	15	IS 3025 (P-42):1992
23.	Total Coliform, No./100ml	Absent	Absent	Absent	Absent	Absent	Absent	IS 3025 (P-49):1994
24.	Hexavalent Chromium as Cr, mg/l	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025 (P-52):2003
25.	Mineral Oil, mg/l	BDL	BDL	BDL	BDL	0.5	No. Relax	IS 3025 (P-39):1989
26.	Alkalinity as CaCO ₃ , mg/l	452	444	160	452	200	600	IS 3025 (P-23):1983
27.	Aluminium as Al, mg/l	BDL	BDL	BDL	BDL	0.03	0.2	IS 3025 (P-55):2003
28.	Boran as B, mg/l	BDL	BDL	BDL	BDL	0.5	1.0	IS 3025 (P-57):2005

NOTE: BDL - Below Detection Limit


Sr. Chemist
Aditi R&D Services




Technical Manager
Aditi R&D Services, Sindri

Statements :

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.

 ADITI R&D SERVICES Testing Laboratory NABL ACCREDITED (A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified		Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107 Email ID: sindriadit@gmail.com Website: aditirdmservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377 Mobile: 09471358492, 09431512608									
Ref. No.: - ARDS/23-24/368		Date: 24.05.2023									
TEST REPORT OF GROUND WATER											
<ul style="list-style-type: none"> Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND) Work Order Ref. NO. : 4700092573/932 Dt. 20.07.2021 Sample Code : <ol style="list-style-type: none"> Upper Dungri Jorapukhar Kushtand Kenduwedih Basti Jamadoba 3 No Lower Dungri Ayodhaya Nagari Digwadih No 10 Date of Sample Collection : 16.05.2023 – 17.05.2023 Date of Testing : 18.05.2023 to 23.05.2023 Test : Colour, Odour, Taste, Turbidity, pH, Total Hardness, Iron, Chloride, Res. Free chlorine, Total Dissolved Solids, Calcium, Copper, Manganese, Sulphate, Nitrate, Fluoride, Phenolic Compound, Mercury, Cadmium, Arsenic, Cyanide, Lead, Zinc, Total Coliform, Hexavalent Chromium, Mineral Oil, Alkalinity, Aluminium & Boron. 											
TEST RESULT											
Sl No	PARAMETERS OF TEST	VALUE							IS as per IS 10500:1991		Test Method
		Upper Dungri	Jorapukhar Kushtand	Kenduwedih Basti	Jamadoba 3 No	Lower Dungri	Ayodhaya Nagari	Digwadih No 10	Desirable	Permissible	
1.	Colour, (Hazen Unit)	2	1	1	1	1	1	1	5	15	IS 3025 (P-4):2021
2.	Temperature °C	34	33	33	34	34	34	34	-	-	-
3.	Electrical Conductivity, µmhos/cm	830	1330	860	770	1310	830	1260	-	-	-
4.	Total Dissolved Solids, mg/l	536	866	560	490	852	545	825	-	-	IS 3025(P-16):1984
5.	pH	7.4	8.4	8.1	7.8	7.3	7.7	7.6	6.5-8.5	No Relax	IS-3025(P-11):1983
6.	Total Hardness as CaCO ₃ , mg/l	328	420	344	220	476	356	368	200	600	IS 3025(P-21):2009
7.	Calcium as Ca, mg/l	72	94.4	67.2	51.2	92.8	72	78.4	75	200	IS 3025(P-40):1991
8.	Magnesium as Mg, mg/l	35.5	44.2	42.2	22.1	58.5	42.2	41.2	30	100	IS 3025(P-46):1994
9.	Chloride as Cl, mg/l	50	80	66	34	72	36	44	250	1000	IS 3025(P-32):1988
10.	Fluoride as F, mg/l	0.48	0.31	0.38	0.32	0.46	0.32	0.29	1.0	1.5	IS 3025(P-60):2008
Statements : 1. The test report refers only to the particular item(s) submitted for testing. 2. The test results reported in this report are valid at the time and under the stated condition of measurement. 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.											



ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindri, Industrial Area,
P.O. - Domgarh, Dist. - Dhanbad
Jharkhand - 828107
Email ID: sindriaditi@gmail.com
Website: aditirdservices.com
Phone: 0326-2952377 (O),
Fax: 0326-2952377
Mobile: 09471358492, 09431512608

Sl. No	PARAMETERS OF TEST	VALUE							IS as per IS 10500:1991		Test Method
		Upper Dungri	Jorapukhar Kushtand	Kenduwedih Basti	Jamado ba 3 No	Lower Dungri	Ayodhya Nagari	Digwadih No 10	Desirable	Permissible	
11	Sulphate as SO ₄ , mg/l	59.8	47.4	49.2	43	52.7	52.2	45	200	400	IS 3025(P-24):1986
12	Nitrate as NO ₃ , mg/l	10.3	12.2	9.9	9.4	8.5	9.1	12.6	45	No. Relax	IS 3025(P-34):1988
13	Alkalinity as CaCO ₃ , mg/l,	316	448	316	152	392	368	348	200	600	IS 3025(P-23):1983
14	Lead as Pb, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025(P-47):1994
15	Zinc as Zn, mg/l,	0.18	0.14	0.16	0.12	0.2	0.14	0.16	5	15	IS 3025(P-42):1992
16	Iron a Fe, mg/l	0.03	0.02	0.04	0.03	0.04	0.03	0.04	0.3	No. Relax	IS 3025(P-53):2003
17	Copper as Cu, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.05	1.5	IS3025 (P-42):1992
18	Mercury as Hg, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.001	No. Relax	IS 3025(P-48):1994
19	Cadmium as Cd, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.003	No. Relax	IS 3025(P-41):1992
20	Nickel as Ni, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.02	No. Relax	IS 3025(P-37):1992
21	Arsenic as As, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025(P-37):1988
22	Cyanide as CN, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025(P-27):1986
23	Total Chromium as Cr, mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025(P-52):2003

NOTE: BDL - Below Detection Limit


B. S. Singh
Sr. Chemist
Aditi R&D Services





[Signature]
Technical Manager
Aditi R&D Services, Sindri


Statements :


1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.


ADITI R&D SERVICES		Testing Laboratory		NABL ACCREDITED	
		(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified		Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditirnds.com Phone: 0326-2952377 (O), Fax: 0326-2952377 Mobile: 09471358492, 09431512608	
				Ref. No.: - ARDS/23-24/0997	
TEST REPORT OF AMBIENT AIR QUALITY					
<ul style="list-style-type: none"> Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND) Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021 Date of Sample Collection : 21.08.2023 to 22.08.2023 Date of Testing : 23.08.2023 to 26.08.2023 Test Procedure : As per IS-5182 					
TEST RESULTS					
LOCATION – 6 & 7 PITS COLLIERY OFFICE					
Avg. Ambient Temperature		34 ^o C	Avg. Humidity		69%
SI No.	Particulars	Value	NAAQ - CPCB STANDARD		
1.	Particulate Matter (PM ₁₀), µg/m ³	87.30	100 µg/m ³		
2.	Particulate Matter (PM _{2.5}), µg/m ³	52.12	60 µg/m ³		
3.	SO ₂ , µg/m ³	21.28	80 µg/m ³		
4.	NO ₂ , µg/m ³	26.52	80 µg/m ³		
5.	Ozone, µg/m ³	18.73	180 µg/m ³		
6.	NH ₃ , µg/m ³	15.64	400 µg/m ³		
7.	CO, mg/m ³	0.86	4 mg/m ³		
8.	Pb, µg/m ³	BDL	1 µg/m ³		
9.	As, ng/m ³	BDL	6 ng/m ³		
10.	Ni, ng/m ³	BDL	20 ng/m ³		
11.	Benzene, µg/m ³	BDL	5 µg/m ³		
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³		
NOTE: BDL - Below Detection Limit					
 Sr. Chemist Aditi R&D Services				 Technical Manager Aditi R&D Services, Sindri	
Statements : 1. The test report refers only to the particular item(s) submitted for testing. 2. The test results reported in this report are valid at the time of and under the stated condition of measurement. 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.					

ADITI R&D SERVICES		Testing Laboratory		NABL ACCREDITED	
		Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditirdservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377 Mobile: 09471358492, 09431512608		(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified	
Ref. No.: - ARDS/23-24/0998			Date: 29.08.2023		
TEST REPORT OF AMBIENT AIR QUALITY					
<ul style="list-style-type: none"> Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND) Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021 Date of Sample Collection : 21.08.2023 to 22.08.2023 Date of Testing : 23.08.2023 to 26.08.2023 Test Procedure : As per IS-5182 					
TEST RESULTS					
LOCATION – OFFICERS COLONY, 12 NO. DIGWADIH					
	Avg. Ambient Temperature	34°C	Avg. Humidity	69%	
SI No.	Particulars	Value	NAAQ - CPCB STANDARD		
1.	Particulate Matter (PM ₁₀), µg/m ³	76.22	100 µg/m ³		
2.	Particulate Matter (PM _{2.5}), µg/m ³	45.28	60 µg/m ³		
3.	SO ₂ , µg/m ³	18.42	80 µg/m ³		
4.	NO ₂ , µg/m ³	28.30	80 µg/m ³		
5.	Ozone, µg/m ³	17.90	180 µg/m ³		
6.	NH ₃ , µg/m ³	14.95	400 µg/m ³		
7.	CO, mg/m ³	0.81	4 mg/m ³		
8.	Pb, µg/m ³	BDL	1 µg/m ³		
9.	As, ng/m ³	BDL	6 ng/m ³		
10.	Ni, ng/m ³	BDL	20 ng/m ³		
11.	Benzene, µg/m ³	BDL	5 µg/m ³		
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³		
NOTE: BDL - Below Detection Limit					
 Sr. Chemist Aditi R&D Services				 Technical Manager Aditi R&D Services, Sindri	
Statements :					
1. The test report refers only to the particular item(s) submitted for testing.					
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.					
3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.					

ADITI R&D SERVICES		Testing Laboratory		NABL ACCREDITED	
(A Constituent Board of Quality Council of India)		ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified		Plot No - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist- Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditirdservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377 Mobile: 09471358492, 09431512608	
Ref. No.: - ARDS/23-24/0999			Date: 29.08.2023		
TEST REPORT OF AMBIENT AIR QUALITY					
<ul style="list-style-type: none"> Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND) Work Order Ref. NO. : 4700092573/932 Dt. 20.07.2021 Date of Sample Collection : 21.08.2023 to 22.08.2023 Date of Testing : 23.08.2023 to 26.08.2023 Test Procedure : As per IS-5182 					
TEST RESULTS					
LOCATION – CENTRAL WORKSHOP AREA , JAMADOBA					
Avg. Ambient Temperature		34°C	Avg. Humidity		69%
SI No.	Particulars	Value	NAAQ - CPCB STANDARD		
1.	Particulate Matter (PM ₁₀), µg/m ³	84.90	100 µg/m ³		
2.	Particulate Matter (PM _{2.5}), µg/m ³	50.93	60 µg/m ³		
3.	SO ₂ , µg/m ³	22.80	80 µg/m ³		
4.	NO ₂ , µg/m ³	29.36	80 µg/m ³		
5.	Ozone, µg/m ³	16.84	180 µg/m ³		
6.	NH ₃ , µg/m ³	17.89	400 µg/m ³		
7.	CO, mg/m ³	1.03	4 mg/m ³		
8.	Pb, µg/m ³	BDL	1 µg/m ³		
9.	As, ng/m ³	BDL	6 ng/m ³		
10.	Ni, ng/m ³	BDL	20 ng/m ³		
11.	Benzene, µg/m ³	BDL	5 µg/m ³		
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³		
NOTE: BDL - Below Detection Limit					
 Sr. Chemist Aditi R&D Services				 Technical Manager Aditi R&D Services, Sindri	
Statements :					
1. The test report refers only to the particular item(s) submitted for testing.					
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.					
3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.					

ADITI R&D SERVICES Testing Laboratory NABL ACCREDITED (A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified		Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditirnds.com Phone: 0326-2952377 (O), Fax: 0326-2952377 Mobile: 09471358492, 09431512608	
Ref. No.: - ARDS/23-24/1000		Date: 29.08.2023	
TEST REPORT OF AMBIENT AIR QUALITY			
<ul style="list-style-type: none"> Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND) Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021 Date of Sample Collection : 21.08.2023 to 22.08.2023 Date of Testing : 23.08.2023 to 26.08.2023 Test Procedure : As per IS-5182 			
TEST RESULTS			
LOCATION – TATA CENTRAL HOSPITAL			
	Avg. Ambient Temperature	34°C	Avg. Humidity
			69%
Sl No.	Particulars	Value	NAAQ - CPCB STANDARD
1.	Particulate Matter (PM ₁₀), µg/m ³	73.85	100 µg/m ³
2.	Particulate Matter (PM _{2.5}), µg/m ³	44.30	60 µg/m ³
3.	SO ₂ , µg/m ³	18.32	80 µg/m ³
4.	NO ₂ , µg/m ³	26.85	80 µg/m ³
5.	Ozone, µg/m ³	16.25	180 µg/m ³
6.	NH ₃ , µg/m ³	17.15	400 µg/m ³
7.	CO, mg/m ³	0.83	4 mg/m ³
8.	Pb, µg/m ³	BDL	1 µg/m ³
9.	As, ng/m ³	BDL	6 ng/m ³
10.	Ni, ng/m ³	BDL	20 ng/m ³
11.	Benzene, µg/m ³	BDL	5 µg/m ³
12.	Benzoapyrene ng/m ³	BDL	1 ng/m ³
NOTE: BDL - Below Detection Limit			
 Sr. Chemist Aditi R&D Services			
		 Technical Manager Aditi R&D Services, Sindri	
Statements : 1. The test report refers only to the particular item(s) submitted for testing. 2. The test results reported in this report are valid at the time of and under the stated condition of measurement. 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.			

	<h2 style="margin: 0;">ADITI R&D SERVICES</h2> <h3 style="margin: 0;">Testing Laboratory</h3> <p style="margin: 0;">NABL ACCREDITED</p> <p style="margin: 0;">(A Constituent Board of Quality Council of India)</p> <p style="margin: 0;">ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified</p>	Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377 Mobile: 09471358492, 09431512608							
TEST REPORT OF NOISE (AMBIENT) LEVEL MONITORING									
Ref. No. & Date ARDS/23-24/1001 Date: 29.08.2023	NAME AND ADDRESS OF THE CLIENT M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)								
Date of Monitoring 21.08.2023 TO 22.08.2023	Avg. Ambient Temperature (°C) 34	Average Humidity (%) 77	Weather Condition Clear						
Work Order 4700092573/932 Dt. 20.07.2021	Status of the plant Running								
MONITORING RESULTS									
Sl. No	Place of Monitoring	Day Time (6 AM to 10 PM) Avg. dB(A)			Night Time (10 PM to 6 AM) Avg. dB(A)			Noise level (Ambient standard) for Industrial Area as per CPCB Noise Pollution (Regulation and Control) (Amendment) Rules , 2000 notified vide S.O. 1046(E) Dt. 22.11.2020 Limit in dB(A) Leq	
		MAX	MIN	AVG. dB(A) Leq	MAX	MIN	AVERAGE dB(A) Leq	Day Time	Night Time
LOCATION								Industrial Area	Industrial Area
JAMADOBA GROUP									
1.	Central Workshop	66.8	54.4	64.03	53.2	45.2	50.83	75	70
2.	6 & 7 Pits Colliery Office	68.8	62.4	66.69	57.6	51.8	55.60		
								Residential Area	Residential Area
3.	Officer Colony 12 No. Digwadih	50.8	46.8	49.25	44.5	41.8	43.36	65	55
								Silence Zone	Silence Zone
4.	Tata Central Hospital	47.2	45.8	46.56	38.2	36.4	37.39	50	40
 Sr. Chemist Aditi R&D Services				 Technical Manager Aditi R&D Services, Sindri					
Statements : 1. The test report refers only to the particular item(s) submitted for testing. 2. The test results reported in this report are valid at the time of and under the stated condition of measurement. 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.									

	<h2 style="margin: 0;">ADITI R&D SERVICES</h2> <h3 style="margin: 0;">Testing Laboratory</h3> <p style="margin: 0;">NABL ACCREDITED</p> <p style="margin: 0;">(A Constituent Board of Quality Council of India)</p> <p style="margin: 0;">ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified</p>	Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditirdservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377 Mobile: 09471358492, 09431512608																						
Ref. No.: - ARDS/23-24/1002	Date: 29.08.2023																							
<h3 style="margin: 0;"><u>TEST REPORT OF MINERALOGICAL COMPOSITION</u></h3> <h3 style="margin: 0;"><u>OF PARTICULATE MATTER</u></h3>																								
<ul style="list-style-type: none"> <li style="margin-bottom: 10px;">• Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND) <li style="margin-bottom: 10px;">• Work Order Ref. NO. : 4700092573/932 Dt. 20.07.2021 <li style="margin-bottom: 10px;">• Date of Sample Collection : 22.08.2023 <li style="margin-bottom: 10px;">• Date of Testing : 23.08.2023 – 26.08.2023 																								
<h4 style="margin: 0;"><u>TEST RESULTS</u></h4>																								
<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th rowspan="2" style="width: 10%;">SI No.</th> <th rowspan="2" style="width: 40%;">Particulars</th> <th colspan="4" style="width: 50%;">Mineralogical Composition (%)</th> </tr> <tr> <th style="width: 12.5%;">SiO₂</th> <th style="width: 12.5%;">FeO</th> <th style="width: 12.5%;">Al₂O₃</th> <th style="width: 12.5%;">CaO</th> </tr> </thead> <tbody> <tr> <td style="text-align: left;">1.</td> <td style="text-align: left;">6 & 7 Pits Colliery Office</td> <td>1.76</td> <td>0.04</td> <td>1.32</td> <td>2.6</td> </tr> <tr> <td style="text-align: left;">2.</td> <td style="text-align: left;">Tata Central Hospital</td> <td>2.05</td> <td>0.10</td> <td>1.29</td> <td>2.83</td> </tr> </tbody> </table>			SI No.	Particulars	Mineralogical Composition (%)				SiO ₂	FeO	Al ₂ O ₃	CaO	1.	6 & 7 Pits Colliery Office	1.76	0.04	1.32	2.6	2.	Tata Central Hospital	2.05	0.10	1.29	2.83
SI No.	Particulars	Mineralogical Composition (%)																						
		SiO ₂	FeO	Al ₂ O ₃	CaO																			
1.	6 & 7 Pits Colliery Office	1.76	0.04	1.32	2.6																			
2.	Tata Central Hospital	2.05	0.10	1.29	2.83																			
 Sr. Chemist Aditi R&D Services		 Technical Manager Aditi R&D Services, Sindri																						
<p>Statements :</p> <ol style="list-style-type: none"> 1. The test report refers only to the particular item(s) submitted for testing. 2. The test results reported in this report are valid at the time of and under the stated condition of measurement. 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory. 																								

Sl. No.	PARAMETERS OF TEST	VALUE		Limit as per IS 2296 Class - C	Test Method
		Damodar River Up Stream	Damodar River Dn Stream		
1.	pH	6.9	7.2	6.5 -8.5	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	398	420	1500	IS-3025 (P-16): 1984
3.	Turbidity, NTU	02	03	-	IS-3025 (P-10):1984
4.	Dissolved Oxygen, mg/l	5.9	6.1	4.0	IS-3025 (P-38):1989
5.	Bio chemical Oxygen Demand, mg/l	1.9	1.8	3.0	IS-3025 (P-44):1994
6.	Chloride as Cl, mg/l	26	27.9	-	IS-3025 (P-32):1988
7.	Fluoride as F, mg/l	0.54	0.61	1.5	IS-3025 (P-60):2008
8.	Sulphate as SO ₄ , mg/l	63.3	63.7	400	IS-3025 (P-24):1986

Anandita
Sr. Chemist
Aditi R&D Services



[Signature]
Technical Manager
Aditi R&D Services, Sindri

Statements :

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindri, Industrial Area,
P.O. - Domgarh, Dist. - Dhanbad
Jharkhand - 828107
Email ID: sindriaditi@gmail.com
Website: aditirdservices.com
Phone: 0326-2952377 (O),
Fax: 0326-2952377
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/23-24/1004

Date: 29.08.2023

TEST REPORT OF MINE WATER DISCHARGE

- Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : 1. 2 Pit Jamadoba Colliery
2. 3 Pit Jamadoba Colliery
3. 2 Incline Jamadoba Colliery
4. 6 & 7 Pits Colliery
5. Digwadih Colliery
- Date of Sample Collection: 21.08.2023 to 22.08.2023
- Date of Testing : 23.08.2023 to 28.08.2023
- Test : pH, TDS, TSS, BOD, COD, OIL & GREASE.

TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE					Limit as per IS-2296 Class B (For Bathing)	Test Method
		2 Pit Jamadoba Colliery	3 Pit Jamadoba Colliery	2 Incline Jamadoba Colliery	6 & 7 Pits Colliery	Digwadih Colliery		
1.	pH,	7.1	7.8	7.2	7.7	6.9	6.5-8.5	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	825	892	789	850	810	-	IS-3025 (P-16): 1984
3.	Total Suspended Solids, mg/l	40	28	41	35	39	-	IS-3025(P-17): 1984
4.	Bio chemical Oxygen Demand, mg/l	1.8	3.1	1.9	1.6	2.0	3	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	67	29	77	96	67	-	IS-3025 (P-58):2006
6.	Oil & Grease, mg/l	BDL	0.8	BDL	0.4	BDL	-	IS-3025 (P-39):2021

Anandita
Sr. Chemist
Aditi R&D Services



[Signature]
Technical Manager
Aditi R&D Services, Sindri

Statements :

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindri, Industrial Area,
P.O. - Domgarh, Dist. - Dhanbad
Jharkhand - 828107
Email ID: sindriaditi@gmail.com
Website: aditirdservices.com
Phone: 0326-2952377 (O),
Fax: 0326-2952377
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/23-24/1005

Date: 29.08.2023

TEST REPORT OF SEWAGE

- Name of the industry : M/S TATA STEEL, JAMADOBA,
TATA STEEL LIMITED
JAMADOBA GROUP PLANT,
DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : 1. S.T.P. Outlet J.C.P.P. Canteen
2. S.T.P. Outlet Jamadoba Canteen
3. S.T.P. Outlet Railway Colony
4. S.T.P. Supervisor Apartment Digwadih 12 No
5. S.T.P. Officer Colony Digwadih 12 No
- Date of Sample Collection: 21.08.2023 to 22.08.2023
- Date of Testing : 23.08.2023 to 28.08.2023
- Test : pH, TDS, TSS, BOD, COD, OIL & GREASE.

TEST RESULT

Sl. No.	PARAMETERS OF TEST	VALUE					General Standards For Discharge Of Environmental Pollutants, Inland Surface Water By The MOEF&C	Test Method
		S.T.P. Outlet J.C.P.P. Canteen	S.T.P. Outlet Jamadoba Canteen	S.T.P. Outlet Railway Colony	S.T.P. Supervisor Apartment Digwadih 12 No	S.T.P. Officer Colony Digwadih 12 No		
1.	pH,	8.1	7.8	8.4	7.7	7.9	5.5-9.0	IS-3025 (P-11):1983
2.	Total Dissolved Solids, mg/l	689	780	899	895	865	2100	IS-3025 (P-16):1984
3.	Total Suspended Solids, mg/l	32	34	35	42	38	100	IS-3025(P-17):1984
4.	Bio chemical Oxygen Demand, mg/l	3.2	1.8	2.6	9	4.8	30	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	96	57	67	105	58	250	IS-3025 (P-58):2006
6.	Oil & Grease, mg/l	0.8	BDL	1.2	1.2	0.8	10	IS-3025 (P-39):2021

Anandita
Sr. Chemist
Aditi R&D Services



J. A. G.
Technical Manager
Aditi R&D Services, Sindri

Statements :

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.

Sl. No.	PARAMETERS OF TEST	VALUE		General Standards For Discharge Of Environmental Pollutants, Inland Surface Water By The MOEF&C	Test Method
		E.T.P. Outlet T.C.H	E.T.P. Outlet Garage		
1.	pH,	8.1	8.5	5.5-9.0	IS-3025 (P-11): 1983
2.	Total Dissolved Solids, mg/l	822	852	2100	IS-3025 (P-16): 1984
3.	Total Suspended Solids, mg/l	40	36	100	IS-3025(P-17) : 1984
4.	Bio chemical Oxygen Demand, mg/l	4.8	3.0	30	IS-3025 (P-44):1994
5.	Chemical Oxygen Demand, mg/l	115	86	250	IS-3025 (P-58):2006
6.	Oil & Grease, mg/l	1.2	0.8	10	IS-3025 (P-39):2021

ADITI R&D SERVICES
Testing Laboratory
NABL ACCREDITED
(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindri, Industrial Area,
P.O. - Domgarh, Dist. - Dhanbad
Jharkhand - 828107
Email ID: sindriaditi@gmail.com
Website: aditirnds.com
Phone: 0326-2952377 (O),
Fax: 0326-2952377
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/23-24/1006 Date: 29.08.2023

TEST REPORT OF EFFLUENT

- Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code : 1. E.T.P. Outlet T.C.H.
2 E.T.P. Outlet Garage
- Date of Sample Collection: 22.08.2023
- Date of Testing : 23.08.2023 to 28.08.2023
- Test : pH, TDS, TSS, BOD, COD, OIL & GREASE.

TEST RESULT

Anandita
Sr. Chemist
Aditi R&D Services



[Signature]
Technical Manager
Aditi R&D Services, Sindri

Statements :

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurement.
- This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



ADITI R&D SERVICES
Testing Laboratory
NABL ACCREDITED
(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindri, Industrial Area,
P.O. - Domgarh, Dist. - Dhanbad
Jharkhand - 828107
Email ID: sindriaditi@gmail.com
Website: aditirdservices.com
Phone: 0326-2952377 (O),
Fax: 0326-2952377
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/23-24/1007

Date: 29.08.2023

TEST REPORT OF DRINKING WATER

- Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO.: : 4700092573/932 Dt. 20.07.2021
- Sample Code :
 1. Canteen - Jamadoba Colliery
 2. Canteen - Digwadih Colliery
 3. Canteen - 6 & 7 Pit Colliery
 4. Canteen - Jamadoba Washery
- Date of Sample Collection: 21.08.2023 – 22.08.2023
- Date of Testing : 23.08.2023 – 28.08.2023
- Test :
 Colour, Odour, Taste, Turbidity, pH, Total Hardness, Iron, Chloride, Res. Free chlorine, Total Dissolved Solids, Calcium, Copper, Manganese, Sulphate, Nitrate, Fluoride, Phenolic Compound, Mercury, Cadmium, Arsenic, Cyanide, Lead, Zinc, Total Coliform, Hexavalent Chromium, Mineral Oil, Alkalinity, Aluminium & Boron.

TEST RESULT

Sl. No	PARAMETERS OF TEST	VALUE				IS as per IS 10500:2012		Test Method
		Canteen Jamadoba Colliery	Canteen Digwadih Colliery	Canteen 6 & 7 Pit Colliery	Canteen Jamadoba Washery	Desirable	Permissible	
1.	Colour, (Hazen Unit)	1	1	1	1	5.00	15.0	IS 3025 (P-4):2021
2.	Odour	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	IS 3025 (P-5):2018
3.	Taste	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	IS 3025 (P-7):2017
4.	Turbidity, NTU	1	NIL	NIL	NIL	1.0	5.0	IS 3025 (P-10):1984
5.	pH	7.7	7.8	7.6	7.4	6.5-8.5	No. Relax.	IS-3025 (P-11):1983
6.	Total Hardness as CaCO ₃ , mg/l	384	388	200	412	200	600	IS 3025 (P-21):2009
7.	Chloride as Cl, mg/l	66.9	63.2	40.9	65	250	1000	IS 3025 (P-32):1988
8.	Res. Free chlorine as Cl ₂ , mg/l	NIL	NIL	NIL	NIL	0.20	1.0	IS 3025 (P-26):2021
9.	Total Dissolved Solids, mg/l	725	625	398	359	500	2000	IS 3025 (P-16):1984
10.	Calcium as Ca, mg/l	80	76.8	56	88	75	200	IS 3025 (P-40):1991
11.	Copper as Cu, mg/l	BDL	BDL	BDL	BDL	0.05	1.5	IS 3025 (P-42):1992

Continued on Page 2

Statements :

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



[Handwritten Signature]



ADITI R&D SERVICES
Testing Laboratory
NABL ACCREDITED
(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindri, Industrial Area,
P.O. - Domgarh, Dist. - Dhanbad
Jharkhand - 828107
Email ID: sindriaditi@gmail.com
Website: aditirdservices.com
Phone: 0326-2952377 (O),
Fax: 0326-2952377
Mobile: 09471358492, 09431512608


- 2 -

Sl. No.	PARAMETERS OF TEST	VALUE				IS as per IS 10500:1991		Test Method
		Canteen Jamadoba Colliery	Canteen Digwadih Colliery	6 & 7 Pit Colliery	Jamadoba Washery Canteen	Desirable	Permissible	
12.	Manganese as Mn, mg/l	BDL	BDL	BDL	BDL	0.10	0.30	IS 3025 (P-59):2006
13.	Sulphate as SO ₄ , mg/l	63	54.2	72	50.6	200	400	IS 3025 (P-24):1986
14.	Nitrate as NO ₃ , mg/l	4.1	3.4	1.3	1.2	45	No. Relax	IS 3025 (P-34):1988
15.	Fluoride as F, mg/l	0.32	0.45	0.28	0.24	1.0	1.5	IS 3025 (P-60):2008
16.	Phenolic Compound as (C ₆ H ₅ OH) mg/l	BDL	BDL	BDL	BDL	0.001	0.002	IS 3025 (P-43):1992
17.	Mercury as Hg, mg/l	BDL	BDL	BDL	BDL	0.001	No. Relax	IS 3025 (P-48):1994
18.	Cadmium as Cd, mg/l	BDL	BDL	BDL	BDL	0.003	No. Relax	IS 3025 (P-41):1992
19.	Arsenic as As, mg/l	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025 (P-37):1988
20.	Cyanide as CN, mg/l	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025 (P-27):1986
21.	Lead as Pb, mg/l	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025 (P-47):1994
22.	Zinc as Zn, mg/l,	0.18	0.16	0.14	0.10	5	15	IS 3025 (P-42):1992
23.	Total Coliform, No./100ml	Absent	Absent	Absent	Absent	Absent	Absent	IS 3025 (P-49):1994
24.	Hexavalent Chromium as Cr, mg/l	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025 (P-52):2003
25.	Mineral Oil, mg/l	BDL	BDL	BDL	BDL	0.5	No. Relax	IS 3025 (P-39):1989
26.	Alkalinity as CaCO ₃ , mg/l,	476	440	208	456	200	600	IS 3025 (P-23):1983
27.	Aluminium as Al, mg/l	BDL	BDL	BDL	BDL	0.03	0.2	IS 3025 (P-55):2003
28.	Boran as B, mg/l	BDL	BDL	BDL	BDL	0.5	1.0	IS 3025 (P-57):2005

NOTE: BDL - Below Detection Limit


Sr. Chemist
 Aditi R&D Services




Technical Manager
 Aditi R&D Services, Sindri

Statements :

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindri, Industrial Area,
P.O. - Domgarh, Dist. - Dhanbad
Jharkhand - 828107
Email ID: sindriaditi@gmail.com
Website: aditirdservices.com
Phone: 0326-2952377 (O),
Fax: 0326-2952377
Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/23-24/1008

Date: 29.08.2023

TEST REPORT OF GROUND WATER

- Name of the industry : M/S TATA STEEL, JAMADOBA, TATA STEEL LIMITED, JAMADOBA GROUP PLANT, DIST. - DHANBAD (JHARKHAND)
- Work Order Ref. NO. : 4700092573/932 Dt. 20.07.2021
- Sample Code :
 - 1. Moholbani Basti
 - 2. Jorapukhar Kushtand
 - 3. Bhowra 13 No
 - 4. Lower Dungri
- Date of Sample Collection : 21.08.2023 – 22.08.2023
- Date of Testing : 23.08.2023 – 28.08.2023
- Test : Colour, Odour, Taste, Turbidity, pH, Total Hardness, Iron, Chloride, Res. Free chlorine, Total Dissolved Solids, Calcium, Copper, Manganese, Sulphate, Nitrate, Fluoride, Phenolic Compound, Mercury, Cadmium, Arsenic, Cyanide, Lead, Zinc, Total Coliform, Hexavalent Chromium, Mineral Oil, Alkalinity, Aluminium & Boron.

TEST RESULT

Sl No	PARAMETERS OF TEST	VALUE				IS as per IS 10500:1991		Test Method
		Moholbani Basti	Jorapukhar Kushtand	Bhowra 13 No	Lower Dungri	Desirable	Permissible	
1.	Colour, (Hazen Unit)	1	2	1	1	5	15	IS 3025 (P-4):2021
2.	Temperature °C	29°C	29°C	29°C	28°C	-	-	-
3.	Electrical Conductivity, µmhos/cm	1220	2400	1400	580	-	-	-
4.	Total Dissolved Solids, mg/l	790	1562	914	381	-	-	IS 3025(P-16):1984
5.	pH	6.9	7.8	7.3	7.6	6.5-8.5	No Relax	IS-3025(P-11):1983
6.	Total Hardness as CaCO ₃ , mg/l	444	832	464	192	200	600	IS 3025(P-21):2009
7.	Calcium as Ca, mg/l	110.4	179.2	94.4	41.6	75	200	IS 3025(P-40):1991
8.	Magnesium as Mg, mg/l	40.3	92.2	54.7	21.1	30	100	IS 3025(P-46):1994
9.	Chloride as Cl, mg/l	91.1	171.0	105	37.2	250	1000	IS 3025(P-32):1988
10.	Fluoride as F, mg/l	0.48	0.48	0.36	0.45	1.0	1.5	IS 3025(P-60):2008

Continued on Page -2

Anandita



[Signature]

Statements :

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



ADITI R&D SERVICES

Testing Laboratory

NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017, ISO 9001:2015, ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P)
Sindri, Industrial Area,
P.O. - Domgarh, Dist. - Dhanbad
Jharkhand - 828107
Email ID: sindriaditi@gmail.com
Website: aditimdservices.com
Phone: 0326-2952377 (O),
Fax: 0326-2952377
Mobile: 09471358492, 09431512608

- 2 -

Sl. No	PARAMETERS OF TEST	VALUE				IS as per IS 10500:1991		Test Method
		Moholbani Basti	Jorapukhar Kushtand	Bhowra 13 No	Lower Dungri	Desirable	Permissible	
11	Sulphate as SO ₄ , mg/l	46.8	62.2	65.3	47.7	200	400	IS 3025(P-24):1986
12	Nitrate as NO ₃ , mg/l	9.3	9.4	11.1	9.7	45	No. Relax	IS 3025(P-34):1988
13	Alkalinity as CaCO ₃ , mg/l,	252	624	264	144	200	600	IS 3025(P-23):1983
14	Lead as Pb, mg/l	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025(P-47):1994
15	Zinc as Zn, mg/l,	0.10	0.12	0.08	0.18	5	15	IS 3025(P-42):1992
16	Iron a Fe, mg/l	0.08	0.12	0.11	0.07	0.3	No. Relax	IS 3025(P-53):2003
17	Copper as Cu, mg/l	BDL	BDL	BDL	BDL	0.05	1.5	IS3025 (P-42):1992
18	Mercury as Hg, mg/l	BDL	BDL	BDL	BDL	0.001	No. Relax	IS 3025(P-48):1994
19	Cadmium as Cd, mg/l	BDL	BDL	BDL	BDL	0.003	No. Relax	IS 3025(P-41):1992
20	Nickel as Ni, mg/l	BDL	BDL	BDL	BDL	0.02	No. Relax	IS 3025(P-37):1992
21	Arsenic as As, mg/l	BDL	BDL	BDL	BDL	0.01	No. Relax	IS 3025(P-37):1988
22	Cyanide as CN, mg/l	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025(P-27):1986
23	Total Chromium as Cr, mg/l	BDL	BDL	BDL	BDL	0.05	No. Relax	IS 3025(P-52):2003

NOTE: BDL - Below Detection Limit

Anandita
Sr. Chemist
Aditi R&D Services



[Signature]
Technical Manager
Aditi R&D Services, Sindri

Statements :

1. The test report refers only to the particular item(s) submitted for testing.
2. The test results reported in this report are valid at the time of and under the stated condition of measurement.
3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.

ENVIRONMENTAL POLICY

Tata Steel's environmental responsibilities are driven by our commitment to preserve the environment and are integral to the way we do business.

1. We are committed to deal proactively with Climate Change issue by efficient use of natural resources & energy; reducing and preventing pollution; promoting waste avoidance and recycling measures; and product stewardship.
 - We shall identify, assess and manage our environment impact.
 - We shall regularly monitor, review and report publicly our environmental performance.
 - We shall develop & rehabilitate abandoned sites through afforestation and landscaping and shall protect and preserve the biodiversity in the areas of our operations.
 - We shall enhance awareness, skill and competence of our employees and contractors so as to enable them to demonstrate their involvement, responsibility and accountability for sound environmental performance.
2. We are committed to continual improvement in our environmental performance.
 - We shall set objective-targets, develop, implement and maintain management standards and systems, and go beyond compliance of the relevant industry standards, legal and other requirements.
3. We will truly succeed when we sustain our environmental achievement and are valued by the communities in which we work.

Date : November 1, 2017



T V Narendran
CEO & Managing Director



GM (J)

Chief (HR/IR)

Publication

DAINIK BHASKAR, DHANBAD Date **11-10-13**



TATA

TATA STEEL

सूचना

जन साधारण को सूचित किया जाता है कि भारत सरकार, वन एवं पर्यावरण मंत्रालय के पत्रांक संख्या- J -11015/372/2010-IA.II(M) डिगवाडीह कोलियरी (0.38 मिलियन टन प्रति वर्ष से 0.6 मिलियन टन प्रति वर्ष, विस्तारीकरण परियोजना) मेसर्स टाटा स्टील लिमिटेड, डिगवाडीह, जिला-धनबाद को पर्यावरण स्वीकृति प्रदान की गई है। जिसकी प्रतिलिपि क्षेत्रीय कार्यालय, झारखंड राज्य प्रदूषण नियंत्रण परिषद, धनबाद में उपलब्ध है तथा भारत सरकार, वन एवं पर्यावरण मंत्रालय के इंटरनेट साइट :- <http://envfor.nic.in> में भी देखी जा सकती है।

महाप्रबंधक (झरिया)

टाटा स्टील, जामाडोबा (धनबाद)

GM (J)

Chief (HR/IR)

Publication

PRABHAT KHABAR, DHANBAD Date **11-10-13**



TATA STEEL
सूचना

जन साधारण को सूचित किया जाता है कि भारत सरकार, वन एवं पर्यावरण मंत्रालय के पत्रांक संख्या- J -11015/372/2010-IA.II(M) डिगवाडीह कोलियरी (0.38 मिलियन टन प्रति वर्ष से 0.6 मिलियन टन प्रति वर्ष, विस्तारीकरण परियोजना) मेसर्स टाटा स्टील लिमिटेड, डिगवाडीह, जिला-धनबाद को पर्यावरण स्वीकृति प्रदान की गई है। जिसकी प्रतिलिपि क्षेत्रीय कार्यालय, झारखंड राज्य प्रदूषण नियंत्रण परिषद्, धनबाद में उपलब्ध है तथा भारत सरकार, वन एवं पर्यावरण मंत्रालय के इंटरनेट साइट :- <http://envfor.nic.in> में भी देखी जा सकती है।

महाप्रबंधक (झरिया)
टाटा स्टील, जामाडोबा (धनबाद)

GM (J) Chief (HR/IR)

Publication HINDUSTAN, DHANBAD Date 11-10-13



TATA STEEL
सूचना

जन साधारण को सूचित किया जाता है कि भारत सरकार, वन एवं पर्यावरण मंत्रालय के पत्रांक संख्या- J -11015/372/2010-IA.II(M) डिगवाडीह कोलियरी (0.38 मिलियन टन प्रति वर्ष से 0.6 मिलियन टन प्रति वर्ष, विस्तारीकरण परियोजना) मेसर्स टाटा स्टील लिमिटेड, डिगवाडीह, जिला-धनबाद को पर्यावरण स्वीकृति प्रदान की गई है। जिसकी प्रतिलिपि क्षेत्रीय कार्यालय, झारखंड राज्य प्रदूषण नियंत्रण परिषद्, धनबाद में उपलब्ध है तथा भारत सरकार, वन एवं पर्यावरण मंत्रालय के इंटरनेट साइट :- <http://envfor.nic.in> में भी देखी जा सकती है।

महाप्रबंधक (झरिया)
टाटा स्टील, जामाडोबा (धनबाद)

GM (J) Chief (HR/IR)

Publication DAINIK JAGRAN, DHANBAD Date 11-10-13



TATA

TATA STEEL

सूचना

जन साधारण को सूचित किया जाता है कि भारत सरकार, वन एवं पर्यावरण मंत्रालय के पत्रांक संख्या- J -11015/372/2010-IA.II(M) डिगवाडीह कोलियरी (0.38 मिलियन टन प्रति वर्ष से 0.6 मिलियन टन प्रति वर्ष, विस्तारीकरण परियोजना) मेसर्स टाटा स्टील लिमिटेड, डिगवाडीह, जिला-धनबाद को पर्यावरण स्वीकृति प्रदान की गई है। जिसकी प्रतिलिपि क्षेत्रीय कार्यालय, झारखंड राज्य प्रदूषण नियंत्रण परिषद्, धनबाद में उपलब्ध है तथा भारत सरकार, वन एवं पर्यावरण मंत्रालय के इंटरनेट साइट :- <http://envfor.nic.in> में भी देखी जा सकती है।

महाप्रबंधक (झरिया)

टाटा स्टील, जामाडोबा (धनबाद)

Municipal Commissioner,
Dhanbad.

Ref No.: JMB/ENV/DIG/37/ 805 /2018

September 17, 2018

Sub: Submission of copy of Environmental Clearance granted to units of M/s Tata Steel Limited

Dear Sir,

Please find enclosed the letter of Environmental Clearance (EC) granted by MoEFCC to various units of Tata Steel Limited, Jharia Division, Dhanbad as per the following details-

1. Digwadih Colliery (for expansion from 0.38 MTPA to 0.6 MTPA in ML area 314.57 ha), dist. Dhanbad, Jharkhand.
2. 6 & 7 Pits Colliery (for expansion from 0.28 MTPA to 0.6 MTPA in ML area 168.12 ha), dist. Dhanbad, Jharkhand.
3. Jamadoba Coal Washery (for expansion from 1 MTPA to 2 MTPA in 7 Ha area), dist. Dhanbad, Jharkhand.

The copy of EC letter and its compliance is also uploaded in website (<http://www.tatasteel.com/sustainability/environment-compliance-reports/>) for your kind perusal.

Thanking You,

Yours faithfully,



Head, Planning
Jharia Division

