

Additional Principal Chief Conservator of Forests (C), MOEFCC, Regional Office (EZ), A/3, Chandersekharpur, Bhubaneswar – 751023

Ref No. - JMB/115/

001565

/2017

November, 22, 2017

SUB: Half Yearly Compliance Report of the conditions of EC issued by MoEFCC, New Delhi, to Premsinghdih Sand Lease, Tata Steel Limited, Dhanbad for the period April'17 to September'17.

Dear Sir.

We are enclosing herewith compliance report for the period from April'17 to September'17 for the EC granted vide letter no.- J-11015/422/2012-IA.II(M), Dated-05.11.2015 (amended on 30.11.2015) issued by Ministry of Environment, Forest and Climate Change, New Delhi. This is for your kind perusal.

Thanking you,

Yours faithfully,

General Manager (Coal)

Email I.D.- skumar.singh@tatasteel.com

Encl: As above.

Copy to: Member Secretary, CPCB Zonal Office, Southend Conclave, 502, 5th Floor 1582,

Rajdanga Main Road, Kolkata-700107.

Copy to: Member Secretary, WBPCB, Paribesh Bhavan, 10A, Block-L.A., Sector III, Salt Lake

City, Kolkata - 700 098



TATA STEEL LIMITED

Jharia Collieries Jamadoba 828 112 Dhanbad India
Tel 91 326 2320263/2320265/2320267 Fax 91 326 2320268
Regd. Office Bombay House 24 Homi Mody Street Fort Mumbai 400 001
Tel 91 22 66658282 Fax 91 22 66657724
Corporate Identity Number L27100MH1907PLC000260 Website www.tatasteel.com

HALF YEARLY COMPLIANCE REPORT

(PERIOD: APRIL'17 - SEPTEMBER'17)

PREMSINGHDIH SAND LEASE

(CAPACITY: 0.2 MTPA SAND FROM RIVERBED OF GOWAI)
TEHSIL: RAGHUNATHPUR II, DIST: PURULIA, WEST BENGAL



TATA STEEL LIMITED, JHARIA DIVISION

P.O.- JAMADOBA, DIST. - DHANBAD, STATE- JHARKHAND, PIN CODE - 828112.

ENVIRONMENTAL CLEARANCE GRANTED VIDE LETTER NO.- J-11015/422/2012-IA.II(M) DATED- 05.11.2015 (AMENDED ON 30.11.2015) ISSUED BY GOVT. OF INDIA, MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE, NEW DELHI

Compliance status of Environmental Clearance of Mining of mineral sand from the river bed of Gowai (0.2 MTPA) of M/s Tata Steel Ltd., Village Premsinghdih, Poradih, Erandih, Tehsil Raghunathpur II, dist. Purulia, West Bengal (MLA- 44.10 Ha) vide MoEFCC Letter no J-11015/422/2012-IA.II (M) dated November 5, 2015 (corrigendum on 30.11.2015)

S. No.	Condition	Compliance Status
Specific	Condition	
(i)	Environmental Clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court of West Bengal and any other Court of Law, if any, as may be applicable to this project.	All the judgements applicable to this project will be strictly followed.
(ii)	This Environmental Clearance is subject to obtaining requisite NBWL Clearance from the Standing Committee of National Board for Wildlife, if any, applicable for this Mining Project.	It is not applicable for this mining project.
(iii)	No mining activities will be allowed in forest areas, if any, for which the Forest Clearance is not available.	There is no forest area involved.
(iv)	The Project Proponent shall obtain Consent to Operate from the State Pollution Control Board, West Bengal and effectively implement all the conditions stipulated therein.	The Consent to Establish has been granted by WBPCB vide letter no. 1055-2N-02/2015(E) dated 17.12.2015 and the Consent to Operate (CTO) vide letter no. 216_AS_CO_O/16/0003 dated 21.03.2016 with validity upto 31.12.2020. The mining has started after the grant of CTO and all the conditions stipulated therein are being effectively implemented.
(v)	Excavation will be carried out up to a maximum depth of 3 meters from surface of mineral deposit and not less than one meter from the water level of the River channel whichever is reached earlier.	Excavation is being done as per the above guideline.
(vi)	Project Proponent shall appoint an Occupational Health Specialist for Regular and Periodical medical checkup and once in six months and necessary medical care/preventive measures under taken accordingly. Recommendations of National Institute for Labour for ensuring good occupational environment for mine workers would also be adopted; Project Proponent shall appoint a Monitoring Committee to monitor the replenishment study, traffic management, levels of production, River	 a. Our central hospital located at Jamadoba, already has an Occupational Health Specialist to cater to the medical checkups/ medical care of the workers. The workers involved in this project will also be provided medical care in our central hospital. b. A Monitoring Committee has been appointed to monitor the replenishment study, traffic management, levels of production, River Bank erosion, maintenance of Road, etc on regular basis. The committee comprises officials from

1

11015/422/2012-IA.II (M) dated November 5, 2015 (corrigendum on 30.11.2015)

	Bank erosion and maintenance of Road, etc.	CSI offi	R Departicials of n	nents. Fe earby vill	Survey, edback fr ages is al	om the l	Panchaya dered.
(vii)	Transport of minerals shall be done either by dedicated road or it should be ensured that the trucks/ dumpers carrying the mineral should not be allowed to pass through the villages.	Puc coll	ca road iery sand	starting l bunker.	nd is don from the The truc illage roa	riverbe ks/ dun	d till the
(viii)	Project Proponent shall ensure that the road may not be damaged due to transportation of the mineral and transport of minerals will be as per IRC Guidelines with respect to complying with traffic congestion and density.	it w case the Las con road to M	ill be ense small recompany tyear, was gestion at a per I	ured that pairs are e had cond density RC guide	ad is puce the road is required, anducted is y on the s lines whice elhi durin	is not da it will b a study and tran ch were	maged. In e done by on traffic sportation submitted
		SI	Road	Road Condition	Suggested Design Service Volume in PCU/day as per IRC: 64- 1990	Studied Existing Volume in PCU per day Taking higher side	Remarks
		1	Gowai river to Manpur more (8km)	Two lane Pucca Road	6000	418	20 ft. wide road
		2	Manpur more to CIMFR, Digwadih (8km)	Two lane Pucca Road	15000	2400	30 ft wide road
		3	CIMFR, Digwadih to Tata Collieries (4 km)	Two lane Pucca Road	15000	11000	30ft wide road
		the exist only Mormon	capacity sting traf y 60 trip reover, that asoon sea	is much fic conditions os (120 to his traffic ason, as n	traffic is higher itions. In o and fro will only o collection seaso	than the abo) will we exist du	at of the ove road be added iring non
(ix)	Implementation of Action Plan on the issues raised during the Public Hearing. The Proponent shall complete all the tasks as per the Action Plan submitted with the	All bee	the point n imple ironment	ts mention	ned in the They ction mea	e action are re asures 1	lated to ike wate

11015/422/2012-IA.II (M) dated November 5, 2015 (corrigendum on 30.11.2015)

	budgetary provisions during the Public Hearing.	activities. Remaining points related to CSR like health care facilities have also been taken up by our CSR wing TSRDS.
(x)	The pollution due to transportation load on the environment will be effectively controlled & water sprinkling will also be done regularly. Vehicles with PUCC only will be allowed to ply. The mineral transportation shall be carried out through covered trucks only and the vehicles carrying the mineral shall not be overloaded. Project should obtain 'PUC' certificate for all the vehicles from authorized pollution testing center; Washing of all transport vehicle should be done inside the mining lease.	Water sprinkling on the transportation road is being done regularly to minimize the pollution. The vehicles used are being regularly checked and maintained. Only vehicles having valid PUC certificates are allowed to ply. Transportation of sand is always done via tarpaulin-covered trucks which are optimally loaded. The washing of trucks is being done in garages/ workshop located away from the riverbed as this is a riverbed sand mining project and washing of trucks near the river may degrade the river water quality.
(xi)	Permanent pillars has to be constructed to demarcate width of extraction of ROM leaving 25% of River width from the bank with depth of 1.5m below the ground and 1.2m above the ground to observe its stability.	Permanent pillars have been erected marking the boundary of the mine lease area.
(xii)	The Project Proponent shall also take all precautionary measures during mining operation for conservation and protection of endangered flora/fauna, if any, spotted in the study area. Further, the Project Proponent shall implement the Conservation Plan for the Schedule I species, if any, reported in the Study area. The implementation Report shall be sent regularly to Regional Office of the MOEFCC located at Bhubaneshwar.	All precautionary measures are being taken during mining operation to protect the flora and fauna. As per the last study done, there were no endangered species near to the mining lease area.
(xiii)	The illumination and sound at night at project site disturb the villages in respect of both human and animal population. Consequent sleeping disorders and stress may affect the health in the villages located close to mining operations. Habitations have a right for darkness and minimal noise levels at night. Project Proponent must ensure that the biological clock of the villages is not disturbed; by orienting the floodlights/ masks away from the villagers and keeping the noise levels well within the	There are no floodlights erected due to the project. Noise levels is being kept well within the prescribed limits.

Compliance status of Environmental Clearance of Mining of mineral sand from the river bed of Gowai (0.2 MTPA) of M/s Tata Steel Ltd., Village Premsinghdih, Poradih, Erandih, Tehsil Raghunathpur II, dist. Purulia, West Bengal (MLA- 44.10 Ha) vide MoEFCC Letter no J-11015/422/2012-IA.II (M) dated November 5, 2015 (corrigendum on 30.11.2015)

	prescribed limits for day light/ night hours.	
(xiv)	Main haulage road in the mine should be provided with permanent water sprinklers and other roads should be regularly wetted with water tankers fitted with sprinklers.	There is no haulage road since it is a river-bed sand excavation project. Only temporary access roads are made on the sand lumps. Further, water spraying activity on transportation roads is being done with the help of water tankers.
(xv)	Transportation of the minerals by road passing through the village shall not be allowed. A 'bypass' road should be constructed (say, leaving a gap of at least 200 meters) for the purpose of transportation of the minerals so that the impact of sound, dust and accidents could be mitigated. The Project Proponent shall bear the cost towards the widening and strengthening of existing public road network in case the same is proposed to be used for the Project. No road movement should be allowed on existing village road network without appropriately increasing the carrying capacity of such roads.	It is being strictly complied. The transportation will not be done through the village roads. A dedicated 'pucca' road network is available which is being used for the sand transportation activity. The width of these roads is mentioned earlier along with the carrying capacity.
(xvi)	Likewise, Alteration or re-routing of foot paths, pagdandies, cart roads, and village infrastructure/ public utilities or roads (for purposes of land acquisition for mining) shall be avoided to the extent possible and in case such acquisition is inevitable, alternate arrangements shall be made first and then only the area acquired. In these types of cases, Inspection Reports by site visit by experts may be insisted upon which should be done through reputed Institutes.	There is no such acquisition required for thi project.
(xvii)	CSR activities by Companies including the Mining Establishments have become mandatory up to 2% of their financial Turnover. Socio Economic Development of the neighborhood Habitats could be planned and executed by the Project Proponent more systematically based on the 'Need based door to door survey' by established Social Institutes/ Workers. The report shall be submitted to the Ministry of Environment and Forest and its Regional Office located at Bhubaneshwar on six monthly basis.	The CSR activities are being done and the 29 mandate is being fulfilled at the company leve. The CSR report of our division is being enclose with this compliance report.

Compliance status of Environmental Clearance of Mining of mineral sand from the river bed of Gowai (0.2 MTPA) of M/s Tata Steel Ltd., Village Premsinghdih, Poradih, Erandih, Tehsil Raghunathpur II, dist. Purulia, West Bengal (MLA- 44.10 Ha) vide MoEFCC Letter no J-11015/422/2012-IA.II (M) dated November 5, 2015 (corrigendum on 30.11.2015)

(xviii)	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche, etc. The housing may be in the form of temporary structures to be removed after the completion of the Project. A Final Mine Closure Plan along with details of Corpus Fund shall be submitted to the MOEFCC 5 years in advance of final mine closure for approval.	Since all the workers are being engaged from the nearby villages, there is no requirement of separate housing for this project. The Mine Plan along with MCP has been approved in 2014. This is a river-bed sand mining project and the sand gets replenished every year so there is no requirement for any mine closure activity except for the removal of temporary infrastructure or machinery available.
		on the site.
B1	SPECIAL CONDITIONS	
	Impact Category: Stakeholder Engagem	ient
(1)	In the case of private land not owned by the lease holder an affidavit should be obtained regarding consent of the concerned land owner(s) for carrying out the mining operation.	Not applicable as no private land is involved in this project.
(2)	Stakeholder awareness and ability to raise concerns and getting it to be addressed.	All stakeholders are given opportunity to raise their concerns with General Manager, Jharia of weekly basis (every Monday).
(3)	Implementation of Action Plan on the issues raised during the Public Hearing. The Proponent shall complete all the tasks as per the Action Plan submitted with the budgetary provisions during the Public Hearing.	Already mentioned in Section A Point ix.
(4)	Having valid lease and all the permits is very much needed.	The project has valid lease as well as al necessary permits required from the statutor; authorities.
(5)	To establish a Monitoring Committee including Local Panchayat, to check on traffic due to transportation and submit an annual report on the same.	A Monitoring Committee has been appointed to monitor the replenishment study, traffic management, levels of production, River Banlerosion, maintenance of Road, etc on regula basis. The committee comprises officials from the Mine Planning, Survey, Environment and CSR Departments. Feedback from the Panchaya officials of nearby villages is also considered.

(6)	The directions given by the Hon'ble	All the directions in the above cases will be
	Supreme Court of India vide order dated	strictly followed.
	27.02.2012 in Deepak Kumar case [SLP(C)	
	Nos.19628-19629 of 2009] and order dated	
	05.08.2013 of the Hon'ble National Green	
	Tribunal in application No. 171/2013 may	U I
	be strictly followed.	
(7)	All the provisions made and restrictions	This is not applicable as sand used for stowing i
	imposed as covered in the Minor Mineral	a major mineral.
	Rule, shall be complied with, particularly	
	regarding Environment Management	
	Practices and its fund management and	
	Payment of compensation to the land	
	owners.	
	Impact Category: Sustainable Mining P	ractices
		F
(8)	District level Survey Report should be	This is a major mineral hence this survey report
	prepared and area suitable for mining and	is not required.
	area prohibited for mining be identified.	
(9)	The depth of mining in Riverbed shall not	The depth of mining will not exceed 3 meters.
	exceed one meter or water level whichever	
	is less, provided that where the Joint	
	Inspection Committee certifies about	
	excessive deposit or over accumulation of	
	mineral in certain reaches requiring	
	channelization, it can go up to 3 meters on	
10)	defined reaches of the River.	Conduction description
10)	No River sand mining be allowed in rainy	Sand mining does not take place during rain
	season.	season. Mining activity is suspended during the
11)	To submit annual realenishment report	monsoon period. The annual sand replenishment study has alread
(11)	To submit annual replenishment report certified by an authorized agency. In case	been completed for the project by a repute
	the replenishment is lower than the	institution, Indian School of Mines Dhanbac
	approved rate of production, then the	The report was submitted along with the
	mining activity/ production levels shall be	EIA/EMP report to MOEFCC for the grant of
	decreased/ stopped accordingly till the	EC. The findings are provided here-
	replenishment is completed.	Le. The midnigs are provided here-
	repichishment is completed.	Replenishment Calculation per Km stretch of
		Damodar in JCF
		Daniodal III JOI

11015/422/2012-IA.II (M) dated November 5, 2015 (corrigendum on 30.11.2015)

		SI	Estimation /Assessment	Values
		i)	Per km stretch of Damodar the silt load per year	•
		ii)	Bulk density of sand	1.6 T/m ³
		iii)	Tonnage of sedimentation per km stretch per year	7,65,216 T/km/yr
		iv)	In a 2.6 Km stretch of the Core the sedimentation	≈19.9 Lakh Ton/yr
		v)	In South Bank only (ML) = Sl No (iv)/2	≈9.95Lakh Tonne
		excav	therefore, there is vation of around 9.95 let the capacity of our pro	LT of riverbed sand,
(12)	Ultimate working depth shall be up to 3m from the Riverbed level and not less than one meter from the water level of the River channel whichever is reached earlier. In hilly terrain this depth be preferably restricted to one meter.	and r	depth of mining will not less than one meter e River channel if it is re	from the water level
(13)	In River flood plain mining a buffer of 3 meters to be left from the River bank for mining.	This	is not applicable.	
(14)	In mining from agricultural field a buffer of 3 meters to be left from the adjacent field.	This	is not applicable.	
(15)	Mining shall be done in layers of 1 m depth to avoid ponding effect and after first layer is excavated, the process will be repeated for the next layers.	B.C.	excavation activity is guidelines to avoid por	_
(16)	To maintain safety and stability of Riverbanks i.e. 3 meters or 10% of the width of the River whichever is more will be left intact as no mining zone.	100	of the width has been gzone.	en left intact as no
(17)	No stream should be diverted for the purpose of sand mining. No natural water course and/ or water resources are obstructed due to mining operations.	It wil	l be strictly followed.	
(18)	No blasting shall be resorted to in river mining and without permission at any other place.	No b	lasting is involved.	

(19)	Depending upon the location, thickness of sand, deposition, agricultural land/river bed, the method of mining may be manual, semi-mechanized or mechanized; however, manual method of mining shall be preferred over any other method.	Manual method of mining is used for excavation of sand.
	Impact Category: Identification and Pre	eparation of Mining Site
(20)	Mining should be done only in area/ stretch identified in the District Level Survey Report suitable for mining and so certified by the Sub-Divisional Level Committee after site visit.	The District survey report is not applicable for major mineral projects.
(21)	Mining should begin only after pucca pillar marking the boundary of lease area is erected at the cost of the lease holder after certification by the mining official and its geo coordinates are made available to the District Level Committee.	Pillars have been erected marking the boundary of the mine lease area. Authentication by DGPS survey has also been conducted and the SHAPE file has been submitted through CD along with our letter (Ref. No- JMB/115/233A/2017) dt 31.01.2017 to Regional Office, MoEFCC Bhubaneswar. It is also mailed at roez.bsr-mef@nic.in on 31.01.2017.
(22)	be stored temporarily in an earmarked site and concurrently used for land reclamation.	This is not applicable as no top soil generation is involved.
(23)	The EC holder shall keep a correct account of quantity of mineral mined out, dispatched from the mine, mode of transport, registration number of vehicle, person incharge of vehicle and mine plan. This should be produced before officers of Central Government and State for inspection.	All records of quantity of sand mined out and dispatched from the mine are available with our Mine Planning Department. Mode of transport of sand is truck. A copy of challan issued to truck also exists with us in which the registration number and person-in-charge of vehicle are mentioned. These documents are being properly maintained and shall be produced during any inspection.
(24)	For each mining lease site, the access should be controlled in a way that vehicles carrying mineral from that area are tracked and accounted for.	It is being strictly followed. The entire mineral being transported is accounted for. All trucks carry valid mining challans issued by the office of the Chief Mining Officer.
(25)	The State/ District Level Environment Committee should use technology like Bar Coding, Information and Communications Technology (ICT), Web based and ICT enabled services, mobile SMS App etc. to account for weight of mineral being taken out of the lease area and the number of	Regulation of sand transport from our lease area is being done by Chief Mining Officer, Asansol Manual permits are being issued as online facility for issuing the permit has not beer implemented yet in West Bengal.

Compliance status of Environmental Clearance of Mining of mineral sand from the river bed of Gowai (0.2 MTPA) of M/s Tata Steel Ltd., Village Premsinghdih, Poradih, Erandih, Tehsil Raghunathpur II, dist. Purulia, West Bengal (MLA- 44.10 Ha) vide MoEFCC Letter no J-11015/422/2012-IA.II (M) dated November 5, 2015 (corrigendum on 30.11.2015)

trucks moving out with the mineral.	
There should be regular monitoring of the mining activities in the State to ensure effective compliance of stipulated EC conditions and of the provisions under the Minor Mineral Concessions Rules framed by the State Government.	We will effectively comply with all the applicable EC conditions.
Impact Category: Noise Management	
Noise arising out of mining and processing shall be abated and controlled at source to keep within permissible limit.	Noise generation is expected only during the operation of shovel and dumpers and during transportation. We will ensure that the machinery are kept in good conditions and are regularly maintained so that noise from their engines is minimized. Every care possible is being taken to keep noise level within permissible limit.
Restricted working hours. Sand mining operation has to be carried out between 6 am to 7 pm.	Our sand excavation activity takes place only during above mentioned hours.
Impact Category: Air Pollution and Dus	t Management
The pollution due to transportation load on the environment will be effectively controlled & water sprinkling will also be done regularly.	Water sprinkling on the transportation road is being done regularly to minimize the pollution load on the environment.
Air Pollution due to dust, exhaust emission or fumes during mining and processing phase should be controlled and kept in permissible limits specified under	Ambient Air monitoring is being done to monitor the dust & gaseous pollution due to operation of shovel and dumpers. It will be kept under the permissible limits. The ambient air analysis reports are attached as Annexure-I.
The mineral transportation shall be carried out through covered trucks only and the vehicles carrying the mineral shall not be overloaded. Wheel washing facility should be installed and used.	Transportation of sand is always done via tarpaulin-covered trucks which are optimally loaded.
Impact Category: Management of Visua	l Impact
The mining operations are to be done in a systematic manner so that the operations shall create a major visual impact on the site.	Mining is being done in a systematic manner. The biodiversity and aesthetic beauty of the area will be maintained always.
	There should be regular monitoring of the mining activities in the State to ensure effective compliance of stipulated EC conditions and of the provisions under the Minor Mineral Concessions Rules framed by the State Government. Impact Category: Noise Management Noise arising out of mining and processing shall be abated and controlled at source to keep within permissible limit. Restricted working hours. Sand mining operation has to be carried out between 6 am to 7 pm. Impact Category: Air Pollution and Dust The pollution due to transportation load on the environment will be effectively controlled & water sprinkling will also be done regularly. Air Pollution due to dust, exhaust emission or fumes during mining and processing phase should be controlled and kept in permissible limits specified under environmental laws. The mineral transportation shall be carried out through covered trucks only and the vehicles carrying the mineral shall not be overloaded. Wheel washing facility should be installed and used. Impact Category: Management of Visua The mining operations are to be done in a systematic manner so that the operations shall create a major visual impact on the

11015/422/2012-IA.II (M) dated November 5, 2015 (corrigendum on 30.11.2015)

	22/2012-1A.11 (W) dated 140vember 5, 2015 (C	
(33)	Restoration of flora affected by mining should be done immediately. Twice the number of trees destroyed by mining to be planted preferably of indigenous species. Each EC holder should plant and maintain for lease period at least 2500 trees per hectare in area near lease.	It will be ensured that flora is not affected or damaged by the sand mining operations. 850 nos of tree saplings have been distributed to nearby villagers. Since almost all the area near lease is private land, we will undertake plantation activity in consultation with the land-owners.
(34)	No mining lease shall be granted in the forest area without forest clearance in accordance with the provisions of the Forest Conservation Act, 1980 and the rules made thereunder.	Not applicable as no forest area is involved.
(35)	Protection of turtle and bird habitats shall be ensured.	Not applicable as no such habitat exists near our lease area.
(36)	No felling of tree near quarry is allowed. For mining lease within 10km of the National Park/ Sanctuary or in Eco-Sensitive Zone of the Protected Area, recommendation of Standing Committee of National Board of Wildlife (NBWL) have to be obtained as per the Hon'ble Supreme Court order in I.A. No. 460 of 2004.	It is not applicable.
(37)	Spring sources should not be affected due to mining activities. Necessary Protection measures are to be incorporated.	It is not applicable.
	Impact Category: Management of Insta	bility and Erosion
(38)	Removal, stacking and utilization of top soil in mining should be ensured. Where top soil cannot be used concurrently, it shall be stored separately for future use keeping in view that the bacterial organism should not die and should be spread nearby area.	It is not applicable as no top soil will be generated.
(39)	The EC should stipulate conditions for adequate steps to check soil erosion and control debris flow etc. by constructing engineering structures.	It is not applicable.
(40)	Use of oversize material to control erosion and movement of sediments.	It is not applicable.
(41)	No overhangs shall be allowed to be formed due to mining and mining shall not be allowed in area where subsidence of rocks is likely to occur due to steep angle of slope.	It will be strictly followed.

11015/422/2012-IA.II (M) dated November 5, 2015 (corrigendum on 30.11.2015)

1/2

(42)	No extraction of stone/ boulder/ sand in landslide prone areas.	There are no landslide prone areas near our lease.
(43)	Controlled clearance of riparian vegetation to be undertaken.	No riparian vegetation is proposed to be disturbed.
	Impact Category: Waste Management	
(44)	Site clearance and tidiness is very much needed to have less visual impact of mining.	Housekeeping and tidiness of the area wil always be maintained.
(45)	Dumping of waste shall be done in earmarked places as approved in Mining Plan.	No waste will be generated.
(46)	Rubbish burial shall not be done in the Rivers.	No such burial will be done in the river.
	Impact Category: Pollution Prevention	
(47)	The EC holder shall take all possible precautions for the protection of environment and control of pollution.	All necessary precautions will be taken a mentioned in earlier points.
(48)	Effluent discharge should be kept to the	
	minimum and it should meet the standards prescribed.	no township as all manpower will be from the
(49)	prescribed.	no township as all manpower will be from the nearby villages. Hence, no generation of effluer is envisaged. ucture

Compliance status of Environmental Clearance of Mining of mineral sand from the river bed of Gowai (0.2 MTPA) of M/s Tata Steel Ltd., Village Premsinghdih, Poradih, Erandih, Tehsil Raghunathpur II, dist. Purulia, West Bengal (MLA- 44.10 Ha) vide MoEFCC Letter no J-11015/422/2012-IA.II (M) dated November 5, 2015 (corrigendum on 30.11.2015)

	be carried out in the safety zone so worked	
(51)	out. Mining activities shall not be done for mine lease where mining can cause danger to site of flood protection works, places of cultural, religious, historical and archeological importance.	No such danger is posed by our mining lease.
	Impact Category: Enhancement of Road	l Safety
(52)	Vehicles used for transportation of sand are to be permitted only with fitness and PUC Certificates.	Only vehicles having valid PUC and fitness certificates will be allowed to ply.
(53)	Junction at takeoff point of approach road with main road be properly developed with proper width and geometry required for safe movement of traffic by concession holder at his own cost.	The approach roads are of adequate width and there is no risk of traffic congestion in the area. This has been validated in the traffic density study conducted last year.
(54)	Project Proponent shall ensure that the road may not be damaged due to transportation of the mineral; and transport of minerals will be as per IRC Guidelines with respect to complying with traffic congestion and density.	Already mentioned in Section A Point viii.
(55)	No stacking allowed on road side along National Highways.	No stacking will be done. The sand will be taken directly to the sand yards of our underground mines.
	Impact Category: Closure and Reclama	tion of Mined Out Area
(56)	The Project Proponent shall undertake phased restoration, reclamation and rehabilitation of land affected by mining and completes this work before abandonment of mine.	No land will be affected due to the project.
(57)	Restoration, reclamation and rehabilitation in cluster should be done systematically and jointly by each EC holder in that cluster.	This is not applicable as this is a single min lease and not part of any EC cluster.
	This should be appropriately reflected as EC condition in each EC in cluster.	

11015/422/2012-IA.II (M) dated November 5, 2015 (corrigendum on 30.11.2015)

	Impact Category: Health and Safety	
(59)	Health and safety of workers should be taken care of.	All the safety procedures will be implemented including safe driving checks and over-speeding checks. Health care to workers will be provided at our Hospital.
(60)	Transport of mineral will not be done through villages/ habitations.	It will not be done through any village of habitation
(61)	The Project Proponent shall make arrangement for drinking water, first aid facility (along with species specific antivenom provisioning) in case of emergency for the workers.	All the above arrangements will be done at the mining site.
(62)	Project Proponent shall implement the Disaster Management Plan if the mine lease area is located in Seismic Zone-IV. Project Proponent shall appoint a Committee to have a check over any disaster to warn workers well before for the safety of the workers. Emergency helpline number will be displayed at all levels.	The mine lease area lies in Seismic Zone-III so i is not applicable.
(63)	Project Proponent shall appoint an Occupational Health Specialist for Regular and Periodical medical examination of the workers engaged in the Project and records maintained; also Occupational health checkups for workers having some ailments like BP, diabetes, habitual smokers etc. shall be undertaken once in six months and necessary remedial/ preventive measures taken accordingly. Recommendations of National Institute for Labour for ensuring good occupational environment for mine workers would also be adopted.	Our central hospital located at Jamadoba, already has an Occupational Health Specialist to cater to the medical checkups/ medical care of the workers. The workers involved in this project will also be provided medical care in our central hospital.
	Impact Category: Monitoring the Impac	et of Mining and Mineral Conservation
(64)	The Project Proponent shall report monitoring data on replenishment, traffic management, levels of production, River Bank erosion and maintenance of Road etc.	The information has been provided in earlier points.

Compliance status of Environmental Clearance of Mining of mineral sand from the river bed of Gowai (0.2 MTPA) of M/s Tata Steel Ltd., Village Premsinghdih, Poradih, Erandih, Tehsil Raghunathpur II, dist. Purulia, West Bengal (MLA- 44.10 Ha) vide MoEFCC Letter no J-11015/422/2012 LA II (M) deted November 5, 2015 (corrigendum on 30.11.2015)

11015/422/2012-IA.II (M) dated November 5, 2015 (corrigendum on 30.11.2015) Use of alternate material such as M-sand in We are exploring the use of BF Slag and LD (65)place of natural River sand shall be Slag as replacement for sand. encouraged in order to reduce stress on natural eco-system. B2: PROCEDURE FOR MONITORING OF SAND MINING: Online facility for transport permission has not (i) Project Proponent must ensure that the been implemented yet in West Bengal. Manual security features of Transport Permission viz. (a) Printed on Indian Bank Association permits are being issued by Chief Mining (IBA) approved Magnetic Ink Character Officer, Asansol. Recognition Code (MICR) paper; (b) Unique Barcode; (c) Unique Ouick Response Code (QR); (d) Fugitive Ink Background; (e) Invisible Ink Mark; (f) Void Pantograph; (g) Watermark. Project proponent must ensure that the Online facility for transport permission has not (ii) CCTV camera, Personal Computer (PC), been implemented yet in West Bengal. Manual Internet Connection, Power Back up, access permits are being issued by Chief Mining control of mine lease site; and arrangement Officer, Asansol. for weight or approximation of weight of mined out mineral on basis of volume of the trailer of vehicle used at mine lease site are available. Project Proponent must ensure the Scanning Online facility for transport permission has not (iii) of Transport Permit or Receipt and been implemented yet in West Bengal. Manual permits are being issued by Chief Mining Uploading on Server. Officer, Asansol. Online facility for transport permission has not The State Mines and Geology Department (iv) should print the Transport Permits/ Receipt been implemented yet in West Bengal. Manual permits are being issued by Chief Mining with security features enumerated at Officer, Asansol. Paragraph (i) above and issue them to the mine lease holder through the District Collector. Once these Transport Permits or Receipts are issued, they would be uploaded on the server against that mine lease area. Each receipt should be preferably with prefixed quantity, so the total quantity gets determined for the receipts issued. When the Transport Permit or Receipt barcode gets scanned and invoice is generated, that

> particular barcode gets used and its validity time is recorded on the server. So all the details of transporting of mined out material can be captured on the server and the

Compliance status of Environmental Clearance of Mining of mineral sand from the river bed of Gowai (0.2 MTPA) of M/s Tata Steel Ltd., Village Premsinghdih, Poradih, Erandih, Tehsil Raghunathpur II, dist. Purulia, West Bengal (MLA- 44.10 Ha) vide MoEFCC Letter no J-11015/422/2012-IA.II (M) dated November 5, 2015 (corrigendum on 30.11.2015)

2	Transport Permit or Receipt cannot be reused.	
(v)	The staff deployed for the purpose of checking of vehicles carrying mined mineral should be in a position to check the validity of Transport permit or Receipt by scanning them using website, Android Application and SMS.	Online facility for transport permission has no been implemented yet in West Bengal. Manua permits are being issued by Chief Mining Officer, Asansol.
(vi)	In case the Vehicle breakdown, the validity of Transport Permit or Receipt shall be extended by sending SMS by driver in specific format to report breakdown of vehicle. The server will register this information and register the breakdown. The State can also establish a call centre, which can register breakdowns of such vehicles and extend the validity period. The subsequent restart of the vehicle also should be similarly reported to the server/ call centre.	Online facility for transport permission has no been implemented yet in West Bengal. Manua permits are being issued by Chief Mining Officer, Asansol.
(vii)	The route of vehicle from source to destination shall be tracked through the system using check points, Radio-frequency identification (RFID) Tags and Global Positioning System (GPS) tracking.	GPS tracking is being done for every vehicle used for sand transportation from source to destination.
(viii)	The system shall enable the authorities to develop periodic report on different parameters like daily lifting report, vehicle log/history, lifting against allocation and total lifting. The system can be used to generate auto mails/SMS. This will enable the District Collector/ Magistrate to get all the relevant details and will enable the authority to block the scanning facility of any site found to be indulged in irregularity. Whenever any authority intercepts any vehicle transporting illegal sand, it shall get registered on the server and shall be mandatory for the officer to fill in the report on action taken. Every intercepted vehicle should be tracked.	Online facility for transport permission has no been implemented yet in West Bengal. Manua permits are being issued by Chief Mining Officer, Asansol.

Va.

11015/422/2012-IA.II (M) dated November 5, 2015 (corrigendum on 30.11.2015)

C:	GENERAL CONDITIONS:			
(i)	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment, Forests and Climate Change.	It will be complied with.		
(ii)	No change in the calendar plan including excavation, quantum of mineral and waste should be made.	It will be complied with.		
(iii)	The Project Proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of surface water and ground water for the project.	surface water or ground water.		
(iv)	Regular monitoring of ground water table to be carried out at the upstream and depth of water available in the dug well is to be measured. Monitoring to be done by establishing a network of existing wells and constructing new piezometers.	The ground water table monitoring is being done on regular basis for pre-monsoon (May) Monsoon (July), post-monsoon (October) and winter season (January). The water level (below the ground level) and quality analysis has been done and reports are attached as Annexure-II.		
(v)	Monitoring of Ambient Air Quality to be carried out based on the 2009 Notification, as amended from time to time by the CPCB. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.	The Ambient Air Quality monitoring is being done as per NAAQS 2009 Notification and reports are attached as Annexure-I. Water spraying by tankers is regularly done on the transportation roads.		
(vi)	The upliftment of SC/ST population, specific programmes have been taken in to consideration specially with respect to education, health care, livelihood generation, infrastructure development & promotion of sports & culture for SC/ST population and that these will be intensified in future.	CSR activities by TSRDS are taking place in al the villages located nearby to the mine lease. The above points have been taken into consideration by TSRDS.		
(vii)	Plantation shall be raised in a 7.5m wide green belt in the safety zone around the mining lease, backfilled and reclaimed area, around water body, along the roads etc. by planting the native species in consultation with the local DFO/ Agriculture Department. The density of the trees should be around 2500 plants per Ha. Greenbelt shall be developed all along the mine lease area in a phased manner and shall be	As our lease area is located on the riverbed, tree plantation will be taken up in consultation with the village land owners. We have approached the schools and community places to provide space for tree plantation.		

Compliance status of Environmental Clearance of Mining of mineral sand from the river bed of Gowai (0.2 MTPA) of M/s Tata Steel Ltd., Village Premsinghdih, Poradih, Erandih, Tehsil Raghunathpur II, dist. Purulia, West Bengal (MLA- 44.10 Ha) vide MoEFCC Letter no J-11015/422/2012-IA.II (M) dated November 5, 2015 (corrigendum on 30.11.2015)

	completed within first five years.	
(viii)	Dimension of the retaining wall at the toe of over burden dumps and OB benches within the mine to check run-off and siltation shall be based on the rain fall data.	This is not applicable as there will be no OE dumps.
(ix)	Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM10 and PM2.5 such as haul road, loading and unloading point and transfer points. It shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the CPCB in this regard.	Emissions are envisaged during the movement of trucks from the sand lease till the colliery site. There will be no emissions during sand mining activity. Water spraying will be done on the transport roads to minimize the dust generated during transportation of sand and ultimately maintain the ambient air quality of the area below the CPCB norm.
(x)	Regular monitoring of the flow rate of the springs and perennial nallahs flowing in and around the mine lease shall be carried out and records maintained. Regular monitoring of water quality upstream and downstream of water bodies shall be carried out and record of monitoring data should be maintained and submitted to the Ministry of Environment, Forest and Climate Change, its Regional Office, Bhubaneshwar, Central Groundwater Authority, Regional Director, Central Ground Water Board, State Pollution Control Board and Central Pollution Control Board.	The surface water quality analysis (upstream and downstream) is being attached as Annexure-II.
(xi)	Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to Ministry of Environment, Forest & Climate Change and its Regional Office, Bhubaneshwar, Central Ground Water Authority and Regional Director, Central Ground Water Board.	The ground water table monitoring is being don on regular basis for pre-monsoon (May) Monsoon (July), post-monsoon (October) and winter season (January). The water level (below the ground level) and quality analysis has been done and reports are attached as Annexure-II.

Compliance status of Environmental Clearance of Mining of mineral sand from the river bed of Gowai (0.2 MTPA) of M/s Tata Steel Ltd., Village Premsinghdih, Poradih, Erandih, Tehsil Raghunathpur II, dist. Purulia, West Bengal (MLA- 44.10 Ha) vide MoEFCC Letter no J-11015/422/2012-IA.II (M) dated November 5, 2015 (corrigendum on 30.11.2015)

11015/42	22/2012-IA.II (M) dated November 5, 2015 (c	orrigendum on 30.11.2015)
(xii)	The critical parameters such as PM ₁₀ , PM _{2.5} , NO _X , SO _X & CO in the ambient air within the impact zone, peak particle velocity at 300m distance or within the nearest habitation, whichever is closer shall be monitored periodically. Further, quality of discharged water shall also be monitored [(TDS, DO, PH and Total Suspended Solids (TSS)]. The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location near the main gate of the Company in public domain. The circular No. J-20012/1/2006-IA.II(M) dated 27.05.2009 issued by Ministry of Environment, Forest and Climate Change, which is available on the website of the Ministry www.envfor.nic.in shall also be referred in this regard for its compliance.	The ambient air quality analysis reports are attached as Annexure-I. There is no water discharge due to mining operation as it is sand excavation project only. The compliance report is being uploaded on company's website every time (Annexure-III).
(xiii)	Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for PM ₁₀ , PM _{2.5} , NO _X , SO _X & CO monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. Data on ambient air quality should be regularly submitted to this Ministry including its regional office located at Bhubaneswar and the State Pollution Control Board once in six months.	The monitoring stations have been established and monitoring job is being done on regular basis. Data on ambient quality are being sent along with EC and consent compliance reports.
(xiv)	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Sand, being coarse in nature and having high moisture content, does not get air borne during gathering & transportation. However, dust control measures while transporting of sand will be in place through water tanker, coverage of trucks and optimal loading.
(xv)	Measures should be taken for control of noise levels below 85 dBA in work Environment. Workers engaged in	Proper PPE's will be provided to all the workers.

Compliance status of Environmental Clearance of Mining of mineral sand from the river bed of Gowai (0.2 MTPA) of M/s Tata Steel Ltd., Village Premsinghdih, Poradih, Erandih, Tehsil Raghunathpur II, dist. Purulia, West Bengal (MLA- 44.10 Ha) vide MoEFCC Letter no J-11015/422/2012-IA.II (M) dated November 5, 2015 (corrigendum on 30.11.2015)

	operations of HEMM, etc. should be provided with ear plugs / muffs.	
(xvi)	Industrial waste water (Workshop and Waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422(E) dated 19 th May 1993 and 31 st December 1993 or as amended from time to time. Oil and Grease trap should be installed before discharge of Workshop effluents.	No waste water generation will take place.
(xvii)	Personnel working in dusty area should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspect.	It will be complied with.
(xviii)	A separate Environmental Management cell with suitable qualified personnel should be set-up under the control of a senior executive, who will report directly to the Head of the Organization.	We have a separate Environmental Management Cell with two senior officers (one Head and one Senior Manager) and four employees. The reporting of Environmental Cell is directly to General Manager of the Division.
(xix)	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to this ministry and its regional office located at Bhubaneswar.	Sand, being coarse in nature and having high moisture content, does not get air borne during transportation. Sand stored in the sand yards it transferred to underground voids through surface bunkers in a slurry form. However, dust contro measures while transporting of sand is in place through water tanker, coverage of trucks and optimal loading. Rs. 10 Lakhs incurred for water spraying activities on transportation road.
(xx)	The project authorities should inform to the Regional Office located at Bhubaneswar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	The CTE and CTO of the project have beer granted by WBPCB. The permission for lifting of sand from the river bed has also been granted
(xxi)	The regional office of this ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The project authorities should extend full co-operation to the officer (s) of the regional office by furnishing the requisite Data/ information/ monitoring reports.	It will be complied with.
(xxii)	The Project Proponent shall submit six monthly reports on the status of the implementation of the stipulated	It is being complied with.

Compliance status of Environmental Clearance of Mining of mineral sand from the river bed of Gowai (0.2 MTPA) of M/s Tata Steel Ltd., Village Premsinghdih, Poradih, Erandih, Tehsil Raghunathpur II, dist. Purulia, West Bengal (MLA- 44.10 Ha) vide MoEFCC Letter no J-11015/422/2012-IA.II (M) dated November 5, 2015 (corrigendum on 30 11 2015)

	environmental safeguards to the MoEFCC, its Regional Office Bhubaneswar, CPCB and SPCB.	
(xxiii)	A copy of clearance letter will be marked to concerned Panchayat, local NGO, if any, from whom suggestions/ representations has been received while processing the proposal.	It has been done.
(xxiv)	The State Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industry Centre and the Collector's Office / Tehsildar's Office for 30 days.	It has been complied with.
(xxv)	The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at website of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located at Bhubaneswar.	It has been done and copies sent to regional office at Bhubaneshwar.

General Manager (Coal)



Annexure- I

Ambient Air & Groundwater Analysis Report

Period- April'17 to June'17

Name of Industry

: Premsinghdih Sand Mining Project

No. of sampling points

. 4

	Date of Sampling/ Weather Condition				
Sampling Location	APRIL'17	MAY'17	JUNE'17		
Icchar High School, Kamargora, Icchar, Purulia	19.04.2017/ Clear	30.05.2017/ Rainy	29.06.2017/ Clear		
Near Kali Mandir, Railway Colony, Bhojudih	19.04.2017/ Clear	30.05.2017/ Rainy	29.06.2017/ Clear		
Utkramit Madhya Vidyalaya, Manpur, Chandankyari, Bokaro	20.04.2017/ Clear	31.05.2017/ Clear	30.06.2017/ Clear		
Santaldih Thermal Power Station, Santaldih	20.04.2017/ Clear	31.05.2017/ Clear	30.06.2017/ Clear		

	Latitude/ Longitude		PM 10	PM 2.5	SO ₂	NO ₂
Location		Date	PM ₁₀ Level : 24 Hourly Limit- 100µg/m ³	PM _{2.5} Level : 24 Hourly Limit- 60µg/m ³	SO ₂ Level: 24 Hourly Limit- 80µg/m ³	NO ₂ Level: 24 Hourly Limit- 80µg/m ³
Icchar High	23°37'21.6"N	19.04.17	57.0	31.0	9.5	12.0
School, Kamargora,	86°29'25.1"E	30.05.17	50.0	26.0	8.0	11.0
Icchar, Purulia		29.06.17	52.0	27.5	9.0	11.2
Near Kali	23°38'20.7"N	19.04.17	58.5	32.0	10.0	12.5
Mandir, Railway Colony, Bhojudih	86°26'46.3"E	30.05.17	51.5	27.0	8.5	11.0
colony, Dhojaum		29.06.17	53.5	29.0	9.5	12.0
Utkramit Madhya	23°39'00.9"N 86°23'44.4"E	20.04.17	61.0	32.5	10.2	12.5
Vidyalaya, Manpur,		31.05.17	52.2	27.5	9.5	11.0
Chandankyari, Bokaro		30.06.17	55.0	29.0	10.0	11.5
Santaldih	23°36'01.5"N	20.04.17	70.0	38.5	13.5	15.0
Thermal Power Station, Santaldih	86°28'20.6"E	31.05.17	60.0	31.5	11.0	12.5
January January		30.06.17	62.0	33.5	12.0	13.0
Minimum			50.0	26.0	8.0	11.0
	Maximum		70.0	38.5	13.5	15.0
	Average		56.9	30.4	10.1	12.1

Sr. Manager (Environment)



Annexure- I

Ambient Air & Groundwater Analysis Report

Period- July'17 to September'17

Name of Industry

: Premsinghdih Sand Mining Project

No. of sampling points

: 4

	Date of Sampling/ Weather Condition			
Sampling Location	JULY'17	AUGUST'17	SEPTEMBER'17	
Icchar High School, Kamargora, Icchar, Purulia	26.07.2017/ Cloudy	07.08.2017/ Clear	15.09.2017/ Clear	
Near Kali Mandir, Railway Colony, Bhojudih	26.07.2017/ Cloudy	07.08.2017/ Clear	15.09.2017/ Clear	
Utkramit Madhya Vidyalaya, Manpur, Chandankyari, Bokaro	27.07.2017/ Cloudy	08.08.2017/ Clear	16.09.2017/ Clear	
Santaldih Thermal Power Station, Santaldih	27.07.2017/ Cloudy	08.08.2017/ Clear	16.09.2017/ Clear	

	Latitude/ Longitude I		PM ₁₀ PM ₁₀ Level: 24 Hourly Limit- 100µg/m ³	PM _{2.5} PM _{2.5} Level : 24 Hourly Limit- 60µg/m ³	SO ₂ SO ₂ Level: 24 Hourly Limit- 80µg/m ³	NO ₂ NO ₂ Level: 24 Hourly Limit- 80µg/m ³
Location		Date				
Icchar High	23°37'21.6"N	26.07.17	51.0	25.0	8.0	10.0
School, Kamargora,	86°29'25.1"E	07.08.17	53.0	29.0	9.0	11.5
Icchar, Purulia		15.09.17	54.5	30.0	10.0	12.5
Near Kali	23°38'20.7"N	26.07.17	53.0	29.0	9.0	11.5
Mandir, Railway Colony, Bhojudih		07.08.17	55.0	30.0	9.5	12.0
,,,,,,		15.09.17	55.5	30.0	10.0	12.5
Utkramit Madhya	23°39'00.9"N 86°23'44.4"E	27.07.17	51.5	25.0	9.0	10.5
Vidyalaya, Manpur,		08.08.17	53.5	28.5	9.0	11.0
Chandankyari, Bokaro		16.09.17	52.0	28.0	9.5	12.0
Santaldih	Power 86°28'20.6"E	27.07.17	60.5	32.0	11.5	12.0
Thermal Power Station, Santaldih		08.08.17	65.0	35.0	11.5	13.0
		16.09.17	67.5	35.5	12.0	13.5
Minimum			51.0	25.0	8.0	10.0
	Maximum		67.5	35.5	12.0	13.5
	Average		56.0	29.8	9.8	11.8

Sr. Manager (Environment)

S.S. Environics (India) Pvt. Ltd.

(An ISO 9001:2008, 14001:2004 and OHSAS 18001:2007 Certified Company)

Plot No-361/2314 "Sustenance Tower"

At: Patrapada, P.O: Dumuduma, Dist: Khurda, Bhubaneswar-751 019, Odisha Tele Fax: 0674-2471574, E-mail: emails@ssenvironics.com

	Month of Monitoring Date of analysis	fonitoring nalvsis		: February 2017	: February 2017	2017							
Name of the Location		Time Weighte d Average	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m³)	NOx (µg/ m³)	(mg/g/	NH ₃ (µg m³)	О ₃ (µg/ m³)	As (ng/ m³)	Ni (ng/ m³)	Cd (ng/	
Lagla gram panchayat	14.02.17		89.12	42.25	7.6	15.2	0.16	24.2	5.1	BDL	BDL	Q.	
Saharjuri School	ri 14.02.17	24hrly	85.18	46.32	6.4	15.8	0.12	23.8	5.0	BDL	BDL	QN	
Icchar High School, Purulia	15.02.17	24hrly	91.90	49.82	8.1	13.4	0.14	24.2	5.3	BDL	BDL	Q.	
Railway Colony, Bhojudih	15.02.17	24hrly	93.19	51.69	7.4	*,13.8	0.19	26.8	5.2	BDL	BDL	R	
CSta	CPCB Standard	24hrly	100	09	80	80	4(1hr)	400	180 (1hr)		80	-	
Jt 4	Method of Analysis & Code of Method	of Method	Dorly Method 51. 5182, Part-23	DotheM. orthod 5.5 5182, Part-23	mproved West-Gaeke Method S: 5181, Part-2	Modified Jacob & Jochheiser (Na. Arsenite) S: S182,Part-6	Non Dispersive Infrared S: Classopy (NDIR) S: S182.Part-10	.Chemiluminescence hotherol Blue Method 104-A191	.Chemiluminescence Dodies Method S: S182.Part-9	ICP Method After Sampling on EPM 2000 OR Equivalent Eilter Paner.	ICP Method After Sampling on EPM 2000 OR Equivalent Filter Paper.	CP Method After Sampling in EPM 2000 OR Equivalent Filter Paper.	1



Annexure-II

Ground Water Quality Analysis

Ground water level fluctuation in and around Core & Buffer zone area of sand mining lease Monsoon Season- May'17

	Date	Location	Time		Sample Parameter					
S.No				Depth in meter (m)	pН	Electrical Conductivity, µS/m	Total Hardness (as CaCO ₃), mg/l			
1	30.05.2017	Premsinghdih	10:00AM	8.0	7.1	750	430			
2	30.05.2017	Lagla	11:30AM	7.5	7.2	580	360			
3	30.05.2017	Alakdih	10:40AM	7.5	7.1	570	380			
4	30.05.2017	Joradih	12:15PM	6.5	7.2	500	430			
5	30.05.2017	SEB Quarters	10:30AM	8.5	7.0	710	350			
6	30.05.2017	Kargali	01:30PM	7.0	7.2	640	324			
7	30.05.2017	Kumargora	01:00PM	8.5	7.1	600	350			
8	30.05.2017	Bhojudih	01:15PM	7.5	7.1	650	470			
9	30.05.2017	Mahal	12:00PM	7.0	7.1	500	350			
10	30.05.2017	Sudamdih	11:50AM	6.8	7.2	750	365			

Post-Monsoon Season- August'17

		Location	Time	Sample Parameter					
S.No	Date			Depth in meter (m)	рН	Electrical Conductivity, μS/m	Total Hardness (as CaCO ₃), mg/l		
1	08.08.2017	Premsinghdih	11:25AM	1.4	7.2	735	750		
2	08.08.2017	Lagla	10:05AM	1.8	7.0	540	620		
3	08.08.2017	Alakdih	01:45PM	1.2	7.2	560	623		
4	08.08.2017	Joradih	12:10AM	1.5	7.1	400	530		
5	08.08.2017	SEB Quarters	11:10AM	1.2	7.1	740	710		
6	08.08.2017	Kargali	12:25PM	1.25	7.1	610	582		
7	08.08.2017	Kumargora	12:55PM	1.70	7.0	720	630		
8	08.08.2017	Bhojudih	01:00PM	1.12	7.1	620	633		
9	08.08.2017	Mahal	01:30PM	1.02	7.2	. 510	520		
10	08.08.2017	Sudamdih	10:30AM	1.24	7.2	775	711		

Sr. Manager (Environment)



Annexure-II

Surface Water Quality Analysis

Sl.		Sampling	Sampling	Temp	pН	TDS	BOD	Turbidity
No.	Location	Date	Time	< 40 ⁰ C	6.5 - 8.5	1500 mg/l	3 mg/l	NTU
1.	River Gowai Up Sttream	16.09.17	11:15 AM	30.0	7.5	466	2.0	1.4
2.	River Damodar Down Stream	16.09.17	11:30 AM	30.0	7.5	534	2.1	1.8
3.	Laghla (Pond)	16.09.17	11:55 AM	30.0	7.3	660	2.0	2.0
4.	Alakhdih(Pond)	16.09.17	12:10 PM	30.0	7.3	456	1.9	1.5
5.	Joradih (Pond)	16.09.17	12:50 PM	29.0	7.4	356	1.8	1.7
6.	SEB Quarters (Pond)	16.09.17	12:35 PM	29.0	7.0	524	1.0	1.3
7.	Kargali (Pond)	16.09.17	12:55 PM	29.0	7.5	636	2.0	1.2
8.	Kumargora (Pond)	16.09.17	1:20 PM	30.0	7.7	452	2.0	1.5
9.	Bhojudih (Pond)	16.09.17	10:55 AM	30.0	7.6	524	2.2	2.0

Sr. Manager (Environment)

S.S. Environics (India) Pvt. Ltd.

(An ISO 9001:2008, 14001:2004 and OHSAS 18001:2007 Certified Company)

Plot No-361/2314 "Sustenance Tower"

At: Patrapada, P.O: Dumuduma, Dist: Khurda, Bhubaneswar-751 019, Odisha
Tele Fax: 0674-2471574, E-mail: emails@ssenvironics.com

Ref No: SSE/16/R-2868

Date: 08.03.2017

SURFACE WATER ANALYSIS REPORT

Name of Industry

: M/s Tata Steel, Jamadoba, Tata Steel Limited, Jamadoba

Group Plant, Jharkhand

Sampling Location

: SW1-Izri River (Up Stream)

: SW2- Izri River (Down Stream) : SW3-Gowai River (Up Stream)

: SW4- Gowai River (Down Stream)

Date of Sampling

: 17.02.2017

Date of Analysis : 18.02.2017 to 27.02.2017

SI. No.	Parameters	Unit	IS: 2296, Class 'C' Standards	SWI	SW2	SW3	SW4
1	рН	,	6.5-8.5	6.85	6.83	7.27	7.44
2	Total Dissolved Solids	mg/l, Max	1500	361	365	336	273
3	Turbidity	NTU	S	2.5	1.8	2	1.1
4	Dissolved Oxygen	mg/l	4 (min)	8.2	7.6	8	7.2
5	BOD (3 days) at 27°C	mg/l,Max	3	2.2	2.6	2.8	1.6
6	Chloride (as CI)	mg/l, Max	600	90.47	91.97	79.97	64.92
7	Fluoride (as F)	mg/l, Max	1.5	1	0.9	0.8	0.8
8	Sulphate(as SO ₄)	mg/l, Max	400	7.8	8.2	6.2	5.7

NB: \$ - Not specified.





Annexure-III

Upload of compliance report on company's website





Activities under Corporate Social Responsibility-

Training

- Training on System of Rice Intensification (SRI)- 211 farmers adopted SRI cultivation out of 278 trained in FY16
- Training on Second Cropping, Field based training on 2nd Cropping, Pisciculture Promotion (Expenditure around Rs 0.87 Laks out of which total income by the farmers were raised by Rs16Laks)

New Enterprise by SHGs

- · Candle making unit by Pragya Mahila Samiti, Sarguja
- · Mushroom Cultivation by Gramin Mahila Shayog Samiti, a SHG of Sokohkulih village
- Duck Rearing by Pragya Mahila Swayam Sahayata Samiti "SHG" of Sirguja Village and Shiv Guru Mahila samiti, Upper Dungri village, Harijan Tola
- Tailoring Shop by Jai Maa Gramin Mahila Samity in Bhelatand
- · Total Savings by SHGs is Rs11.90 Laks by 35 SHGs

Employability Training

- 13 students are supported in ITC Tamar
- · 14 students in House Keeping Training in Kolabera
- 50 people trained in driving training

Health

· 4 multi specialty health camps organized in which 2797 cases were treated

Education

- 225 students received Jyoti Fellowship out of which 54 were new.
- In the reporting period 2668 students received support in 15 PMC
- · 60 students received support through our Asha Ki Kiran center

Infrastructure Development

 PCC road, Sewage drains, construction of new Community Halls/ Sheds, Renovation of comm. Halls and sheds, Renovation of old Ponds, Construction of new Ponds, Construction of sitting Platforms



Monthly inspection and monitoring of sand lease by Monitoring committee comprises of executives from Environment, Survey, Local Villagers, Transporters, Mining





Multi Specialised Health Camp organised at Ichhar High School, Raghunathpur

Multi Specialized health camp was held on 29th June '17 at Ichhar High School, Raghunathpur Block -2 at Purulia . Around 897 patients benefitted from the camp; 442 females and 455 males were attended by a special team of Specialist Doctors from Tata Central Hospital, Jamadoba. Free consultations and Health check-ups were provided in Medicine, Gynaecology, E.N.T., Paediatrics, Homeopathy, Dermatology, Dental, Orthopaedics and Pathology. A day long Specialized health camp was conducted where free medicines were also provided.

