



Regd Post with A/D

Ref.No.: MGM/P&E/1243/18

Date : 28/09/2018

**The Member Secretary,
State Pollution Control Board, Orissa,
A/118, Nilakantha Nagar,
Bhubaneswar**

Sub : Submission of Annual Environment Statement (FORM-V) for Malda Manganese Mine, M/s TATA Steel Ltd. for the year 2017-18.

Dear Sir,


We are enclosing herewith Annual Environment Statement in Form-V for Malda Manganese Mine, M/s TATA Steel Ltd. for the year ending 31st March'2018.

This is for your kind perusal.

Thanking you,

Yours faithfully,

F: TATA STEEL LTD.


Agent &
Head, Manganese Gr. of Mines
Ferro Alloys & Minerals Division,
Joda.

Encl: as above.

Copy to :

(1) The Regional Officer, State pollution Control Board, Sector 5(Inside Town Engg. Campus), Rourkela

(2) Central Pollution Control Board Southernd Conclave, Block 502, 5th & 6th Floors
1582 Rajdanga Main Road Kolkata - 700 107 (W. B.)

TATA STEEL LTD.

Ferro Alloys & Minerals Division, Manganese Group of Mines, At/P.O.: Bichhakundi, Via: Joda,
Dist: Keonjhar Odisha - 758 034 Tel.: 9238101370, e-mail : mnminesadmin@tatasteel.com
Regd.Office : Bombay House, 24 Homi Modi Street, Mumbai - 400 001 Tel 912266658282, Fax 912266657724
Corporate Identity Number L27100MH1907PLC000260 website : www.tatasteel.com



ENVIRONMENTAL STATEMENT

2017-18

**UNDER RULE 14 OF ENVIRONMENT (PROTECTION)
RULES, 1986**

In

FORM - V

MALDA MANGANESE MINES

TATA STEEL LIMITED

SEPTEMBER 2018

Environmental Statement : Malda Manganese Mines – 2017-18

FORM V

[See Rule 14 of Environment (Protection) Rules, 1986]

ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR ENDING THE 31ST MARCH 2018

PART - A

- (i) Name and Address of the Owner / occupier of the industry operation or process. : **MALDA MANGANESE MINE**
Nominated Owner :-
Mr. T.V.Narendran
Managing Director, M/s TATA Steel Ltd.
Jamshedpur, Dist- East Singhbhum
Jharkhand - 831 001
Agent :-
Mr. S. N. Jha,
Head(Manganese Group of Mines),
Joda, FA & MD, TATA Steel
P.O.: Bichhakundi, Via : Joda
Dist : Keonjhar, Orissa - 758 034
- (ii) Industry Category : Opencast Mining
- (iii) Production Capacity - Units : 550000 TPA (Manganese Ore)
- (iv) Year of Establishment : 1935
- (v) Date of the last environmental statement submitted : 27th Sept'2017
(Vide Letter No. MGM/P&E/668/17)

PART - B

Water and Raw Material Consumption

(1) Water Consumption m³/day

Process	: Nil
Cooling	: Nil
Domestic	: 53.03 m ³ /day (Avg. during 2017-18)

Name of the Products	<u>Process water consumption per unit of product output</u>	
	During the previous Financial year (1)	During the current Financial year (2)
(1) Manganese Ore	Nil	Nil

Remarks : Manganese Ore is produced by semi mechanized Mining method, which does not involve beneficiation and thus precludes the consumption of water.

(2) Raw material consumption

Name of the raw materials	Name of the product	<u>Consumption of raw materials per unit</u>	
		During the previous Financial year Year - 2016-17	During the current Financial year Year - 2017-18
Manganese Ore	Manganese Ore	Production :- NIL Despatch :- NIL	Production :- NIL Despatch :- NIL

Remarks: Mining operation has stopped since Feb'2011 due to want of forest clearance.

PART - C

Pollution discharged to environment / unit of output

(Parameter as specified in the Consents issued)

Pollution	Quantity of pollutants discharged (mass/day)	Concentrations of Pollutants in discharges (mass/volume)	Percentage of variation from prescribed standards with reasons
(a) Water	The process of Manganese Ore production includes blasting, removal of overburden, breaking and sizing of ore to required size and then transportation to the customer does		

not require consumption of water. Thus, there is no process discharge from the mine.

The six month average surface water quality data is enclosed as **Annexure - I**. It shows that the concentrations of the pollutants are well within the permissible standards.

(b) Air

Since this is an open cast Mine, the dust generation is mainly due to the movement of vehicles in the haul roads, drilling activities etc, which is fugitive in nature and cannot be quantified. The fugitive dust is allayed by sprinkling of water by mobile tanker and development of green barrier by plantation around the residential area.

The monthly average ambient air quality data is enclosed as **Annexure - II**. It shows that the concentrations of the pollutants are well within the permissible standards.

PART - D

Hazardous Wastes

[As specified under the Hazardous wastes (Management & Handling) Rules, 1989]

Hazardous Wastes	Total Quantity	
	During the previous Financial year	During the current Financial year
	<u>Year - 2016-17</u>	<u>Year - 2017-18</u>
(i) From Process		
Waste Oil (in Ltrs.)	0	0
Used Oil (in Ltrs.)	0	0
Cotton Waste (in Kgs)	Nil	Nil
Duster (in Nos.)	Nil	Nil
Filters (in Nos.)	Nil	Nil
(ii) From pollution control facilities	Nil	Nil

Remarks: Mining operation has stopped since Feb'2011 due to want of forest clearance.

PART - E

Solid Wastes

	Total Quantity	
	During the previous Financial year	During the current Financial year
	<u>Year - 2016-17</u>	<u>Year - 2017-18</u>
(a) From Process (Overburden rejects)	Nil	Nil
(b) From pollution control facilities	Nil	Nil
(c)		
(1) Quantity recycled or re-utilized within the unit	Nil	Nil
(2) Sold	Nil	Nil
(3) Disposal	Nil	Nil

Mining operation has stopped since Feb'2011 due to want of forest clearance.

PART - F

Please specify the characterization (in terms of composition and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

- **Characterization of Hazardous Waste:** - The composition of hazardous wastes like Waste Oil & used oil are Hydrocarbons, lead and used acids. The composition of the solid wastes (Overburden and rejects) contains lateritic morrum, shale and quartzite.
- **Disposal Practice:-**
 - **SOLID WASTES** -The overburden is systematically and scientifically dumped on a geologically barren area and the same will be reclaimed by plantation after being declared inactive.
 - **WASTE OIL** -The waste oil generated at various sources is collected in leak proof barrels and then is kept on an impervious floor with oil catch pit. It is also ensured that the caps of the barrels remain intact and horizontal. The storage area is properly fenced and caution board displayed. During transfer of waste oil to barrels, a trough is placed underneath to prevent land contamination due to oil spillage. Then at a fixed interval, these barrels are returned to Ferro Manganese Plant Stores for final disposal through auction to the authorized party.

- USED COTTON WASTES - The used cotton wastes generated at various locations are kept in designated barrels and at a fixed interval, these wastes are handed over to the Shift in-charge of the Furnace Section of FAP, Joda for incinerating in the Electric Arc Furnace at a temperature of more than 1100 degree C.
- Provision of impervious pit for collection of oily waste in the workshop premises in addition to the existing practice of collection at specified barrels.

PART - G

Impact of pollution abatement measures taken on conservation of natural resources and on the cost of production.

1. Water spraying on haul Roads and Mine Pits is done regularly to suppress the dust.
2. All the haul roads in the mining area are made up of morrum & compacted. Regular repair is being done by dozer & grader after spreading the layer of sweat morrum over it.
3. Wet drilling has been implemented in all drills. Controlled blasting pattern is being followed.
4. 10200 nos. of saplings of various forestry species were planted covering an area of 01 hectare within the leasehold areas of Malda Mn. Mine during the year 2017-18
5. During the year 2017-18 an amount of Rs. 11,10,284 /- was incurred towards environmental management including Environmental Monitoring, Plantation activities and construction of toe-wall, check dams and garland drains.
6. In addition, Tata Steel Rural Development Society also undertakes the peripheral development activities with a large magnitude.

PART - H

Additional measures / investment proposal for environmental protection, abatement of pollution, prevention of pollution.


- a) Garland drains and toe wall around the OB dumping has been provided to check and channelize surface run-off .
- b) Plantation of forestry species planted over the inactive waste dump slopes to stabilize the dump slope and arrest the airborne dust.

PART - I

Any other particulars for improving the quality of environment.

1. With compliance to conditions of Environment Clearance obtained from MoEF, the following monitoring is being done at regular interval.
 - Ground Water Level at nearby bore wells
 - Trace metal in dust fall
 - Ground water quality at lower level
 - Trace metals such as Fe, Cr+6, Cu, Se, As, Cd, Hg, Pb, Zn and Mn at specific locations for both surface water (downstream & upstream) and ground water at lower elevation is being periodically monitored by referring to the standards as per BIS : 10500.
2. Top soils generated during excavation are utilized immediately for nursery development and dump slope plantation.
3. Measures taken to control Air Pollution :-
 - Water sprinkling on the haul road,
 - Provision of dust masks to the workmen,
 - Adoption of wet drilling arrangement in the drill machines and
4. Measures taken to control Water Pollution :-
 - Construction of toe wall and garland drain along the dump slope to prevent surface run-off during monsoon.
 - Construction of soak pits for discharge of sanitary sewage at residential colony.
5. Measures taken to control Noise & Ground Vibration :-
 - Thick plantation has been developed around the mines to provide a canopy cover
 - Implementation of advance blasting technique(NONEL) to reduce the blast induced ground vibration and
 - Workmen are provided with ear-muff while working near heavy earth moving machineries.
6. Measures taken to control Land Degradation :-
 - Afforestation around the non-active dump for stabilization

7. Surveillance of Occupational Health: - Periodical Medical Examination of employees (departmental & contractual) is conducted as per prescribed norms of Mines Rule, 1955. The initial and periodical examination includes blood haematology, blood pressure, detailed cardiovascular assessment, neurological examination etc. All chest radiographs are being classified for detection of pneumoconiosis, diagnosis and documentation made in accordance to ILO classifications. During the calendar year 2017-18, total 103 numbers of contractual employees have undergone Periodical Medical Examination (PME). There are no findings of pneumoconiosis and manganese poisoning which is classified as occupational disease.
8. The mine is certified with ISO-14001 (Environment Management System).



Agent,
Malda Mn.Mine,
M/s.TATA STEEL LTD.

Parameters	Unit	Standard	April'17	May'17	June'17	July'17	Aug'17	Sept'17
			1st Report	1st Report	1st Report	1st Report	1st Report	1st Report
Dissolved Oxygen (minimum)	mg/l	4	5.4	4.8	5.3	6.4	6.1	5.9
BOD (3) days at 27°C (max)	MPN/100 ml	3	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
Total Coli form		5000	150	220	270	270	470	510
pH Value		6.0-9.0	7.32	7.29	7.22	7.22	7.16	7.20
Colour (max)	Hazen	300	CL	CL	6	16	14	10
Total Dissolved Solids	mg/l	1500	129.0	134.0	127.0	114.0	110.0	116.0
Copper as Cu (max)	mg/l	1.5	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Iron as Fe (max)	mg/l	0.5	0.48	0.42	0.48	0.55	0.42	0.44
Chloride (max)	mg/l	600	29.0	28.0	24.0	17.0	19.0	20.0
Sulphates (SO ₄) (max)	mg/l	400	5.3	5.1	5.2	3.9	4.1	3.7
Nitrate as NO ₃ (max)	mg/l	50	2.1	1.6	1.8	1.6	1.5	1.4
Fluoride as F (max)	mg/l	1.5	0.013	0.015	0.014	0.012	0.013	0.011
Phenolic Compounds as CaH ₃ OH (max)	mg/l	0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Cadmium as Cd (max)	mg/l	0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Selenium as Se (max)	mg/l	0.05	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic as As	mg/l	0.2	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Cyanide as CN (max)	mg/l	0.05	ND	ND	ND	ND	ND	ND
Lead as Pb (max)	mg/l	0.1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Zinc as Zn (max)	mg/l	15	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Hexa Chromium as Cr ⁶⁺	mg/l	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Anionic Detergents (max)	mg/l	1.0	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
			Oct'17	Nov'17	Dec'17	Jan'18	Feb'18	Mar'18
Dissolved Oxygen (minimum)	mg/l	4	6.1	5.7	5.8	5.5	5.2	4.9
BOD (3) days at 27°C (max)	mg/l	3	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
Total Coli form	MPN/100 ml	5000	370	370	270	350	370	270
pH Value		6.0-9.0	7.24	7.24	7.26	7.28	7.32	7.4
Colour (max)	Hazen	300	4	1	CL	CL	CL	CL
Total Dissolved Solids	mg/l	1500	109.0	120.0	125.0	125.0	137.0	133
Copper as Cu (max)	mg/l	1.5	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Iron as Fe (max)	mg/l	0.5	0.45	0.42	0.44	0.49	0.48	0.47
Chloride (max)	mg/l	600	18.0	21.0	24.0	25.0	28.0	30
Sulphates (SO ₄) (max)	mg/l	400	3.6	4.3	4.6	4.8	4.9	4.6
Nitrate as NO ₃ (max)	mg/l	50	1.3	1.7	1.6	1.8	1.8	1.68
Fluoride as F (max)	mg/l	1.5	0.013	0.012	0.011	0.012	0.02	0.015
Phenolic Compounds as CaH ₃ OH (max)	mg/l	0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Cadmium as Cd (max)	mg/l	0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Selenium as Se (max)	mg/l	0.05	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic as As	mg/l	0.2	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Cyanide as CN (max)	mg/l	0.05	ND	ND	ND	ND	ND	ND
Lead as Pb (max)	mg/l	0.1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Zinc as Zn (max)	mg/l	15	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Hexa Chromium as Cr ⁶⁺	mg/l	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Anionic Detergents (max)	mg/l	1.0	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2

Parameters		Unit	Standard	April'17 1st Report	May'17 1st Report	June'17 1st Report	July'17 1st Report	Aug'17 1st Report	Sept'17 1st Report
Dissolved Oxygen (minimum)		mg/l	4	5.6	5.2	5.8	6.6	5.9	5.5
BOD (3) days at 27°C (max)		mg/l	3	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8
Total Coli form		MPN/ 100 ml	5000	170	270	320	350	450	570
pH Value		--	6.0-9.0	7.3	7.33	7.26	7.20	7.22	7.18
Colour (max)		Hazen	300	CL	CL	8	18	16	11
Total Dissolved Solids		mg/l	1500	135.0	138.0	130.0	118.0	115.0	124.0
Copper as Cu (max)		mg/l	1.5	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Iron as Fe (max)		mg/l	0.5	0.56	0.49	0.56	0.60	0.45	0.48
Chloride (max)		mg/l	600	30.0	32.0	27.0	18.0	21.0	22.0
Sulphates (SO ₄) (max)		mg/l	400	4.8	5.2	5.3	4.1	4.3	4.1
Nitrate as NO ₃ (max)		mg/l	50	1.8	1.8	1.9	1.8	1.7	1.6
Fluoride as F (max)		mg/l	1.5	0.012	0.014	0.016	0.013	0.014	0.013
Phenolic Compounds as C ₆ H ₅ OH (max)		mg/l	0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Cadmium as Cd (max)		mg/l	0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Selenium as Se (max)		mg/l	0.05	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic as As		mg/l	0.2	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Cyanide as CN (max)		mg/l	0.05	ND	ND	ND	ND	ND	ND
Lead as Pb (max)		mg/l	0.1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Zinc as Zn (max)		mg/l	15	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Hexa Chromium as Cr ⁺⁶		mg/l	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Anionic Detergents (max)		mg/l	1.0	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Parameters				Oct'17	Nov'17	Dec'17	Jan'18	Feb'18	Mar'18
Dissolved Oxygen (minimum)		mg/l	4	5.9	5.9	5.6	5.3	5.7	5.2
BOD (3) days at 27°C (max)		mg/l	3	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8
Total Coli form		MPN/100 ml	5000	410	410	310	310	310	170
pH Value		--	6.0-9.0	7.22	7.22	7.28	7.24	7.36	7.36
Colour (max)		Hazen	300	4	1	CL	CL	CL	CL
Total Dissolved Solids		mg/l	1500	114.0	118.0	126.0	131.0	136.0	138.0
Copper as Cu (max)		mg/l	1.5	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Iron as Fe (max)		mg/l	0.5	0.46	0.45	0.46	0.51	0.45	0.46
Chloride (max)		mg/l	600	19.0	24.0	25.0	28.0	28.0	32.0
Sulphates (SO ₄) (max)		mg/l	400	3.8	4.5	4.8	4.9	4.7	4.9
Nitrate as NO ₃ (max)		mg/l	50	1.5	1.6	1.7	1.9	1.7	1.78
Fluoride as F (max)		mg/l	1.5	0.015	0.014	0.012	0.013	0.022	0.018
Phenolic Compounds as C ₆ H ₅ OH (max)		mg/l	0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Cadmium as Cd (max)		mg/l	0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Selenium as Se (max)		mg/l	0.05	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Arsenic as As		mg/l	0.2	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Cyanide as CN (max)		mg/l	0.05	ND	ND	ND	ND	ND	ND
Lead as Pb (max)		mg/l	0.1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Zinc as Zn (max)		mg/l	15	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Hexa Chromium as Cr ⁺⁶		mg/l	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Anionic Detergents (max)		mg/l	1.0	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2

Annexure-II : Ambient Air Quality Monitoring Report, Malda Manganese Mine, Sampling Location-1 (Near Dispensary)

PARAMETERS

	PM ₁₀	PM _{2.5}	SO ₂	NOx	O ₃	CO	NH ₃	Pb	Ni	As	Cd/Pb	BaP	Mn
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)	mg/m ³	(µg/m ³)	(µg/m ³)	(µg/m ³)	(ng/m ³)	(µg/m ³)	(ng/m ³)	(µg/m ³)
Limit as per CPCB notification, New Delhi, 18th Nov, 2009 for Ambient air quality	100	60	80	80	180	4	400	1	20	6	5	1	---
Sampling and Analysis done according to	IS 5182 (Part-23)-1999	USEPA CFR-40, Part-50, Appendix L	IS 5182 (Part-2)-2001	IS 5182 (Part-6)-2006	IS 5182 (Part-9)-1974	IS 5182 Part-10-1999	Air Sampling, Fed Ech By James P. Lodge (Method-401)	EPA IO-3.2	EPA IO-3.2	APHA 22nd-3114 C	IS 5182 Part-11	IS 5182 Part-12	EPA IO-3.2
April'17	56.6	27.5	4.6	10.9	5.5	0.28	<20.0	<0.001	<0.01	<0.001	<0.001	<0.002	<0.001
May'17	57.6	28.6	4.5	11.0	6.6	0.31	<20.0	<0.001	<0.01	<0.001	<0.001	<0.002	<0.001
Jun'17	42.2	19.80	<4.02	<9.2	<4.1	0.19	<20.0	<0.001	<0.01	<0.001	<0.001	<0.002	<0.001
July'17	29.3	11.9	<4.0	<9.0	<4.0	<0.10	<20.0	<0.001	<0.01	<0.001	<0.001	<0.002	<0.001
Aug'17	29.9	13.2	<4.0	<9.0	<4.0	<0.10	<20.0	<0.001	<0.01	<0.001	<0.001	<0.002	<0.001
Sept'17	35.1	16.7	<4.0	<9.2	<4.0	<0.12	<20.0	<0.001	<0.01	<0.001	<0.001	<0.002	<0.001
Oct'17	45.6	22.3	<4.2	<10.4	<4.0	0.18	<20.0	<0.001	<0.01	<0.001	<0.001	<0.002	<0.001
Nov'17	57.9	28.9	<4.5	12.4	<4.8	0.28	<21.1	<0.001	<0.01	<0.001	<0.001	<0.002	<0.001
Dec'17	73.6	38.3	5.4	15.4	7.8	0.38	27.9	<0.001	<0.01	<0.001	<0.001	<0.002	0.008
Jan'18	78.6	39.9	5.8	16.1	8.6	0.40	28.4	<0.001	<0.01	<0.001	<0.001	<0.002	0.014
Feb'18	70.6	35.3	5.2	15.3	9.3	0.42	25.8	<0.001	<0.01	<0.001	<0.001	<0.002	0.009
Mar'18	64.76	32.24	4.41	12.96	6.87	0.35	21.0	<0.001	<0.01	<0.001	<0.001	<0.002	<0.001

Annexure-II : Ambient Air Quality Monitoring Report, Malda Manganese Mine, Sampling Location-2 (Mines Pit)

PARAMETERS

	PM ₁₀	PM _{2.5}	SO ₂	NOx	O ₃	CO	NH ₃	Pb	Ni	As	C ₆ H ₆	BaP	Mn
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	(mg/m^3)	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	(ng/m^3)	(ng/m^3)	($\mu\text{g}/\text{m}^3$)	(ng/m^3)	($\mu\text{g}/\text{m}^3$)
Limit as per CPCB notification, New Delhi, 18th Nov, 2009, for Ambient air quality	100	60	80	80	180	4	400	1	20	6	5	1	--
Sampling and Analysis done according to	IS 5182(Part-23)-1999	USEPA CFR-40 Part-50, Appendix-L	IS: 5182 (Part-2)-2001	IS 5182 (Part-6)-2006	IS: 5182 (Part-5)-1974	IS 5182 Part-10-1999	Air Sampling, 3rd Edn. By James P. Lodge (Method-401)	EPA IO-3.2	EPA IO-3.2	APHA 22nd-3114 C	IS 5182: Part-11	IS 5182: Part-12	EPA IO-3.2
April'17	58.6	29.4	4.8	11.1	5.8	0.29	<20.0	<0.001	<0.01	<0.001	<0.001	<0.002	<0.001
May'17	61.2	30.5	4.8	12.0	7.4	0.34	<20.0	<0.001	<0.01	<0.001	<0.001	<0.002	<0.001
Jun'17	47.0	22.1	<4.0	<9.5	<4.2	0.22	<20.0	<0.001	<0.01	<0.001	<0.001	<0.002	<0.001
July'17	31.2	13.0	<4.0	<9.0	<4.0	<0.10	<20.0	<0.001	<0.01	<0.001	<0.001	<0.002	<0.001
Aug'17	31.2	13.9	<4.0	<9.2	<4.0	<0.11	<20.0	<0.001	<0.01	<0.001	<0.001	<0.002	<0.001
Sept'17	36.2	17.4	<4.1	10.0	<4.0	<0.13	<20.0	<0.001	<0.01	<0.001	<0.001	<0.002	<0.001
Oct'17	40.4	18.9	<4.0	<9.7	<4.0	0.15	<20.0	<0.001	<0.01	<0.001	<0.001	<0.002	<0.001
Nov'17	52.0	25.4	<4.3	11.3	<4.2	0.25	<20.5	<0.001	<0.01	<0.001	<0.001	<0.002	<0.001
Dec'17	68.0	34.5	5.0	14.4	6.5	0.34	24.9	<0.001	<0.01	<0.001	<0.001	<0.002	0.0023
Jan'18	73.4	36.9	5.2	15.2	7.7	0.37	25.0	<0.001	<0.01	<0.001	<0.001	<0.002	0.007
Feb'18	64.7	32.8	4.7	14.4	8.2	0.36	22.8	<0.001	<0.01	<0.001	<0.001	<0.002	<0.004
Mar'18	61.02	29.64	4.18	11.67	5.43	0.33	<20.0	<0.001	<0.01	<0.001	<0.001	<0.002	<0.001